

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and
sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of January 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4080 children, of whom 2081 were males, and 1999 females. Of these, 3786 were legitimate, and 294 illegitimate, being in the proportion of one illegitimate in every 13·9 Births, or the illegitimate births constituted 7·2 per cent. of the whole. In Greenock, 3·5 per cent. of the Births were illegitimate; in Leith, and in Paisley, 5·0; in Glasgow, 7·0; in Perth, 7·2; in Edinburgh, 7·5; in Dundee, 8·8; and in Aberdeen, 10·3 per cent.

1783 Marriages were registered in these Towns during January. Allowing for increase of the population, this number is 164 above the average for the month during the last ten years.

The Deaths of 2931 persons were registered in these Towns during the month, of whom 1508 were males, and 1423 females. Increase of the population being allowed for, this is 146 below the average January number of the last ten years.

A comparison of the Deaths registered shows that during January the mortality was at the annual rate of 17·9 Deaths per thousand persons in Aberdeen; 18·7 in Paisley; 19·4 in Leith; 19·9 in Edinburgh; 21·1 in Dundee; 22·0 in Perth; 23·8 in Greenock; and 24·9 in Glasgow.

Of the 1511 Deaths registered in Glasgow, 279 were of children under one year of age, and 259 of persons over 60 years; of the 495 in Edinburgh, 87 were of children under one year, and 159 of persons over 60 years; of the 292 in Dundee, 64 were

of children under one, and 85 of persons over 60 years; of the 210 in Aberdeen, 46 were under one, and 70 over 60; of the 124 in Leith, 28 were under one, and 31 over 60; of the 118 in Paisley, 15 were under one, and 37 over 60; of the 124 in Greenock, 22 were under one, and 28 over 60; and of the 57 in Perth, 7 were under one, and 23 over 60 years.

Of the whole 2931 Deaths, 1011, or 34·5 per cent. were of children under five years of age. In Perth, 19·3 per cent. of the persons who died were under five years of age; in Edinburgh, 27·1; in Greenock, 27·4; in Aberdeen, 28·6; in Dundee, 29·8; in Paisley, 30·5; in Leith, 33·1; and in Glasgow, 40·2 per cent.

Miasmatic Diseases caused 337 Deaths, or 11·5 per cent. of the whole mortality. In consequence of the prevalence of Measles and Hooping-Cough in Glasgow, this rate was exceeded in that Town.

Fever caused 25 Deaths, of which one (in Glasgow) was attributed to Typhus, 23 to Enteric, and one to Relapsing Fever.

Measles was the most fatal epidemic, having caused 149 Deaths, or 5·1 per cent. of the whole. In Glasgow, 134, or 8·9 per cent., and in Paisley, 6, or 5·1 per cent. of the Deaths in these Towns, respectively, were caused by Measles.

Hooping-Cough caused 105 Deaths, or 3·6 per cent. of the whole. In Glasgow, 78 Deaths, or 5·2 per cent. of the Deaths there were caused by Hooping-Cough.

Scarlatina caused 24 Deaths; Diphtheria, 17; and Puerperal Fever, 5.

Intemperance was the cause of 6 Deaths, all being attributed to Chronic Alcoholism.

Apoplexy caused 93 Deaths; Paralysis, 66; Heart Diseases, 257; and Premature Birth Debility, 77.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 692, or 23·6 per cent. of the whole. Those from Consumption alone numbered 276, or 9·4 per cent. 15 Deaths were attributed to Croup.

131 Deaths resulted from Violent Causes, 5 of which were Suicidal, viz., 2 by Cut-throat, and one each by Gunshot, Hanging and Drowning.

Two males and six females had passed the 90th year of life, the eldest of whom were a Farmer, and the widow of a Labourer, both aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	714,919	1001	1032	2053	1890	143	906	770	741	1511
EDINBURGH, . .	244,120	272,773	292,364	345	306	651	602	49	224	265	230	495
DUNDEE, . . .	140,794	154,118	163,090	205	172	377	344	33	207	137	155	292
ABERDEEN, . .	106,306	124,943	138,143	167	193	359	322	37	144	114	96	210
LEITH, . . .	59,485	68,707	75,186	115	105	220	209	11	64	66	58	124
PAISLEY, . . .	55,638	66,425	74,206	114	86	200	190	10	111	62	56	118
GREENOCK, . .	66,704	63,423	61,475	98	73	171	165	6	88	69	55	124
PERTH, . . .	28,980	29,919	30,524	36	33	69	64	5	39	25	32	57
TOTAL, . . .	1,279,873	1,439,016	1,549,907	2081	1999	4080	3786	294	1783	1508	1423	2931

JANUARY 1896, . . .	Mean Temp. 40°·5	2145	1937	4082	3762	320	1655	1269	1300	2569
JANUARY 1895, . . .	Mean Temp. 31°·7	2099	2024	4123	3810	313	1452	1530	1641	3171
JANUARY 1894, . . .	Mean Temp. 37°·6	2044	1996	4040	3703	337	1578	1398	1448	2846
JANUARY 1893, . . .	Mean Temp. 37°·4	2036	1948	3934	3657	327	1562	1576	1699	3275
JANUARY 1892, . . .	Mean Temp. 36°·5	1949	1757	3706	3434	272	1623	1429	1537	2966
JANUARY 1891, . . .	Mean Temp. 36°·6	1989	1860	3849	3552	267	1421	1435	1605	3040
JANUARY 1890, . . .	Mean Temp. 41°·8	1925	1883	3808	3488	320	1466	1599	1500	3099
JANUARY 1889, . . .	Mean Temp. 39°·6	1952	1746	3695	3394	304	1370	1229	1308	2537
JANUARY 1888, . . .	Mean Temp. 39°·0	1886	1738	3624	3318	306	1759	1308	1399	2707
JANUARY 1887, . . .	Mean Temp. 33°·6	1903	1779	3682	3315	367	1366	1357	1413	2770

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JANUARY 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	24	5	15	3	7	0	1. St Peter, . .	0	0	1	1	0	0	2
2. Camlachie, . .	0	15	0	3	0	0	2	2. St Mary, . .	0	1	0	0	0	1	1
3. Dennistoun, . .	0	16	0	6	0	1	3	3. St Clement, . .	0	0	0	0	0	1	1
4. Calton, . . .	0	15	0	6	0	0	0	4. St Andrew, . .	0	0	0	0	2	2	1
5. Blackfriars, . .	0	8	0	1	0	0	0	5. Loches, . . .	0	0	0	0	0	0	0
6. St Rollox, . .	0	15	2	14	0	2	3	Maina, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	3	1	2	0	0	0	ABERDEEN—							
8. Milton, . . .	0	7	0	5	0	0	2	1. St Nicholas, . .	0	4	1	0	0	1	1
9. Kelvin, . . .	0	6	0	6	1	0	2	2. Aberdeen, . .	0	0	2	1	1	1	1
10. Anderston, . .	0	5	0	1	0	0	0	3. Woodside, . .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	5	1	6	1	0	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	7	0	2	1	0	0	E. Peterculter, .	0	1	0	0	0	0	0
13. Tradeston, . .	0	6	0	1	1	2	0	Nigg, . . .	0	0	0	1	0	0	0
14. Kinning Park, .	0	1	0	3	1	0	0	LEITH—							
Cathcart, . .	0	0	0	0	1	0	0	1. North, . . .	0	0	1	0	0	0	0
Eastwood, . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	1	0	0	0
Maryhill, . .	0	1	0	4	0	0	1	PAISLEY, . . .	0	6	1	3	0	3	0
Shettleston, .	0	0	0	0	0	0	0	GREENOCK—							
Plantation, . .	0	0	0	0	0	0	0	1. East, . . .	0	0	0	0	0	0	2
Govan, . . .	0	0	0	2	0	0	0	2. West, . . .	0	0	1	0	0	1	0
Partick, . . .	0	0	0	0	0	0	0	PERTH, . . .	0	0	0	2	0	0	0
EDINBURGH—															
1. St George, . .	0	0	2	14	2	1	0								
2. St Andrew, . .	0	0	2	3	0	0	2								
3. Canongate, . .	0	0	1	1	3	1	0								
4. St Giles, . . .	0	1	1	0	0	0	1								
5. Newington, . .	0	0	2	0	0	1	1								
6. Portobello, . .	0	2	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	
ALL CAUSES - - -	2931	608	118	526	259	1511	134	42	160	159	495	87	19	101	85	292	60	16	64	70	
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	395	226	22	25	-	273	29	6	12	10	57	12	2	5	1	20	11	4	-	1	
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DIETETIC "	8	-	-	3	1	4	-	-	-	-	-	1	-	-	1	2	1	-	-	-	
IV. CONSTITUTIONAL "	518	40	32	148	26	246	10	19	47	14	90	2	9	30	7	48	2	6	28	5	
V. DEVELOPMENTAL "	210	48	-	-	38	86	14	-	-	30	44	11	-	-	8	19	6	1	-	20	
VI. LOCAL "	1571	239	55	298	186	778	70	14	84	104	272	44	4	59	64	171	33	5	29	41	
VII. VIOLENCE - -	131	13	7	40	5	65	-	3	16	1	20	12	3	7	4	26	1	-	4	2	
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	98	42	2	12	3	59	11	-	1	-	12	5	1	-	-	6	6	-	3	1	
I.																					
1. Miasmatic Diseases -	337	209	21	16	-	246	25	6	9	3	43	6	2	3	-	11	9	4	-	1	
2. DIARRHEAL "	26	10	1	2	-	13	1	-	1	2	4	5	-	-	-	5	2	-	-	-	
3. MALARIAL "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. ZOOGENOUS "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. VENEREAL "	11	4	-	-	-	4	2	-	1	-	3	1	-	-	-	1	-	-	-	-	
6. SEPTIC "	21	3	-	7	-	10	1	-	1	5	7	-	-	2	1	3	-	-	-	-	
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III.																					
DIETETIC DISEASES - -	8	-	-	3	1	4	-	-	-	-	-	1	-	-	1	2	1	-	-	-	
IV.																					
CONSTITUTIONAL DISEASES	518	40	32	148	26	246	10	19	47	14	90	2	9	30	7	48	2	6	28	5	
V.																					
DEVELOPMENTAL DISEASES	210	48	-	-	38	86	14	-	-	30	44	11	-	-	8	19	6	1	-	20	
VI.																					
1. DIS. OF NERVOUS SYSTEM -	311	46	18	51	44	154	14	3	17	20	54	10	-	6	18	34	7	1	2	11	
2. " ORGANS OF SPECIAL SENSE - -	8	2	2	-	-	4	2	-	-	-	2	1	1	-	-	2	-	-	-	-	
3. " CIRCULATORY SYSTEM	257	2	6	61	43	112	1	3	22	37	63	-	-	12	14	26	1	1	9	6	
4. " RESPIRATORY SYSTEM	692	162	14	105	64	345	37	2	29	31	99	29	2	23	28	82	15	1	9	20	
5. " DIGESTIVE SYSTEM -	165	23	6	41	13	83	14	-	2	9	25	4	1	9	2	16	10	-	6	1	
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	4	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	
7. " URINARY SYSTEM -	77	-	5	18	20	43	-	4	8	6	18	-	-	4	2	8	-	1	-	2	
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	14	-	-	9	-	9	-	-	2	-	2	-	-	2	-	2	-	-	1	-	
(b) DISEASES OF PARTURITION - -	12	-	1	9	-	10	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
9. " ORGANS OF LOCOMOTION - -	24	2	7	3	1	13	2	2	-	1	5	-	-	2	-	2	-	1	2	-	
10. " INTEGUMENTARY SYSTEM - -	7	1	1	1	1	4	-	-	1	-	1	-	-	-	-	-	-	-	-	1	

5

Registered during the Month of JANUARY 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	126	13	7	38	5	63	-	3	13	1	17	12	3	7	4	26	1	-	4	2	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	5	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	98	42	2	12	3	59	11	-	1	-	12	5	1	-	-	6	6	-	3	1	10
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Measles - - -	149	125	9	-	-	134	2	-	1	-	3	1	-	-	-	1	5	-	-	-	5
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	24	6	-	3	-	9	4	3	1	-	8	1	-	-	-	1	1	2	-	-	3
Typhus - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Influenza - - -	15	-	-	4	-	4	-	-	3	3	6	-	-	1	-	1	-	-	-	1	1
Hooping-Cough - - -	105	73	5	-	-	78	15	3	-	-	18	1	-	-	-	1	2	-	-	-	2
Mumps - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	17	5	3	1	-	9	4	-	1	-	5	2	-	-	-	2	1	-	-	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	23	-	4	7	-	11	-	-	3	-	3	-	2	2	-	4	-	1	-	-	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	26	10	1	2	-	13	1	-	1	2	4	5	-	-	-	5	2	-	-	-	2
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	10	4	-	-	-	4	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Gonorrhoea Stricture of Urethra	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	8	1	-	2	-	3	1	-	1	2	4	-	-	-	1	1	-	-	-	-	-
Pyæmia, Septicæmia - - -	8	2	-	1	-	3	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	5	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	6	-	-	3	1	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu- matism of Heart - - -	9	-	1	4	1	6	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	6	-	-	1	2	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	105	-	-	29	18	47	-	-	8	8	16	-	-	6	5	11	-	-	9	5	14
Tabes Mesenterica - - -	22	5	3	1	-	9	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - -	47	22	6	2	-	30	3	4	1	-	8	-	-	-	-	-	2	2	-	-	4
Phthisis - - - - -	276	7	15	102	5	129	1	11	30	4	46	9	9	21	1	31	-	2	19	-	21
Other forms of Tuber. Scrofula	37	5	6	5	-	16	2	3	4	-	9	1	-	2	-	3	-	1	-	-	1
Purp., Hæmorrhagic Diathesis	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Anæmia, Chl., Leucocythæmia	8	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	3	-	1	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth - - - -	77	38	-	-	-	38	13	-	-	-	13	9	-	-	-	9	6	-	-	-	6
Atelectasis - - - - -	5	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	3	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	6	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Old Age - - - - -	117	-	-	-	38	38	-	-	-	30	30	-	-	-	8	8	-	-	20	-	20
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes - - - - -	52	19	7	4	-	30	6	-	-	-	6	4	-	-	-	4	4	-	-	-	4
Apoplexy - - - - -	93	-	2	23	22	47	-	-	5	8	13	-	-	4	11	15	-	-	-	4	4
Softening of Brain - -	8	-	-	2	2	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	57	-	2	8	17	27	-	-	2	9	11	-	-	1	5	6	-	-	-	6	6
Paralysis Agitans - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	11	-	-	2	-	2	-	1	5	1	7	-	-	-	-	-	-	-	2	-	2
Chorea - - - - -	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	4	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	47	21	-	1	-	22	6	-	2	-	8	6	-	-	-	6	2	-	-	-	2
Laryngismus Stridulus -	5	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - -	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Paraplegia, Dis. of Spinal Cord	9	-	-	1	-	1	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-
Other Diseases of Ner. System	20	2	-	7	2	11	-	1	1	1	3	-	-	1	-	1	-	1	-	1	2
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa - - -	4	1	2	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	2	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
Ophthalmia and Dis. of Eye	2	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life

Registered during the Month of JANUARY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	3	7	-	2	3	5	-	-	3	1	4	-	-	-	1	1	1
Tabes Mesenterica - - - - -	4	-	-	-	4	2	1	-	3	-	-	-	-	2	-	-	-	-	-	2
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	2	2	-	-	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis - - - - -	-	3	15	1	19	-	2	10	12	-	2	8	-	10	-	4	4	-	-	8
Other forms of Tuberculosis, Scrofula -	1	1	2	-	4	1	1	-	2	-	-	1	-	1	-	1	-	-	-	1
Purpura, Hemorrhagic Diathesis -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	7	-	-	-	7	1	-	-	1	3	-	-	-	3	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	5	5	-	-	-	9	9	-	-	4	4	-	-	-	3	3	3
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	2	-	-	2	3	1	1	-	5	-	1	-	-	-	1
Apoplexy - - - - -																				

11

11

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

CAUSES OF DEATH.	Grand Total	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	7	-	-	3	-	3	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
Diseases of Uterus and Vagina - -	4	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	3	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	5	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	10	-	2	-	1	3	1	2	-	-	3	-	-	2	-	2	-	-	2	-	2
Arthritis, Ostitis, Periostitis - -	4	1	-	1	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	10	1	5	2	-	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	6	1	1	1	1	4	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	10	-	1	4	-	5	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. oth. than R'ways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	30	5	4	5	1	15	-	3	1	-	4	2	2	1	1	6	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Drowning - - -	15	-	1	6	1	8	-	-	1	1	2	-	-	1	-	1	-	-	2	-	2
Suffocation { In Bed - - -	17	6	-	-	-	6	-	-	-	-	-	10	-	-	-	10	1	-	-	-	1
Suffocation { Otherwise - - -	6	1	-	3	-	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Falls - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	27	-	-	8	3	11	-	-	4	-	4	-	1	3	2	6	-	-	2	1	3
Otherwise, or Not Stated - - -	9	1	1	4	-	6	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	66	34	-	3	-	37	10	-	1	-	11	5	-	-	-	5	4	-	-	-	4
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	4	1	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	26	7	2	7	3	19	1	-	-	-	1	-	-	-	-	-	2	-	3	1	6

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1897.

13

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
{ Veh. other than R'ways. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns and Scalds -	1	1	1	-																

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—JANUARY 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever-Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,650	66	29	35	0	0	0	0	0	0	0	0	0	11	4
Ayr,	28,782	77	30	46	0	1	0	2	1	0	0	0	2	6	2
Banff, with Macduff,	8,689	18	4	20	0	0	0	0	1	2	0	1	0	3	1
Blairgowrie,	4,198	9	2	9	0	0	0	0	0	0	0	0	0	4	2
Callander,	2,347	3	0	6	0	0	0	0	0	0	0	0	0	0	2
Campbeltown,	10,589	19	7	18	0	0	0	0	0	0	0	0	0	3	2
Cathcart (Landward),	5,772	13	5	3	0	0	0	0	0	0	0	0	0	1	1
Coatbridge,	37,319	113	49	55	0	0	0	5	0	1	0	1	1	15	1
Crieff,	5,697	13	5	8	0	0	0	0	0	0	0	1	0	3	0
Dumbarton,	20,438	61	14	41	0	0	1	1	0	0	0	0	0	11	3
Dumfries, with Troqueer,	24,684	64	13	50	0	0	0	5	0	0	0	0	0	10	6
Dunfermline,	30,213	57	39	45	0	0	0	1	0	1	0	0	0	14	2
Dunoon,	7,594	14	0	12	0	0	1	0	1	0	0	0	0	2	3
Eastwood (Landward),	14,372	50	19	28	0	0	0	0	0	0	0	0	0	5	7
Elgin,	10,870	26	4	23	0	0	0	0	1	0	0	1	0	3	2
Falkirk,	29,654	76	39	48	0	0	0	1	0	0	0	0	1	16	3
Forfar,	13,185	21	22	20	0	0	0	1	0	1	0	0	0	5	0
Galashiels,	19,153	36	8	34	0	12	0	0	0	0	0	0	0	7	2
Govan—(1) Plantation (Land- ward),	25,753	63	13	43	0	0	0	5	1	0	0	0	0	10	7
(2) Govan (Landward),	47,267	129	50	90	0	6	0	7	1	2	0	0	1	26	11
(3) Partick (Landward),	43,729	132	52	65	0	0	0	10	0	1	0	1	2	10	4
Haddington,	4,956	10	2	12	0	0	0	0	0	1	0	0	0	2	1
Hawick, with Wilton,	22,699	37	9	26	0	0	0	0	0	0	0	1	0	4	5
Inverness,	25,610	63	23	59	0	0	0	1	0	0	0	3	0	10	8
Kilmarnock, with Riccarton,	32,978	89	35	39	0	0	0	0	0	0	0	0	0	13	3
Kilmore and Kilbride (Oban),	6,129	12	5	9	0	0	0	0	0	0	0	0	0	1	1
Kinning Park (Landward),	15,203	42	12	28	0	0	0	1	0	0	0	1	0	9	3
Kirkcaldy and Abbotshall,	19,453	42	26	28	0	0	0	0	0	0	0	0	0	4	1
Kirkcudbright,	3,476	4	1	5	0	0	0	0	0	0	0	0	0	1	1
Largs,	5,430	9	1	4	0	0	0	1	0	0	0	0	1	0	0
Logie (Bridge of Allan),	4,409	6	2	7	0	0	0	0	0	0	0	0	0	1	1
Moffat,	3,007	4	0	2	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,367	35	9	35	0	0	0	0	0	0	0	3	0	9	6
Moulin (Pitlochry),	2,276	4	3	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	10	1	11	0	0	0	0	0	1	0	0	0	0	1
New Monkland (Airdrie),	38,144	104	33	60	0	0	0	3	1	0	0	2	0	24	4
North Berwick,	3,279	7	2	3	0	0	0	0	0	0	0	0	0	0	2
Peterhead, with Boddam,	16,900	51	10	31	0	0	0	3	1	0	0	1	2	5	1
Rothsay,	9,631	13	3	25	0	0	0	0	0	0	0	0	0	4	1
St Andrews and St Leonards,	8,851	18	2	10	0	0	0	1	0	0	0	0	0	3	1
Shettleston (Landward),	15,244	43	9	17	0	0	0	0	1	0	0	1	0	6	3
Stirling,	15,605	35	13	23	0	0	0	0	0	0	0	0	0	7	7
Stranraer,	6,058	19	6	15	0	0	0	0	1	0	0	1	0	3	1
Wick,	12,278	23	3	21	0	0	0	0	0	0	0	0	0	2	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of JANUARY 1897.

Mean barometric pressure, 29·934 inches ; greater than the average for the same month of 1856–95 by 0·131 inch.

Barometric monthly range, 1·153 inch ; less by 0·503 inch.

Mean temperature, $35^{\circ}1$; less by $2^{\circ}6$.

Mean daily range of temperature, $8^{\circ}1$; less by $0^{\circ}9$.

Mean humidity, 84 ; less by 3·0.

Rain, number of days, 14 ; less by 3 days.

Rain, depth in inches, 1·66 ; less by 2·06 inches.

Wind, pressure on square foot, 2·03 lbs. ; greater by 0·03 lb.

Wind, direction of, E. to W. as 9 to 9, and N. to S. as 7 to 5 ; the average being E. to W. as 5 to 12, and N. to S. as 4 to 8.

Hence, the weather of January 1897 was characterised by a rather high mean pressure, with an unusually low average monthly range ; a low mean temperature with a lower mean daily range than has occurred since January 1874 ; a very low humidity ; a comparatively small rainfall, falling 3 days fewer than the average ; an unwonted excess of northerly and easterly winds, and a deficiency of south-westerly winds.

The mean barometric pressure was 29·934 inches, being an excess of 0·131 inch above the average. This excess of pressure was very unequally distributed over Scotland ; thus, while near the Solway Firth it was only 0·086 inch, in the Hebrides it was 0·225 inch, and at Aberdeen in the same latitude in the east it was only 0·150 inch. From this distribution of the pressure, resulted an excess above their averages of 2 days N.W., 2 days N., 1 day N.E., and 3 days E. winds.

The unusual prevalence of these winds directly occasioned the low temperature of the month, the deficiency of temperature being pretty equally distributed among the large towns. The sunshine was under the average, the cloud exceeded it, and the mean daily range of temperature was unusually small. It followed that the defect of temperature was greater during the days than during the nights, the former being $3^{\circ}0$, and the latter $2^{\circ}1$ under the averages. The absolutely highest temperatures were markedly low at all the large towns, the highest being $50^{\circ}6$ at Leith, on the 1st, while the absolutely lowest was $15^{\circ}5$ at Aberdeen, on the 17th.

The mean rainfall was 1·66 inch, or 55 per cent. under the average. The smallest, 0·72 inch, was collected at Leith, or 67 per cent. under the average ; and the largest, 3·14 inches at Aberdeen, or 35 per cent. above the average. A large proportion of the precipitation of the month was as snow, sleet, and hail, the greatest falls being on the 3rd, 7th, 8th, 19th to the 25th, and the 29th and 30th. In Aberdeen and adjoining counties the snowfall was very large.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JANUARY 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.									
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW. J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.875	29.936	1.116	47.9	18.0	35.2	29.9	9.3	21.0	35.7	33.8	31.0	.175	2.03	84	14	1.53	2	1	5	1	1	0	2	6	13	0.28
EDINBURGH, E. C. MOSSMAN, F.R.S.E.	276	29.621	29.933	1.145	47.0	20.8	35.0	26.2	7.4	18.1	35.0	33.4	30.8	.172	2.00	84	10	0.80	2	2	10	1	2	3	9	2	1	0.52
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.746	29.932	1.160	46.9	22.5	34.2	24.4	7.7	16.5	34.4	32.8	30.1	.167	1.96	84	16	1.79	1	7	4	3	0	3	6	7	0	2.56
ABERDEEN, P. HARPER, Superintend- ent, Duthie Park.	44	29.879	29.928	1.230	44.0	15.5	34.5	28.5	7.6	17.5	35.3	33.6	31.0	.173	2.07	84	19	3.14	2	3	0	6	4	5	1	9	1	4.66
LEITH, JAMES BOLLAM, Navigation School, and GEORGE REDPATH.	70	29.854	29.933	1.128	50.6	23.9	36.2	26.7	6.3	14.9	36.1	34.2	31.4	.178	2.03	83	14	0.72	4	2	5	2	3	2	10	1	2	2.10
PAISLEY, DONALD MACOMAN, The Coats Observatory.	107	29.814	29.933	1.128	49.5	24.0	36.2	25.5	8.8	16.2	35.2	33.6	30.8	.175	2.08	84	13	1.60	5	2	6	1	4	1	6	2	4	1.00
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.679	29.936	1.149	49.7	20.8	35.6	28.9	9.3	19.5	35.8	34.0	31.3	.177	2.02	84	13	1.84	0	4	3	10	0	5	5	4	0	3.10
PERTH, A. GAEDDOKE, Gardener to James F. Fullar, F.R.S.E.	140	29.782	29.940	1.170	46.8	21.0	34.1	25.8	8.6	18.0	33.9	32.8	30.9	.173	2.02	88	9	1.86	7	5	12	1	1	3	1	1	0	...
Means,	136	29.781	29.934	1.153	(50.6)	(15.5)	35.1	27.0	8.1	17.7	35.2	33.5	30.9	.174	2.03	84	14	1.63	3	3	6	3	2	2	5	5	2	2.03
North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 26'; Mean, 3° 30'.																												

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'. Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'. Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE

FEBRUARY 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of February 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3710 children, of whom 1948 were males, and 1762 females. Of these, 3447 were legitimate, and 263 illegitimate, being in the proportion of one illegitimate in every 14.1 Births, or the illegitimate births constituted 7.1 per cent. of the whole. In Paisley, 2.5 per cent. of the Births were illegitimate; in Leith, 4.0; in Glasgow, 6.1; in Greenock, 6.3; in Aberdeen, 7.7; in Perth, 8.3; in Dundee, 9.5; and in Edinburgh, 10.4 per cent.

678 Marriages were registered in these Towns during February. Allowing for increase of the population, this number is 11 above the average for the month during the last ten years.

The Deaths of 3165 persons were registered in these Towns during February, of whom 1538 were of males, and 1627 of females. Allowing for increase of the population this is 428 above the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during February the mortality was at the annual rate of 20.8 Deaths per thousand persons in Leith; 22.4 in Dundee; 22.5 in Aberdeen; 23.8 in Edinburgh; 25.3 in Paisley; 29.1 in Greenock; 29.7 in Glasgow, and 35.0 in Perth.

Of the 1631 Deaths registered in Glasgow, 373 were of children under one year of age, and 329 of persons over 60 years; of the 533 in Edinburgh, 99 were of children under one year, and 157 of persons over 60 years; of the 280 in Dundee, 62 were

under one, and 77 over 60 years; of the 238 in Aberdeen, 58 were under one, and 68 over 60; of the 120 in Leith, 27 were under one, and 33 over 60; of the 144 in Paisley, 26 were under one, and 53 over 60; of the 137 in Greenock, 23 were under one, and 33 over 60; and of the 82 in Perth, 10 were under one, and 24 over 60 years.

Of the whole 3165 Deaths, 1180, or 37·3 per cent. were of children under five years of age. In Perth, 24·4 per cent. of the persons who died were under five years of age; in Paisley, 27·1; in Greenock, 27·7; in Edinburgh, 30·8; in Leith, 31·7; in Aberdeen, 32·4; in Dundee, 33·2; and in Glasgow, 43·6 per cent.

Miasmatic Diseases caused 383 Deaths, or 12·1 per cent. of the whole mortality. This rate was exceeded in Glasgow from the prevalence of Measles and Hooping-Cough; and in Perth chiefly from Hooping-Cough.

Fever caused 13 Deaths, of which 12 were ascribed to Enteric, and one to Cerebro-Spinal Fever.

Hooping-Cough was the most fatal epidemic, having caused 149 Deaths, or 4·7 per cent. of the whole. In Glasgow, 103 Deaths resulted from Hooping-Cough, being at the rate of 6·3 per cent. of the Deaths there; and in Perth, 8 Deaths, or 9·8 per cent. of the deaths in that Town.

Measles caused 132 Deaths, or 4·2 per cent. of the whole. 110 Deaths resulted from Measles in Glasgow, constituting 6·7 per cent. of the mortality of that Town.

Scarlatina caused 21 Deaths; Diphtheria, 16; Puerperal Fever, 5; and Smallpox, 1.

From Intemperance 6 Deaths resulted, 4 being ascribed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 127 Deaths; Paralysis, 71; Diseases of the Heart, 220; and Premature Birth Debility, 81.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 870, or 27·5 per cent. Those from Consumption alone numbered 283, or 8·9 per cent. 13 Deaths were attributed to Croup.

To Violent Causes were ascribed 96 Deaths, 7 of which were Suicidal (3 by Cut-throat, 3 by Hanging, and one by Poison).

Three males and eleven females were aged 90 years and upwards, the eldest of whom was a minister aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	714,919	983	860	1843	1730	113	332	785	846	1631
EDINBURGH, . . .	244,120	272,773	292,364	327	305	632	566	66	125	273	260	533
DUNDEE, . . .	140,794	154,118	163,090	164	164	328	297	31	51	144	136	280
ABERDEEN, . . .	106,306	124,943	133,143	180	158	338	312	26	83	122	116	238
LEITH, . . .	69,485	68,707	75,186	95	78	173	166	7	25	56	64	120
PAISLEY, . . .	55,638	66,425	74,206	81	80	161	157	4	23	66	73	144
GREENOCK, . . .	66,704	63,423	61,475	90	85	175	164	11	19	55	82	137
PERTH, . . .	28,980	29,919	30,524	28	32	60	55	5	15	37	45	82
TOTAL, . . .	1,279,873	1,439,016	1,549,907	1948	1763	3710	3447	263	678	1538	1627	3165

FEBRUARY 1896, . . .	Mean Temp. 42°·2	1858	1743	3601	3334	267	709	1172	1127	2299
FEBRUARY 1895, . . .	Mean Temp. 29°·7	1815	1747	3562	3339	223	616	1580	2201	4081
FEBRUARY 1894, . . .	Mean Temp. 39°·8	1772	1629	3401	3152	249	632	1144	1166	2310
FEBRUARY 1893, . . .	Mean Temp. 39°·3	1797	1680	3477	3225	252	651	1287	1250	2537
FEBRUARY 1892, . . .	Mean Temp. 37°·6	1891	1815	3706	3431	275	720	1294	1264	2558
FEBRUARY 1891, . . .	Mean Temp. 41°·8	1721	1628	3349	3053	296	616	1173	1173	2346
FEBRUARY 1890, . . .	Mean Temp. 37°·9	1664	1503	3167	2902	265	554	1415	1400	2815
FEBRUARY 1889, . . .	Mean Temp. 37°·6	1674	1519	3193	2952	241	626	1081	1145	2226
FEBRUARY 1888, . . .	Mean Temp. 36°·2	1782	1647	3429	3126	303	588	1164	1219	2383
FEBRUARY 1887, . . .	Mean Temp. 40°·1	1594	1599	3193	2902	291	568	1134	1091	2225

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of FEBRUARY 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, . . .	0	21	4	14	1	6	1	1. St Peter, . . .	0	0	1	1	0	0	1
2. Camlachie, . . .	0	5	1	10	0	0	2	2. St Mary, . . .	0	0	0	0	0	0	2
3. Dennistoun, . . .	0	31	1	7	1	0	2	3. St Clement, . . .	0	0	0	2	0	0	2
4. Calton, . . .	0	5	0	2	0	0	1	4. St Andrew, . . .	0	0	0	1	0	0	1
5. Blackfriars, . . .	0	2	0	3	0	0	0	5. Lochee, . . .	0	0	0	0	0	0	0
6. St Rollox, . . .	0	16	1	14	1	0	0	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . . .	0	2	1	3	0	0	0								
8. Milton, . . .	0	3	0	10	0	0	3	ABERDEEN—							
9. Kelvin, . . .	0	3	2	7	1	1	0	1. St Nicholas, . . .	0	4	0	1	0	0	2
10. Anderston, . . .	0	3	1	5	2	0	0	2. Aberdeen, . . .	0	2	2	1	0	2	0
11. Hutchesontown, . . .	0	10	1	9	0	0	1	3. Woodside, . . .	0	0	0	1	0	0	0
12. Gorbals, . . .	0	7	0	12	2	0	2	4. Old Aberdeen, . . .	0	0	0	0	0	0	0
13. Tradeston, . . .	0	2	0	1	2	0	0	E. Peterculter, . . .	0	0	0	0	0	0	0
14. Kinning Park, . . .	0	0	0	3	0	0	0	Nigg, . . .	0	2	0	0	0	0	0
Cathcart, . . .	0	0	0	0	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	0	0	2	0	0	1	1. North, . . .	0	0	0	0	0	0	0
Shettleston, . . .	0	0	0	0	0	0	0	2. South, . . .	1	0	1	0	0	0	3
Plantation, . . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	1	0	0	0	PAISLEY, . . .	0	1	1	3	0	1	1
Partick, . . .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . . .	0	2	0	9	2	1	1	1. East, . . .	0	0	0	1	0	0	2
2. St Andrew, . . .	0	1	0	5	0	0	1	2. West, . . .	0	0	0	0	0	0	0
3. Canongate, . . .	0	4	2	4	1	0	0								
4. St Giles, . . .	0	0	0	3	0	0	1	PERTH, . . .	0	3	1	8	0	2	3
5. Newington, . . .	0	0	1	4	0	0	3								
6. Portobello, . . .	0	3	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
ALL CAUSES - - -	3165	711	96	495	329	1631	164	35	177	157	533	93	17	93	77	280	77	18	75	63	238
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	461	241	13	23	10	287	42	7	10	11	70	23	1	7	-	31	13	2	6	3	24
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	9	3	-	-	-	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
IV. CONSTITUTIONAL "	529	37	36	128	27	228	19	11	57	19	106	11	10	32	12	65	3	8	30	8	49
V. DEVELOPMENTAL "	215	51	-	-	51	102	20	-	-	24	44	10	-	-	7	17	11	-	-	7	18
VI. LOCAL "	1763	332	40	310	231	913	66	16	96	97	275	38	5	52	57	152	43	8	33	48	132
VII. VIOLENCE - -	96	5	7	24	5	41	9	1	11	6	27	5	1	1	1	8	1	-	4	2	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	92	42	-	10	5	57	8	-	1	-	9	6	-	1	-	7	6	-	1	-	7
I.																					
1. MIASMATIC DISEASES -	383	224	13	17	6	260	37	6	5	7	55	9	1	1	-	11	11	2	4	3	20
2. DIARRHOEAL "	44	10	-	2	1	13	1	1	2	2	6	14	-	-	-	14	2	-	-	-	2
3. MALARIAL "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL "	16	5	-	1	1	7	4	-	1	1	6	-	-	1	-	1	-	-	1	-	1
6. SEPTIC "	18	2	-	3	2	7	-	-	2	1	3	-	-	5	-	5	-	-	1	-	1
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	9	3	-	-	-	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
IV.																					
CONSTITUTIONAL DISEASES	529	37	36	128	27	228	19	11	57	19	106	11	10	32	12	65	3	8	30	8	49
V.																					
DEVELOPMENTAL DISEASES	215	51	-	-	51	102	20	-	-	24	44	10	-	-	7	17	11	-	-	7	18
VI.																					
1. DIS. OF NERVOUS SYSTEM -	382	73	9	51	53	186	9	6	25	29	69	7	1	10	10	28	12	2	8	9	31
2. " ORGANS OF SPECIAL SENSE - -	5	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1
3. " CIRCULATORY SYSTEM	220	1	5	46	40	92	-	3	21	22	46	-	-	14	19	33	-	-	7	11	18
4. " RESPIRATORY SYSTEM	870	206	15	161	112	494	44	4	25	30	103	23	3	19	22	67	21	-	8	28	57
5. " DIGESTIVE SYSTEM -	170	44	7	24	16	91	10	2	8	7	27	7	-	4	2	13	9	2	5	-	16
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
7. " URINARY SYSTEM -	72	2	-	20	9	31	-	1	11	7	19	-	-	4	4	8	-	2	3	-	5
8. " REPRODUCTIVE SYSTEM:-																					
(a) DISEASES OF ORGANS OF GENERATION -	7	1	-	3	-	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION - -	9	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
" ORGANS OF LOCOMOTION - -	18	3	4	2	1	10	-	-	2	1	3	-	-	-	-	-	-	-	1	-	1
10. " INTEGUMENTARY SYSTEM - -	9	2	-	-	-	2	2	-	1	1	4	1	-	-	-	1	-	1	-	-	1

21

21

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	38	5	44	33	120	39	12	40	53	144	38	14	52	33	137	20	6	32	24	82
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	3	-	2	1	6	7	1	1	3	12	2	1	7	3	13	13	2	2	1	18
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC - - - -	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL - -	4	3	16	5	28	1	6	12	3	22	2	3	9	1	15	2	3	10	1	16
V. DEVELOPMENTAL - -	5	-	-	3	8	-	-	-	13	13	5	-	-	2	7	1	-	-	5	6
VI. LOCAL - - - -	22	2	23	21	68	29	5	26	33	93	26	7	30	27	90	3	1	19	17	40
VII. VIOLENCE - - -	2	-	1	2	5	-	-	-	1	1	-	1	5	-	6	-	-	1	-	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	2	-	1	-	3	3	2	1	-	6	1	-	-	-	1
I.																				
1. Miasmatic Diseases - -	1	-	2	-	3	3	1	1	2	10	1	-	5	3	9	11	2	2	-	15
2. Diarrhoeal - - - -	2	-	1	3	-	-	-	-	1	1	1	1	-	2	2	-	-	1	3	-
3. Malarial - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal - - - -	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6. Septic - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	4	3	16	5	28	1	6	12	3	22	2	3	9	1	15	2	3	10	1	16
V.																				
DEVELOPMENTAL DISEASES--	5	-	-	3	8	-	-	-	13	13	5	-	-	2	7	1	-	-	5	6
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	4	2	4	5	15	2	3	3	14	22	5	2	2	12	21	3	-	1	6	10
2. " ORGANS OF SPECIAL SENSE - -	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM - -	-	-	3	5	8	-	1	1	5	7	-	1	5	-	6	-	-	6	4	10
4. " RESPIRATORY SYSTEM - -	12	-	12	9	33	22	-	19	12	53	18	3	16	12	49	-	1	7	6	14
5. " DIGESTIVE SYSTEM - -	5	-	2	1	8	4	1	1	1	7	2	-	1	1	4	-	-	4	-	4
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM - -	-	-	1	1	2	-	-	1	-	1	-	-	2	2	4	-	-	1	1	2
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
(b) DISEASES OF PARTURITION - -	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
9. " ORGANS OF LOCOMOTION - -	-	-	-	-	-	-	-	-	1	1	1	1	1	-	3	-	-	-	-	-
10. " INTEGUMENTARY SYSTEM - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	88	5	7	23	5	40	8	1	9	5	23	5	1	-	-	6	1	-	4	2	7
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	8	-	-	1	-	1	1	-	2	1	4	-	-	1	1	2	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	92	42	-	10	5	57	8	-	1	-	9	6	-	1	-	7	6	-	1	-	7
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	132	103	6	1	-	110	8	2	-	-	10	-	-	-	-	-	7	1	-	-	8
Epidemic Rose Rash - - -	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	21	7	4	1	-	12	2	1	-	-	3	-	1	-	-	1	1	-	1	-	2
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	48	2	-	9	6	17	-	4	7	11	-	-	1	-	-	1	-	1	1	3	5
Hooping-Cough - - -	149	101	2	-	-	103	25	-	-	25	6	-	-	-	-	6	3	-	-	-	3
Mumps - - -	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	16	9	1	-	-	10	1	2	-	3	3	-	-	-	-	3	-	-	-	-	-
Cerebro-spinal Fever - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	12	1	-	6	-	7	-	-	1	-	1	-	-	-	-	-	-	-	2	-	2
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	44	10	-	2	1	13	1	1	2	2	6	14	-	-	-	14	2	-	-	-	2
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	13	5	-	1	-	6	4	-	-	-	4	-	-	1	-	1	-	-	1	-	1
Gonorrhoea Stricture of Urethra	3	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	9	2	-	1	2	5	-	-	-	1	1	-	-	3	-	3	-	-	-	-	-
Pyæmia, Septicæmia - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	5	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

23

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	-	1	2	5	-	-	-	1	1	-	1	5	-	6	-	-	-	-	-
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	2	-	1	-	3	3	2	1	-	6	1	-	-	-	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	-	3
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	1	-	1	1	-	1	2	4	-	-	5	3	8	-	-	1	-	1
Whooping-cough -	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1	7	1	-	-	8
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	2	-	1	-	3	-	-	1	-	1	1	1	-	-	2	2	-	-	1	3
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Par.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheumatism of Heart	14	-	1	6	2	9	-	1	1	-	2	-	2	-	-	2	-	-	1	-	1
Rheumatism	5	-	-	-	1	1	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	6	1	1	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Cancer	109	-	-	22	18	40	-	-	13	13	26	-	-	5	10	15	-	-	3	6	9
Tabes Mesenterica	31	7	3	-	-	10	5	-	1	-	6	3	2	2	1	8	1	-	-	-	1
Tubercular Meningitis (Acute Hydrocephalus)	38	14	3	1	-	18	7	1	1	-	9	3	-	1	-	4	2	-	1	-	3
Other forms of Tuber. Scrofula	283	7	24	95	5	131	1	8	37	4	50	1	4	21	1	27	-	4	24	2	30
Purp., Hæmorrhagic Diathesis	31	8	4	2	-	14	4	-	1	-	5	2	2	1	-	5	-	3	-	-	3
Anæmia, Chl., Leucocythæmia	6	-	-	-	1	1	-	1	-	1	2	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus	6	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-	-	1	1	-	2
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																					
Premature Birth	81	37	-	-	-	37	15	-	-	-	15	9	-	-	-	9	10	-	-	-	10
Atelectasis	7	4	-	-	-	4	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Cyanosis	4	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Spina Bifida	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	7	5	-	-	-	5	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Old Age	112	-	-	-	51	51	-	-	-	24	24	-	-	-	7	7	-	-	-	7	7
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Membranes	82	37	6	10	-	53	4	3	1	1	9	1	-	-	-	1	4	1	-	-	5
Apoplexy	127	3	-	27	32	62	-	-	7	16	23	-	-	5	7	12	-	-	5	7	12
Softening of Brain	8	-	-	2	2	4	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis	55	-	1	5	13	19	-	-	1	8	9	-	-	3	1	4	-	-	-	2	2
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Par. of Insane	10	-	-	1	-	1	-	-	5	1	6	-	-	-	1	1	-	-	2	-	2
Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	5	-	-	1	-	1	-	1	2	-	3	-	-	-	-	-	-	1	-	-	1
Convulsions	46	24	2	-	-	26	4	1	-	-	5	5	-	-	-	5	6	-	-	-	6
Laryngismus Stridulus	8	7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Paraplegia, Dis. of Spinal Cord	16	-	-	2	4	6	-	-	4	1	5	-	-	1	1	2	-	-	1	-	1
Other Diseases of Ner. System	20	2	-	3	2	7	-	1	4	-	5	-	1	1	-	2	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Otorrhœa	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	3	7	-	3	2	5	-	-	2	1	3	-	3	1	4	-	-
Tabes Mesenterica - - - - -	-	2	-	-	2	-	1	-	1	1	-	1	-	2	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	2	-	-	-	2	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-
Phthisis - - - - -	1	1	10	1	13	4	8	1	13	3	6	9	3	7	10	-	-	-	-	-
Other forms of Tuberculosis, Scrofula - - - - -	1	-	1	-	2	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	4	-	-	-	4	-	-	-	-	5	-	-	-	5	1	-	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	3	-	3	-	-	13	13	-	-	2	-	2	-	-	-	5	-	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	1	1	-	2	1	2	-	3	5	2	1	-	8	1	-	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	176	1	5	35	30	71	-	2	18	17	37	-	-	14	11	25	-	-	7	10	17
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	7	-	-	3	1	4	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-
Angina Pectoris -	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	21	-	-	4	2	6	-	1	2	3	6	-	-	-	4	4	-	-	-	1	1
Aneurism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	7	-	-	-	5	5	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	5	-	-	1	-	1	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Croup -	13	6	-	-	-	6	3	-	-	-	3	-	-	-	-	-	2	-	-	-	2
Other Dis. of Larynx & Trachea	5	2	1	-	-	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	8	-	-	2	2	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Bronchitis -	440	72	2	82	85	241	15	-	14	21	50	9	-	9	14	32	11	-	3	22	36
Pneumonia -	329	97	10	63	19	189	19	3	8	7	37	13	3	10	6	32	7	-	5	5	17
Pleurisy -	14	-	2	4	1	7	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-
Other Diseases of Resp. System	56	29	-	9	5	43	3	-	-	1	4	-	-	-	1	1	1	-	-	1	2
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dentition -	27	20	-	-	-	20	1	-	-	-	1	2	-	-	-	2	1	-	-	-	1
Sore-throat, Quinsy -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	3	1	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1
Diseases of Stomach -	28	9	-	3	6	18	1	-	1	2	-	-	2	1	3	1	-	2	-	3	3
Enteritis -	29	9	2	1	-	12	2	-	-	-	2	5	-	-	5	1	-	1	-	2	2
Ulceration of Intestine -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	10	1	1	2	2	6	1	-	-	-	1	-	-	1	1	2	-	-	-	-	2
Stricture or Strang. of Intestine	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	4	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Hernia -	7	-	-	3	1	4	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	21	2	4	3	3	12	2	2	3	-	7	-	-	1	-	1	-	-	-	-	-
Ascites -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	21	-	-	8	4	12	-	-	2	4	6	-	-	1	-	1	-	-	-	-	-
Other Dis. of Digestive System	6	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	2
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	19	1	-	9	4	14	-	-	3	-	3	-	-	-	-	-	-	-	-	-	1
Bright's Disease -	32	-	-	8	5	13	-	1	4	4	9	-	-	2	3	5	1	-	1	-	1
Uremia -	3	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Suppression of Urine -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	-	-	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	10	-	-	2	-	2	-	-	2	-	2	-	-	1	1	2	-	1	2	-	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

27

Registered during the Month of FEBRUARY 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	5	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	9	2	3	1	-	6	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Arthritis, Ostitis, Periostitis	4	1	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	5	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Eczema - - - - -	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System	2	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
{ Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Machinery - - - - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations -	11	2	2	1	-	5	-	1	1	1	3	-	-	-	-	-	1	-	-	-	1
{ Other Burns & Scalds -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	5	-	1	1	-	2	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-
Drowning - - - - -	12	-	1	7	1	9	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed -	10	2	-	-	-	2	3	-	-	-	3	4	-	-	-	4	-	-	-	-	-
{ Otherwise -	8	1	-	2	-	3	3	-	1	-	4	1	-	-	-	1	-	-	-	-	-
Falls - - - - -	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - -	23	-	-	7	2	10	1	-	2	1	4	-	-	-	-	-	-	4	2	-	6
Otherwise, or Not Stated -	9	-	1	2	1	4	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	7	-	-	1	-	1	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	69	36	-	2	-	38	8	-	-	-	8	6	-	1	-	7	6	-	-	-	6
Mortification - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	21	6	-	8	5	19	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

29

Registered during the Month of FEBRUARY 1897.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—FEBRUARY 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,650	41	8	38	0	0	0	0	0	0	0	0	1	8	2
Ayr,	28,782	69	14	54	0	0	0	1	0	0	1	0	0	17	4
Banff, with Macduff,	8,689	12	4	15	0	0	0	0	0	0	0	1	1	5	1
Blairgowrie,	4,198	6	3	3	0	0	0	0	0	0	0	0	0	1	0
Callander,	2,347	6	1	4	0	0	0	0	0	0	0	0	0	2	1
Campbeltown,	10,589	27	2	14	0	0	0	0	0	0	0	1	0	1	0
Cathcart (Landward),	5,772	50	7	26	0	0	0	0	1	0	0	0	2	4	4
Coatbridge,	37,319	118	10	74	0	0	0	5	0	0	0	5	0	27	5
Crieff,	5,697	9	2	8	0	1	0	0	0	0	0	0	0	0	0
Dumbarton,	20,438	50	5	41	0	0	0	2	0	2	0	0	0	15	5
Dumfries, with Troqueer,	24,684	60	10	50	0	0	0	9	0	1	0	0	0	13	4
Dunfermline,	30,213	47	12	44	0	0	1	2	0	0	0	3	1	9	4
Dunoon,	7,594	10	2	22	0	0	0	0	0	0	0	1	0	6	2
Eastwood (Landward),	14,372	29	6	17	0	0	0	0	0	0	0	0	1	6	3
Elgin,	10,870	25	1	17	0	0	0	0	0	0	0	0	0	6	1
Falkirk,	29,654	98	9	49	0	0	1	3	1	0	0	0	1	16	5
Forfar,	13,185	17	6	20	0	0	0	0	0	0	0	0	0	5	1
Galaahiels,	19,153	35	6	18	0	4	0	0	0	0	0	0	0	3	4
Govan—(1) Plantation (Landward),	25,753	63	5	29	0	1	0	4	0	0	0	0	0	14	2
(2) Govan (Landward),	47,267	134	16	108	0	1	2	11	0	2	0	0	1	24	13
(3) Partick (Landward),	43,729	123	13	70	0	1	0	12	0	0	0	3	0	19	6
Haddington,	4,956	11	2	9	0	0	0	0	0	0	0	0	0	1	1
Hawick, with Wilton,	22,699	39	8	33	0	0	1	0	0	0	0	1	0	7	5
Inverness,	25,610	54	12	48	0	0	0	0	0	0	0	0	0	9	4
Kilmarnock, with Riccarton,	32,978	61	8	53	0	0	1	0	0	2	0	0	2	19	2
Kilmore and Kilbride (Oban),	6,129	10	3	5	0	0	0	0	0	0	0	0	0	1	1
Kinning Park (Landward),	15,203	43	8	29	0	6	0	2	0	0	0	2	0	9	2
Kirkcaldy and Abbotshall,	19,453	52	8	23	0	0	0	0	1	0	0	0	1	4	0
Kirkcudbright,	3,476	7	2	4	0	0	0	0	0	0	0	0	0	1	0
Largs,	5,430	5	1	7	0	0	0	1	0	0	0	0	0	2	1
Logie (Bridge of Allan),	4,409	3	0	7	0	0	0	0	0	0	0	0	0	2	1
Moffat,	3,007	2	1	4	0	0	0	0	0	0	0	0	0	2	1
Montrose,	13,367	24	5	27	0	0	0	0	0	0	0	0	0	5	3
Moulin (Pitlochry),	2,276	2	1	3	0	0	0	0	0	0	0	0	0	2	0
Nairn,	5,164	12	1	11	0	0	0	0	0	0	0	0	0	3	0
New Monkland (Airdrie),	38,144	111	10	52	0	0	0	0	0	0	0	1	0	19	2
North Berwick,	3,279	4	2	4	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	16,900	39	9	35	0	0	0	10	0	0	0	0	0	5	2
Rothsay,	9,631	22	4	23	0	0	0	0	0	0	0	0	0	6	2
St Andrews and St Leonards,	8,851	14	0	13	0	0	0	1	0	0	0	0	0	3	0
Shettleston (Landward),	15,244	49	3	22	0	0	0	3	2	0	0	1	0	3	1
Stirling,	15,605	25	5	20	0	0	0	0	0	0	0	1	0	3	0
Stranraer,	6,058	21	2	25	0	0	0	0	0	0	0	0	0	13	2
Wick,	12,278	22	6	21	0	0	0	0	0	0	0	1	0	4	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 136 feet above the sea-level,

For the month of FEBRUARY 1897.

Mean barometric pressure, 29·933 inches ; greater than the average for the same month of 1856–95 by 0·055 inch.

Barometric monthly range, 1·135 inch ; less by 0·322 inch.

Mean temperature, $40^{\circ}4$; greater by $1^{\circ}3$.

Mean daily range of temperature, $9^{\circ}2$; less by $0^{\circ}4$.

Mean humidity, 86 ; being the average.

Rain, number of days, 15 ; being the average.

Rain, depth in inches, 2·17 ; less by 0·79 inch.

Wind, pressure on square foot, 1·89 lb. ; less by 0·09 lb.

Wind, direction of, E. to W. as 5 to 11, and N. to S. as 2 to 7 ; the average being E. to W. as 6 to 11, and N. to S. as 4 to 6.

Hence, the weather of February 1897 was characterised by a mean pressure, a little above the average, with a rather low monthly range ; a mean temperature $1^{\circ}3$ above the average, with a mean daily range rather under it ; an average humidity ; a rainfall one-fourth under the average falling, however, on the average number of days ; and a wind force just under the average, with a slight excess of south-westerly and deficiency of north-westerly winds.

The mean barometric pressure was 29·933 inches, being an excess of 0·055 inch above the average. Pressure was relatively higher in the south and east than in the north and west, and from this distribution of the pressure resulted the two days' prevalence of south-west winds above the average of the month.

It is seen from the table that the mean temperature was very unequally distributed among the eight towns, the extremes being $37^{\circ}8$ for Aberdeen, and $42^{\circ}0$ for Leith.

As compared with past observations, Aberdeen was half a degree under its average ; whereas Glasgow, Paisley, and Greenock were two degrees above their averages. Two outstanding features of the meteorology of the month were the very low temperature with slight snow showers on the first five days of the month, when unusually low temperatures occurred on the 4th over the eastern districts of the Grampians, and to the north of that range, a temperature of $-9^{\circ}0$, or nine degrees below zero, having been recorded. On the other hand, remarkably high temperature over the north-east of Scotland, culminating on the 22nd, when temperature rose at Aberdeen to $64^{\circ}2$, being the highest that has occurred there for many years. Thus, the highest temperature, $64^{\circ}2$, occurred at Aberdeen, the lowest of all the towns, $9^{\circ}3$ also occurred at the same place on the 4th. This gives an absolute range of temperature for the month at Aberdeen of $26^{\circ}5$, which contrasts strikingly with the monthly range of $13^{\circ}6$ for Leith.

The mean rainfall was 2·17 inches, or 26 per cent. under the average. It was very unequally distributed, showing a deficiency of 71 per cent. at Aberdeen, whereas at Glasgow the average amount was collected. The absolutely heaviest fall for the month was 5·71 inches at Greenock which, however, is 11 per cent. under its average. In some cases the falls during the last week, when strong winds and storms prevailed, were large, amounting at Greenock to 1·20 inch, and 1·48 inch on the 24th and 25th respectively.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of March 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4385 children, of whom 2229 were males, and 2156 females. Of these, 4088 were legitimate, and 297 illegitimate, being in the proportion of one illegitimate in every 14·8 Births, or the illegitimate Births constituted 6·8 per cent. of the whole. In Perth, 3·7 per cent. of the Births were illegitimate; in Greenock, 4·1; in Paisley, 4·7; in Glasgow, 6·5; in Edinburgh, 7·3; in Dundee, 8·0; in Leith, 8·2; and in Aberdeen, 8·4 per cent.

908 Marriages were registered in these Towns during March. This number is 177 above the average for the month during the last ten years, increase of the population being allowed for.

The Deaths of 3194 persons were registered in these Towns during March, of whom 1579 were males, and 1615 females. Allowing for increase of the population this number is 173 above the March average of the last ten years.

A comparison of the Deaths registered shows that during March the mortality was at the annual rate of 19·4 Deaths per thousand persons in Leith; 20·0 in Paisley; 20·3 in Greenock; 23·2 in Edinburgh; 23·3 in Aberdeen; 24·8 in Dundee; 25·9 in Glasgow, and 28·2 in Perth.

Of the 1573 Deaths registered in Glasgow, 349 were of children under one year of age, and 280 of persons over 60 years; of the 575 registered in Edinburgh, 113 were of children under one year, and 135 of persons over 60 years; of the 344 in Dundee,

77 were under one, and 90 over 60; of the 273 in Aberdeen, 65 were under one, and 88 over 60; of the 124 in Leith, 26 were under one, and 31 over 60; of the 126 in Paisley, 32 were under one, and 36 over 60; of the 106 in Greenock, 22 were under one, and 24 over 60; and of the 73 in Perth, 14 were under one, and 29 over 60 years.

Of the whole 3194 Deaths, 1233, or 38·6 per cent., were of children under five years of age. In Greenock, 31·1 per cent. of the persons who died were under five years of age; in Perth, 31·5; in Dundee, 32·0; in Aberdeen, 33·3; in Leith, 34·7; in Edinburgh, 38·3; in Paisley, 38·9; and in Glasgow, 42·2 per cent.

Miasmatic Diseases caused 414 Deaths, or 13·0 per cent. of the whole. This rate was exceeded in Glasgow and in Edinburgh from the combined prevalence of Measles and Hooping-Cough in each of these Towns.

Fevers caused 27 Deaths, all of which were stated to have been Enteric.

Hooping-Cough was the most fatal epidemic, having caused 154 Deaths, or 4·8 per cent. of the whole mortality. 102 Deaths resulted from Hooping-Cough in Glasgow, or 6·5 per cent. of the Deaths there; 40 in Edinburgh, or 7·0 per cent.; and 6 in Perth, or 8·2 per cent.

Measles caused 141 Deaths, or 4·4 per cent. of the whole. In Glasgow, 84 of the Deaths were caused by Measles, or 5·3 per cent. of the mortality of that Town; and in Edinburgh, 52 Deaths, or 9·0 per cent. of the deaths there.

Scarlatina caused 23 Deaths; Diphtheria, 20; and Puerperal Fever, 8.

6 Deaths resulted from Intemperance, of which 4 were ascribed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 109 Deaths; Paralysis, 62; Diseases of the Heart, 293; and Premature Birth Debility, 98.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 690, or 21·6 per cent. Those from Consumption alone numbered 296, or 9·3 per cent. 9 Deaths were attributed to Croup.

To Violent Causes were attributed 137 Deaths, 6 of which were Suicidal (viz., 2 by Gunshot Wounds, 1 by Cut-throat, and 3 by Hanging).

Ten females were aged 90 years and upwards, the eldest of whom was the Widow of a Salmon Fisher, and was aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	577,846	658,708	714,919	1102	1056	2158	2018	140	484	803	770	1573
EDINBURGH, .	244,120	272,773	292,364	335	340	675	626	49	150	276	299	575
DUNDEE, . .	140,794	154,118	163,090	242	221	463	426	37	53	172	172	344
ABERDEEN, .	106,806	124,943	138,143	212	192	404	370	34	75	124	149	273
LEITH, . . .	59,485	68,707	75,186	96	98	194	178	16	50	54	70	124
PAISLEY, . .	55,638	66,425	74,206	104	110	214	204	10	48	70	56	126
GREENOCK, . .	66,704	63,423	61,475	98	98	196	188	8	37	49	57	106
PERTH, . . .	28,980	29,919	30,524	40	41	81	78	3	11	31	42	73
TOTAL, . . .	1,279,873	1,439,016	1,549,907	2229	2156	4385	4088	297	908	1579	1615	3194

MARCH 1896, . . .	Mean Temp. 42°·2	2200	2060	4260	3933	322	806	1265	1201	2466
MARCH 1895, . . .	Mean Temp. 41°·1	2135	1987	4122	3852	270	585	1962	2176	4138
MARCH 1894, . . .	Mean Temp. 43°·3	1905	1939	3934	3632	302	698	1305	1219	2524
MARCH 1893, . . .	Mean Temp. 43°·7	2068	1936	4004	3700	304	594	1386	1340	2726
MARCH 1892, . . .	Mean Temp. 37°·4	2023	1948	3973	3687	286	784	1421	1419	2840
MARCH 1891, . . .	Mean Temp. 38°·1	1866	1893	3759	3456	203	740	1486	1517	3003
MARCH 1890, . . .	Mean Temp. 42°·5	1848	1765	3613	3334	279	753	1451	1409	2860
MARCH 1889, . . .	Mean Temp. 40°·0	1850	1712	3562	3302	290	693	1262	1299	2561
MARCH 1888, . . .	Mean Temp. 36°·6	1857	1733	3590	3293	297	573	1243	1281	2524
MARCH 1887, . . .	Mean Temp. 39°·4	1995	1866	3861	3558	303	657	1357	1456	2813

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MARCH 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	20	2	10	3	14	3	1. St Peter, .	0	0	1	0	0	0	1
2. Camlachie, .	0	2	2	11	1	0	3	2. St Mary, .	0	0	0	0	2	0	2
3. Dennistoun, .	0	4	1	10	1	2	0	3. St Clement, .	0	0	0	0	1	1	2
4. Calton, . .	0	6	0	2	0	0	4	4. St Andrew, .	0	0	1	0	0	2	3
5. Blackfriars, .	0	1	0	3	1	0	0	5. Lochee, .	0	0	0	0	0	0	0
6. St Rollox, .	0	10	1	7	1	0	2	Mains, . . .	0	0	0	0	0	0	1
7. Blythswood, .	0	1	0	4	0	1	0								
8. Milton, . .	0	1	0	12	2	0	0	ABERDEEN—							
9. Kelvin, . .	0	4	0	11	0	0	0	1. St Nicholas, .	0	3	2	0	2	0	2
10. Anderston, .	0	6	1	1	0	0	0	2. Aberdeen, .	0	1	2	1	0	0	1
11. Hutchesontown, .	0	10	0	12	0	0	0	3. Woodside, .	0	0	0	0	0	0	1
12. Gorbals, . .	0	11	1	9	2	0	1	4. Old Aberdeen, .	0	0	0	1	0	0	0
13. Tradeston, .	0	6	0	1	0	1	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	1	0	0	0	Nigg, . . .	0	0	0	0	0	0	1
Cathcart, . .	0	0	0	0	0	0	1								
Eastwood, . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . .	0	1	0	8	0	0	1	1. North, . .	0	0	0	3	0	0	1
Shettleston, .	0	0	0	0	0	0	0	2. South, . .	0	0	2	0	1	0	1
Plantation, .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	1	1	1	0	1	2
Partick, . . .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	17	2	13	1	1	1	1. East, . . .	0	0	0	0	0	0	0
2. St Andrew, .	0	7	0	6	0	0	0	2. West, . . .	0	0	0	0	0	1	1
3. Canonsgate, .	0	19	4	12	1	1	1								
4. St Giles, . .	0	5	0	3	1	0	0	PERTH, . . .	0	0	0	6	0	1	0
5. Newington, .	0	3	0	6	0	1	1								
6. Portobello, .	0	1	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	3194	664	130	499	280	1573	220	52	168	135	575	110	22	122	90	344	91	12	82	88	27
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	490	209	20	28	8	265	97	9	10	6	122	19	4	6	2	31	14	1	4	13	8
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	9	1	-	1	-	2	1	-	2	-	3	-	-	-	-	-	1	-	1	-	-
IV. CONSTITUTIONAL "	579	45	40	154	21	260	20	26	59	15	120	12	7	43	6	68	6	3	34	5	4
V. DEVELOPMENTAL "	219	55	-	-	50	105	14	-	-	23	37	14	-	-	12	26	8	-	-	9	1
VI. LOCAL "	1624	286	61	253	185	785	75	12	91	87	265	43	10	62	67	182	53	8	40	59	16
VII. VIOLENCE - - -	137	10	8	45	12	75	5	5	6	4	20	4	1	10	3	18	2	-	3	1	-
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	136	58	1	18	4	81	8	-	-	-	8	18	-	1	-	19	7	-	-	1	-
I.																					
1. MIASMATIC DISEASES -	414	193	18	23	4	238	93	9	4	6	112	4	3	3	2	12	10	1	3	10	-
2. DIARRHEAL "	43	12	-	2	1	15	2	-	1	-	3	14	-	1	-	15	3	-	-	2	-
3. MALARIAL "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL "	12	2	-	2	1	5	2	-	-	-	2	-	-	-	-	-	1	-	1	1	-
6. SEPTIC "	21	2	2	1	2	7	-	-	5	-	5	1	1	2	-	4	-	-	-	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	9	1	-	1	-	2	1	-	2	-	3	-	-	-	-	-	1	-	1	-	-
IV.																					
CONSTITUTIONAL DISEASES	579	45	40	154	21	260	20	26	59	15	120	12	7	43	6	68	6	3	34	5	-
V.																					
DEVELOPMENTAL DISEASES	219	55	-	-	50	105	14	-	-	23	37	14	-	-	12	26	8	-	-	9	-
VI.																					
1. DIS. OF NERVOUS SYSTEM -	335	64	8	32	44	148	14	4	16	22	56	6	2	11	16	35	17	1	6	12	-
2. " ORGANS OF SPECIAL SENSE - -	3	-	1	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM	293	4	8	58	44	114	1	3	30	20	54	-	2	18	24	44	1	-	10	13	-
4. " RESPIRATORY SYSTEM	690	189	20	107	74	390	47	3	15	30	95	25	2	23	17	67	27	1	15	23	-
5. " DIGESTIVE SYSTEM -	181	26	16	25	14	81	10	1	11	9	31	11	3	4	1	19	8	2	4	6	-
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	64	1	1	19	7	28	-	-	8	5	13	-	1	5	8	14	-	2	1	2	-
8. " REPRODUCTIVE SYSTEM :-																					
(a) DISEASES OF ORGANS OF GENERATION -	10	-	-	3	1	4	-	-	3	-	3	-	-	-	-	-	-	-	2	-	-
(b) DISEASES OF PARTURITION -	17	-	-	6	-	6	-	-	5	-	5	-	-	1	-	1	-	-	2	-	-
9. " ORGANS OF LOCOMOTION - -	22	1	6	2	1	10	1	1	3	-	5	-	-	-	1	1	-	2	-	2	-
10. " INTEGUMENTARY SYSTEM - -	6	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

37

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	43	8	42	31	124	40	7	34	36	126	33	9	40	24	106	23	2	19	29	73
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	8	1	2	1	12	7	-	3	6	16	1	-	1	-	2	8	-	1	1	10
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
IV. CONSTITUTIONAL " -	6	3	12	5	26	4	3	8	3	18	7	5	13	2	27	4	-	6	2	12
V. DEVELOPMENTAL " -	7	-	-	4	11	2	-	-	4	6	3	-	-	4	7	3	-	-	7	10
VI. LOCAL " -	18	4	26	21	69	26	4	21	23	74	17	3	21	14	55	6	1	11	16	34
VII. VIOLENCE - - - -	2	-	2	-	4	2	-	1	-	3	1	1	3	3	8	1	-	1	1	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	8	-	-	-	8	4	-	1	1	6	1	1	-	2	4
I.																				
1. MIASMATIC DISEASES - -	5	1	1	-	7	4	-	2	5	11	-	-	1	-	1	7	-	1	1	9
2. DIARRHOEAL " - - -	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
3. MALARIAL " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1
6. SEPTIC " - - - -	1	-	1	1	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES -	6	3	12	5	26	4	3	8	3	18	7	5	13	2	27	4	-	6	2	12
V.																				
DEVELOPMENTAL DISEASES -	7	-	-	4	11	2	-	-	4	6	3	-	-	4	7	3	-	-	7	10
VI.																				
DISEASES OF NERVOUS SYSTEM -	5	-	3	3	11	6	1	5	8	20	7	1	6	2	16	4	-	1	8	13
" ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	1	10	12	23	1	-	9	6	16	-	1	5	4	10	1	-	3	4	8
" RESPIRATORY SYSTEM -	11	1	6	2	20	13	3	4	6	26	9	1	6	6	22	1	-	2	1	4
" DIGESTIVE SYSTEM -	2	1	4	3	10	6	-	1	2	9	1	-	3	-	4	-	1	3	3	7
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM - - -	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
" REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
(b) DISEASES OF PARTURITION - - -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
" ORGANS OF LOCOMOTION - -	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
" INTEGUMENTARY SYSTEM - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	130	10	8	45	10	73	5	5	5	4	19	4	1	9	2	16	2	-	3	1	6
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	7	-	-	-	2	2	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	136	58	1	18	4	81	8	-	-	-	8	18	-	1	-	19	7	-	-	1	8
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	141	78	6	-	-	84	47	5	-	-	52	-	-	-	-	-	4	-	-	-	4
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	23	5	2	1	-	8	6	-	-	-	6	1	1	-	-	2	2	1	1	-	4
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	49	1	2	8	4	15	1	-	1	6	8	-	-	2	2	4	-	-	2	10	12
Hooping-Cough - - -	154	100	2	-	-	102	38	1	1	-	40	-	-	-	-	-	2	-	-	-	2
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	20	8	3	-	-	11	1	2	-	-	3	3	-	-	-	3	2	-	-	-	2
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	27	1	3	14	-	18	-	1	2	-	3	-	2	1	-	3	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	43	12	-	2	1	15	2	-	1	-	3	14	-	1	-	15	3	-	-	2	5
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	9	2	-	1	-	3	2	-	-	-	2	-	-	-	-	-	1	-	1	1	3
Gonorrhoea Stricture of Urethra - - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	9	2	1	-	2	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	2	-	-	-	-	-
Puerperal Fever - - -	8	-	1	1	-	2	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

39

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	2	-	2	-	4	1	-	1	-	2	1	1	2	3	7	1	-	1	1	3
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	8	-	-	-	8	4	-	1	1	6	1	1	-	2	4
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
Influenza -	-	-	1	-	1	-	-	2	5	7	-	-	-	-	-	6	-	-	-	6
Hooping-cough -	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Enteric Fever -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diarrhoea, Dysentery -	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Trush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Rheumatism - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	1	2	3	-	2	-	2	2	-	5	1	6	-	1	1	1	2	-
Tabes Mesenterica - - - - -	1	-	-	-	1	2	1	-	-	3	2	-	-	2	1	-	-	-	-	1
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	2	-	-	-	2	1	-	-	1	2	2	-	-	4	3	-	-	-	-	3
Phthisis - - - - -	2	2	11	2	17	2	6	-	8	1	3	6	-	10	-	-	5	-	-	5
Other forms of Tuberculosis, Scrofula -	1	1	-	-	2	1	-	-	1	2	-	-	-	2	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	6	-	-	-	6	2	-	-	-	2	3	-	-	3	3	-	-	-	-	3
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	4	4	-	-	4	4	-	-	4	-	4	-	-	-	7	7	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	2	1	-	-	3	5	1	-	6	3	-	-	-	-	3
Apoplexy - - - - -	-	-																		

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	240	2	6	49	37	94	-	3	23	16	42	-	2	15	20	37	-	-	7	13	20
Pericarditis -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hypertrophy of Heart -	9	-	-	3	2	5	-	-	1	1	2	-	-	-	2	2	-	-	-	-	
Angina Pectoris -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syncope -	24	2	-	2	3	7	1	-	4	1	6	-	-	1	1	2	1	-	3	-	4
Aneurism -	8	-	-	2	-	2	-	-	2	2	4	-	-	1	-	1	-	-	-	-	
Senile Gangrene -	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Embolism, Thrombosis -	5	-	1	1	1	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
Phlebitis -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	12	5	-	1	1	7	-	-	-	1	1	-	1	-	-	1	1	-	1	-	2
Croup -	9	3	-	-	-	3	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	3	-	-	1	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Bronchitis -	301	55	6	46	51	158	19	-	2	22	43	12	-	9	9	30	15	-	5	16	36
Pneumonia -	309	97	12	52	19	180	21	2	13	6	42	11	1	12	6	30	11	1	6	5	23
Pleurisy -	14	2	1	4	-	7	1	1	-	-	2	-	-	1	-	1	-	-	2	-	2
Other Diseases of Resp. System	42	27	1	3	3	34	2	-	-	-	2	-	-	-	2	2	-	-	1	2	3
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	3	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	18	10	-	-	-	10	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Sore-throat, Quinsy -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1
Hæmatemesis -	4	-	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of Stomach -	29	2	1	5	3	11	2	-	2	1	5	-	1	1	-	2	1	1	2	1	5
Enteritis -	37	8	3	2	-	13	4	1	2	1	8	8	-	-	-	8	3	-	-	1	4
Ulceration of Intestine -	7	-	1	1	-	2	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Ileus, Obstruction of Intestine	14	1	2	1	2	6	-	-	1	1	2	-	-	-	-	-	1	1	2	4	-
Stricture or Strang. of Intestine	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hernia -	5	-	-	-	2	2	-	-	-	1	1	-	-	1	-	1	-	-	1	1	-
Fistula -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	18	1	4	3	2	10	-	-	2	-	2	-	2	1	-	3	1	-	1	-	2
Ascites -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	8	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	17	1	-	5	2	8	1	-	1	1	2	3	-	-	1	4	-	-	-	-	-
Other Dis. of Digestive System	10	1	2	2	1	6	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	21	1	1	6	4	12	-	-	2	1	3	-	-	2	1	3	-	2	-	-	2
Bright's Disease -	21	-	-	5	1	6	-	-	6	2	8	-	1	1	2	4	-	2	-	-	-
Uræmia -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	8	-	-	1	2	3	-	-	2	2	-	-	-	-	2	2	-	-	1	1	-
Other Dis. of Urinary System	11	-	-	6	-	6	-	-	-	-	-	-	1	2	3	-	-	1	1	2	-

43

43

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1897.

CAUSES OF DEATH.	Grand Total	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Diseases of Uterus and Vagina - - -	5	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding - - -	6	-	-	2	-	2	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	15	1	5	1	1	8	1	1	1	-	3	-	-	-	-	-	-	-	2	-	2
Arthritis, Osteitis, Periostitis - -	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Dis. of Organs of Locom. - -	3	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Phlegmon, Cellulitis - - -	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	5	-	3	1	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - -	3	-	1	-	1	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	24	3	1	6	2	12	-	2	-	-	2	2	1	2	1	6	-	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	4	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Drowning - - -	26	-	3	16	1	20	-	-	1	-	1	-	1	-	1	-	-	2	-	2	-
Suffocation { In Bed - - -	14	5	-	-	-	5	3	-	-	-	3	2	-	-	2	1	-	-	-	1	-
{ Otherwise - - -	5	-	3	-	-	3	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Falls - - -	5	-	3	1	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	28	-	1	8	3	12	1	1	1	2	5	-	4	-	4	1	-	1	1	3	-
Otherwise, or Not Stated - - -	14	1	3	5	1	10	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	6	-	-	2	2	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	5	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	100	47	-	4	-	51	8	-	-	-	8	18	-	1	-	19	6	-	-	-	6
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	9	4	-	2	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	20	6	1	8	3	18	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

45

Registered during the Month of MARCH 1897.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—MARCH 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,650	63	13	47	0	0	0	0	0	1	0	1	1	16	5
Ayr,	28,782	92	13	48	*1	0	1	1	0	1	0	0	0	3	5
Banff, with Macduff, . . .	8,689	18	0	17	0	0	0	0	0	0	0	0	0	5	2
Blairgowrie,	4,198	6	0	6	0	0	0	0	0	0	0	1	0	0	0
Callander,	2,347	5	0	3	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,589	30	4	12	0	0	0	0	0	0	0	1	0	1	0
Cathcart (Landward), . . .	5,772	15	2	8	0	0	0	0	0	0	0	0	0	2	0
Coatbridge,	37,319	105	13	73	0	0	0	4	0	0	0	4	0	23	4
Crieff,	5,697	8	3	9	0	0	0	0	0	0	0	0	0	2	0
Dumbarton,	20,438	60	12	38	0	0	0	2	0	1	0	0	0	6	4
Dumfries, with Troqueer, . .	24,684	64	9	71	0	0	0	11	0	1	0	3	0	11	4
Dunfermline,	30,213	71	18	26	0	0	0	0	0	0	0	0	0	6	3
Dunoon,	7,594	25	2	7	0	0	0	0	0	0	0	0	1	0	2
Eastwood (Landward), . . .	14,372	39	7	21	0	0	0	0	0	0	0	0	0	2	6
Elgin,	10,870	22	4	20	0	0	0	0	1	0	0	0	0	6	1
Falkirk,	29,654	92	14	71	0	0	0	5	1	0	0	1	0	20	0
Forfar,	13,185	30	8	27	0	0	0	0	0	0	0	0	0	3	3
Galashiels,	19,153	33	4	28	0	4	0	0	0	0	0	0	1	7	4
Govan—(1) Plantation (Land- ward),	25,753	94	6	40	0	0	0	4	1	0	0	0	0	12	3
(2) Govan (Landward), . . .	47,267	184	20	103	0	1	1	2	0	0	0	2	1	30	16
(3) Partick (Landward), . . .	43,729	156	22	76	0	6	0	10	1	0	0	3	1	17	10
Haddington,	4,956	5	0	12	0	0	0	0	0	1	0	0	0	4	0
Hawick, with Wilton,	22,699	42	5	41	0	0	0	0	0	0	0	1	0	11	3
Inverness,	25,610	75	8	64	0	0	0	1	1	0	0	0	0	21	7
Kilmarnock, with Riccarton, .	32,978	111	20	56	0	0	0	1	0	0	0	3	0	12	5
Kilmore and Kilbride (Oban), .	6,129	12	4	4	0	0	0	0	0	0	0	0	0	0	2
Kinning Park (Landward), . .	15,203	47	10	37	0	9	0	1	0	0	0	1	0	10	4
Kirkcaldy and Abbotshall, . .	19,453	54	8	34	0	0	0	1	0	0	0	1	0	8	4
Kirkcudbright,	3,476	10	0	5	0	0	0	0	0	0	0	0	0	1	1
Largs,	5,430	10	2	7	0	0	0	0	0	1	0	0	0	1	0
Logie (Bridge of Allan), . . .	4,409	8	1	3	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,007	5	0	4	0	0	0	0	0	0	0	0	0	1	1
Montrose	13,367	34	3	29	0	0	0	0	0	0	0	0	1	5	6
Moulin (Pitlochry),	2,276	6	1	5	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	12	3	9	0	0	0	0	0	0	0	0	0	3	1
New Monkland (Airdrie), . . .	38,144	120	16	72	0	7	0	3	0	1	0	0	1	15	9
North Berwick,	3,279	4	0	4	0	0	0	0	1	0	0	0	0	2	0
Peterhead, with Boddam, . . .	16,900	50	6	33	0	0	0	7	0	0	0	1	1	7	1
Rothsay,	9,631	16	3	31	0	2	0	0	0	0	0	2	0	9	1
St Andrews and St Leonards, . .	8,851	15	0	10	0	0	0	0	2	0	0	0	0	0	0
Shettleston (Landward), . . .	15,244	55	3	33	0	3	0	4	0	1	0	1	0	7	3
Stirling,	15,605	44	10	38	0	0	0	1	1	0	0	0	0	7	7
Stranraer,	6,058	11	3	10	0	2	0	0	0	1	0	0	0	2	0
Wick,	12,278	25	5	26	0	8	0	0	0	0	0	1	0	8	1

* Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 134 feet above the sea-level,

For the month of MARCH 1897.

Mean barometric pressure, 29.478 inches; less than the average for the same month of 1856-95 by 0.368 inch.

Barometric monthly range, 1.331 inch; less by 0.108 inch.

Mean temperature, $41^{\circ}7$; greater by $1^{\circ}5$.

Mean daily range of temperature, $10^{\circ}4$; less by $1^{\circ}2$.

Mean humidity, 82; less by 1.7.

Rain, number of days, 25; greater by 10 days.

Rain, depth in inches, 4.36; greater by 1.76 inch.

Wind, pressure on square foot, 2.81 lbs.; greater by 0.72 lb.

Wind, direction of, E. to W. as 6 to 12, and N. to S. as 4 to 8; the average being E. to W. as 7 to 11, and N. to S. as 5 to 6.

Hence, the weather of March 1897 was characterised by an unwontedly low mean barometric pressure, with a monthly range a little under the average; a mean temperature $1^{\circ}5$ above the average, with a mean daily range $1^{\circ}2$ under it; a mean humidity less than the average; a rainfall very much above the average, and falling on a larger number of days than during any previously recorded March; and a wind force greatly above the average, with a three days' excess of south-easterly winds.

The mean barometric pressure was 29.478 inches, being a deficiency from the average of 0.368 inch. The only year since 1856 showing a lower mean pressure in March was 1876, when the mean was 29.398 inches. It may be noted that for the past 41 years, the mean pressure for any month of the year has been only six times lower than in March last. Pressure fell much lower than the normal at western and southern than at eastern and northern stations, with the result of a large predominance of south-easterly winds.

The mean temperature was $41^{\circ}7$, or $1^{\circ}5$ above the average, the days being $0^{\circ}9$ and the nights $2^{\circ}1$ in excess of the normal temperature. The excess was pretty equally distributed over the eight large towns. The weather of the first four days and of the last four days of the month was cold, but at none of the towns were very low temperatures recorded. On the other hand, the weather from the 16th to the 27th was mild for the season, the mean temperature of this period being $7^{\circ}0$ above the average at Edinburgh and Glasgow. The absolutely highest temperature was $60^{\circ}5$ at Aberdeen on the 24th, and the lowest, $25^{\circ}9$, at Dundee on the 30th.

The mean rainfall was 4.36 inches, or 68 per cent. above the average. The largest rainfall, 7.47 inches, was recorded at Greenock, and the smallest, 2.63 inches, at Leith. But as compared with the averages, the greatest was 144 per cent. at Glasgow, and the least, 46 per cent., at Edinburgh. The weather of the 1st, 5th to 7th, 11th, 24th, 25th, and 29th to 31st was comparatively dry, but wet during the rest of the month. The rain fell on 25 days, being the greatest number of rainy days hitherto recorded in March, the next greatest being 24 days in March 1861.

The type of weather was eminently cyclonic, and storms were of frequent occurrence, with hail and snow during the first fourteen and last four days of the month. The wind was accordingly great, having been only four times exceeded since 1856.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of MARCH 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.													
		Mean at Sea-level and 32°.	Range.	Inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Ft. of Air.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Inch.	dys.	Number of Days it blew in certain Directions.										Mean Pres- sure on Sq. ft.
																						N	NE	E	SE	S	SW	W	NW	Calm or Variable.		
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.421	29.481	1.312	57.1	26.3	42.4	30.8	11.7	19.8	41.7	39.2	35.9	.213	2.47	82	25	5.28	0	0	4	3	2	3	6	4	9	0.61				
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.182	29.482	1.343	56.0	26.7	41.8	29.3	10.0	16.8	40.8	38.5	35.6	.208	2.42	82	24	2.87	3	0	3	3	4	4	11	2	1	1.38				
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.297	29.478	1.354	50.8	25.9	41.0	30.9	10.1	15.6	40.2	38.5	36.4	.217	2.48	87	25	3.64	1	3	1	9	0	5	7	5	0	35.3				
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	29.426	29.476	1.394	60.5	26.8	40.7	33.7	10.5	21.0	40.7	38.7	36.2	.213	2.47	85	24	3.70	1	0	1	5	5	8	3	7	1	4.45				
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.422	29.478	1.337	56.7	29.5	42.5	27.2	8.6	15.7	41.7	39.1	35.9	.211	2.45	80	22	2.63	2	0	3	6	3	2	12	3	0	2.72				
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.365	29.481	1.312	57.7	28.0	42.5	29.7	11.1	20.9	41.3	39.0	36.1	.213	2.47	82	27	4.65	1	2	6	2	5	2	8	3	2	1.49				
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.237	29.487	1.317	54.2	27.2	41.0	27.0	10.1	15.5	40.6	38.2	35.2	.205	2.38	82	26	7.47	0	3	1	6	0	7	9	3	2	4.33				
PERTH, A. GARDEKE, Gardener to James F. Pullar, F.R.S.E.	140	29.311	29.465	1.280	57.5	26.8	41.5	30.7	11.0	17.0	41.1	38.9	36.2	.212	2.47	82	23	4.64	6	2	8	4	0	11	0	0	0	...				
Means,	134	29.333	29.478	1.331	(°60.5)	(425.9)	41.7	29.9	10.4	17.8	41.0	38.7	35.8	.210	2.45	82	25	4.36	2	1	3	5	2	6	7	3	2	2.71				
North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																																

North Latitude.—Glasgow, 56° 58'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of April 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4184 children, of whom 2132 were males, and 2052 females. Of these, 3918 were legitimate, and 266 illegitimate, being in the proportion of one illegitimate in every 15·7 Births, or the illegitimate Births constituted 6·4 per cent. of the whole. In Perth, 3·0 per cent. of the Births were illegitimate; in Glasgow, 5·4; in Paisley, 6·1; in Leith, 6·5; in Edinburgh, 6·6; in Greenock, 7·8; in Dundee, 8·0; and in Aberdeen, 9·4 per cent.

974 Marriages were registered in these Towns during April. Increase of the population being allowed for, this number is 35 below the average for the month during the last ten years.

The Deaths of 2912 persons were registered in these Towns during the month, of whom 1489 were males, and 1423 females. Allowing for increase of the population this number is 174 above the April average for the last ten years.

A comparison of the Deaths registered shows that during April the mortality was at the annual rate of 19·4 Deaths per thousand persons in Greenock; 19·8 in Dundee; 20·0 in Aberdeen; 20·7 in Leith; 20·8 in Paisley; 22·9 in Glasgow; 25·5 in Perth, and 27·3 in Edinburgh.

Of the 1347 Deaths registered in Glasgow, 304 were of children under one year of age, and 229 of persons over 60 years; of the 655 in Edinburgh, 126 were of children under one year, and 142 of persons over 60; of the 266 in Dundee, 52 were under

one, and 68 over 60; of the 227 in Aberdeen, 50 were under one, and 74 over 60; of the 128 in Leith, 31 were under one, and 29 over 60; of the 127 in Paisley, 23 were under one, and 37 over 60; of the 98 in Greenock, 14 were under one, and 22 over 60; and of the 64 in Perth, 6 were under one, and 29 over 60 years.

Of the whole 2912 Deaths, 1124, or 38·6 per cent., were of children under five years of age. In Perth, 25·0 per cent. of the persons who died were under five years of age; in Dundee, 26·7; in Paisley, 28·3; in Greenock, 28·6; in Aberdeen, 30·4; in Edinburgh, 42·0; in Glasgow, 42·3; and in Leith, 46·1 per cent.

Miasmatic Diseases caused 462 Deaths, or 15·9 per cent. of the whole. This rate was exceeded in Edinburgh from the prevalence of Measles and Hooping-Cough, and in Perth from Hooping-Cough alone.

Fevers caused 22 Deaths. Of these one (in Glasgow) was caused by Typhus, and 21 by Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 180 Deaths, or 6·2 per cent. of the whole. In Edinburgh, 6·6 per cent. of the Deaths were caused by Hooping-Cough; in Glasgow, 7·9; in Leith, 8·6; and in Perth, 9·4 per cent.

Measles caused 172 Deaths, or 5·9 per cent. of the whole mortality. In Edinburgh, 100 Deaths were caused by Measles, or 15·3 per cent. of the Deaths there.

Diphtheria caused 24 Deaths; Scarlatina, 17; and Puerperal Fever, 3.

Intemperance was stated to have caused 8 Deaths, 7 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 91 Deaths; Paralysis, 57; Heart Diseases, 262; and Premature Birth Debility, 83.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 598, or 20·5 per cent. of the whole. Those from Consumption alone numbered 303, or 10·4 per cent. 9 Deaths were attributed to Croup.

To Violent Causes were ascribed 98 Deaths, of which 5 were Suicidal (viz., 2 by Gunshot Wounds, 2 by Cut-throat, and 1 by Hanging).

Three males and nine females were aged 90 years and upwards, the eldest of whom were two Widows aged respectively 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, APRIL 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	714,919	1030	1034	2064	1952	112	500	713	634	1347
EDINBURGH,	244,120	272,773	292,364	374	334	708	661	47	161	317	338	655
DUNDEE,	140,794	154,118	163,090	213	214	427	393	34	119	132	134	266
ABERDEEN,	106,306	124,943	133,143	195	145	340	308	32	62	119	108	227
LEITH,	59,485	68,707	75,186	95	120	215	201	14	38	61	67	128
PAISLEY,	55,638	66,425	74,206	104	92	196	184	12	33	69	53	127
GREENOCK,	66,704	63,423	61,475	83	84	167	154	13	38	50	48	98
PERTH,	28,980	29,919	30,524	38	29	67	65	2	18	28	36	64
TOTAL,	1,279,573	1,439,016	1,549,907	2132	2052	4184	3913	266	974	1489	1423	2912

APRIL 1896,	Mean Temp. 43°·5	2266	2090	4346	4061	285	1166	1238	1224	2402
APRIL 1895,	Mean Temp. 46°·3	2175	2107	4282	3982	300	1121	1473	1460	2933
APRIL 1894,	Mean Temp. 47°·4	1993	1981	3974	3712	262	981	1186	1219	2405
APRIL 1893,	Mean Temp. 47°·8	2058	1935	3993	3730	263	990	1353	1300	2653
APRIL 1892,	Mean Temp. 44°·0	2064	1951	4015	3740	275	885	1357	1309	2666
APRIL 1891,	Mean Temp. 42°·1	2010	1948	3958	3666	292	951	1255	1348	2603
APRIL 1890,	Mean Temp. 44°·5	1854	1914	3768	3492	276	968	1362	1405	2767
APRIL 1889,	Mean Temp. 43°·3	1905	1862	3857	3575	282	895	1264	1298	2562
APRIL 1888,	Mean Temp. 43°·1	1883	1802	3685	3389	296	855	1137	1166	2303
APRIL 1887,	Mean Temp. 43°·1	1918	1734	3652	3363	286	690	1179	1224	2403

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of APRIL 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	26	2	17	5	12	1	1. St Peter,	0	0	0	0	0	0	2
2. Camlachie,	0	3	0	13	2	0	1	2. St Mary,	0	0	0	0	0	1	2
3. Dennistoun,	0	3	2	6	0	0	1	3. St Clement,	0	0	1	2	0	0	2
4. Calton,	0	0	0	5	0	0	1	4. St Andrew,	0	0	0	4	1	1	1
5. Blackfriars,	0	1	0	0	0	0	0	5. Lochee,	0	0	0	0	0	0	1
6. St Rollox,	0	2	1	4	1	0	1	Mains,	0	0	0	0	0	0	0
7. Blythswood,	0	0	0	11	0	0	0	ABERDEEN—							
8. Milton,	0	1	0	10	0	2	1	1. St Nicholas,	0	2	3	1	2	0	1
9. Kelvin,	0	4	0	17	0	0	1	2. Aberdeen,	0	3	0	2	0	0	0
10. Anderston,	0	2	0	5	0	0	0	3. Woodside,	0	0	0	1	0	0	0
11. Hutchesontown,	0	4	0	9	1	0	2	4. Old Aberdeen,	0	0	0	0	0	0	1
12. Gorbals,	0	2	0	2	0	1	1	E. Peterculter,	0	0	0	0	0	0	0
13. Tradeston,	0	3	0	2	1	0	0	Nigg,	0	0	0	1	0	0	0
14. Kinning Park,	0	2	0	2	0	0	0	LEITH—							
Cathcart,	0	3	0	1	0	0	0	1. North,	0	1	1	3	0	0	2
Eastwood,	0	0	0	0	0	0	0	2. South,	0	4	0	3	0	0	1
Maryhill,	0	0	0	3	1	0	1	PAISLEY,	0	0	0	1	0	2	1
Shettleston,	0	0	0	0	0	0	0	GREENOCK—							
Plantation,	0	0	0	0	0	0	0	1. East,	0	0	0	1	0	0	2
Govan,	0	0	0	0	0	0	0	2. West,	0	0	0	0	0	0	1
Partick,	0	0	0	0	0	0	0	PERTH,	0	1	0	6	0	0	1
EDINBURGH—															
1. St George,	0	23	0	11	3	0	1								
2. St Andrew,	0	7	0	14	0	0	0								
3. Canongate,	0	36	7	13	3	2	0								
4. St Giles,	0	19	0	2	1	1	1								
5. Newington,	0	9	0	3	3	0	0								
6. Portobello,	0	1	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.		
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60
ALL CAUSES - - -	2912	570	116	432	229	1347	275	42	196	142	655	71	24	103	63	266	69	23	61
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	525	178	25	19	9	231	153	16	12	4	185	14	2	6	5	27	16	2	8
II. PARASITIC DISEASE	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
III. DIETETIC	10	-	-	2	-	2	1	-	1	1	3	-	-	2	-	2	-	-	-
IV. CONSTITUTIONAL	532	42	39	140	17	238	19	12	75	16	122	7	9	37	2	55	10	12	19
V. DEVELOPMENTAL	174	52	1	-	30	83	15	-	-	15	30	14	-	-	6	20	5	-	-
VI. LOCAL	1474	244	44	233	163	684	73	13	97	104	287	28	11	53	54	146	31	7	27
VII. VIOLENCE - -	98	9	4	23	8	44	5	1	10	2	18	2	2	4	1	9	1	2	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	96	45	3	14	2	64	9	-	-	-	9	6	-	1	-	7	6	-	2
I.																			
1. Miasmatic Diseases -	462	165	25	13	7	210	147	14	10	4	175	7	2	4	3	16	14	1	6
2. Diarrhoeal " -	31	8	-	2	1	11	2	-	-	-	2	6	-	1	1	8	2	-	-
3. Malarial " -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
4. Zoogenous " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " -	15	5	-	2	-	7	4	-	-	-	4	1	-	-	-	1	-	-	1
6. Septic " -	15	-	-	2	1	3	-	2	1	-	3	-	-	1	1	2	-	1	1
II.																			
PARASITIC DISEASES -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
III.																			
DIETETIC DISEASES -	10	-	-	2	-	2	1	-	1	1	3	-	-	2	-	2	-	-	-
IV.																			
CONSTITUTIONAL DISEASES	532	42	39	140	17	238	19	12	75	16	122	7	9	37	2	55	10	12	19
V.																			
DEVELOPMENTAL DISEASES	174	52	1	-	30	83	15	-	-	15	30	14	-	-	6	20	5	-	-
VI.																			
1. Dis. of Nervous System -	299	59	12	27	35	133	16	3	23	25	67	4	3	8	15	30	6	2	1
2. " Organs of Special Sense -	7	1	-	-	1	2	1	1	1	-	3	-	-	-	-	-	-	1	-
3. " Circulatory System	262	4	4	54	45	107	1	-	24	32	57	-	3	10	13	26	1	3	10
4. " Respiratory System	598	139	10	79	57	285	42	4	27	35	103	14	2	23	21	65	19	-	7
5. " Digestive System -	178	38	10	31	12	91	12	2	10	2	26	9	2	2	3	16	5	1	3
6. " Lymphatic System and Ductless Glands -	7	-	1	1	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-
7. " Urinary System -	78	1	2	25	12	40	-	2	5	8	15	-	1	4	1	6	-	-	2
8. " Reproductive System:—																			
(a) Diseases of Organs of Generation -	9	-	-	7	-	7	-	-	-	-	-	-	-	-	-	-	-	-	2
(b) Diseases of Parturition -	8	-	-	3	-	3	-	-	3	-	3	-	-	-	-	-	-	-	1
9. " Organs of Locomotion -	21	-	5	5	-	10	1	1	1	1	4	1	-	1	-	2	-	-	-
10. " Integumentary System -	7	2	-	1	1	4	-	-	-	1	1	-	-	-	1	1	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

53

Registered during the Month of APRIL 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
CAUSES - - - -	59	4	36	29	128	36	15	39	37	127	23	8	40	22	98	16	2	17	29	64
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	18	2	2	2	24	3	1	4	1	9	3	-	1	1	5	7	-	2	5	14
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
III. DIETETIC " -	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
IV. CONSTITUTIONAL " -	4	1	13	3	21	2	7	12	4	25	5	3	7	2	17	1	-	5	2	8
V. DEVELOPMENTAL " -	7	-	-	2	9	6	-	-	6	12	2	-	-	3	5	1	-	-	3	4
VI. LOCAL " -	25	1	19	21	66	19	6	23	25	73	14	3	27	15	59	5	1	10	19	35
VII. VIOLENCE - - -	4	-	-	1	5	3	1	-	-	4	2	2	4	1	9	-	1	-	-	1
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	1	-	1	-	2	2	-	-	1	3	2	-	-	-	2	1	-	-	-	1
I.																				
I. NERVOUS DISEASES - - -	16	1	-	1	18	1	1	3	1	6	1	-	-	-	1	7	-	2	3	12
II. CEREBRAL " -	1	1	-	1	3	1	-	-	-	1	2	-	-	1	3	-	-	-	1	1
III. ALABIAL " -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IV. ORGANOGENOUS " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. GENITAL DISEASES -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VI. CUTANEOUS " -	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
II.																				
II. PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
III.																				
III. DIETETIC DISEASES - - -	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
IV.																				
IV. CONSTITUTIONAL DISEASES - -	4	1	13	3	21	2	7	12	4	25	5	3	7	2	17	1	-	5	2	8
V.																				
V. DEVELOPMENTAL DISEASES - -	7	-	-	2	9	6	-	-	6	12	2	-	-	3	5	1	-	-	3	4
VI.																				
VI. DISEASES OF NERVOUS SYSTEM -	3	-	4	4	11	2	2	6	8	18	3	1	3	5	12	2	-	1	5	8
" ORGANS OF SPECIAL SENSE -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	3	6	9	18	1	-	5	7	13	-	-	10	1	11	-	-	4	2	6
" RESPIRATORY SYSTEM -	15	1	7	8	31	9	1	8	8	26	9	1	8	6	24	2	1	4	7	14
" DIGESTIVE SYSTEM -	6	-	1	3	10	5	1	1	2	9	2	-	4	1	7	1	-	-	5	6
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM -	-	-	4	-	4	2	-	1	-	3	-	-	1	2	3	-	-	-	-	-
" REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
" ORGANS OF LOCOMOTION -	-	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	1	-	1
" INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

55

55

[illegible]

57

CAUSES OF DEATH.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	2	2	4	-	-	-	4	4	-	3	2	5	-	1	2	3	-	-
Tabes Mesenterica	-	-	-	-	-	1	3	-	-	4	1	1	-	2	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	-	1	9	1	11	-	4	12	-	16	2	2	3	7	-	4	-	-	-	-
Other forms of Tuberculosis, Scrofula	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	-	6	-	-	6	4	-	-	-	4	2	-	-	2	1	-	-	-	-	1
Atelectasis	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	2	2	-	-	6	6	-	-	-	3	3	-	-	-	3	3	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	2	-	-	-	2	1	1	-	-	2	3	1	2	6	1	-	-	-	-	1
Apoplexy	-	-	2	4	6	-	1	1	-	2	-	1	3	4	-	-	2	1	2	-
Softening of Brain																				

DEATHS FROM ALL CAUSES at Four Periods of Life.

59

Registered during the Month of APRIL 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	2	3	5	1	-	4	7	12	-	-	9	1	10	-	-	4	1	5
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Bronchitis -	2	-	4	5	11	2	-	6	8	16	1	1	4	5	11	1	1	1	5	8
Pneumonia -	10	1	3	1	15	2	1	1	-	4	4	-	4	1	9	1	-	3	1	5
Pleurisy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	2	-	-	2	4	4	-	-	-	4	3	-	-	-	3	-	-	-	1	1
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	1	-	-	-	1	4	-	-	-	4	1	-	-	-	1	-	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	2	-	2	1	-	-	-	1	-	-	-	-	-
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	3	4	-
Enteritis -	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver -	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	-	-	2	-	2	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-
Bright's Disease -	-	-	1	-	1	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System -	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Uterus and Vagina - -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	5	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	14	-	3	3	-	6	1	1	-	1	3	-	-	1	-	1	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	3	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Dis. of Organs of Locomotion	4	-	1	1	-	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	4	1	-	1	1	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and { Railways - - -	4	-	-	1	-	1	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Horses { Veh. oth. than R'wys. - - -	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	13	3	2	3	1	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	5	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Drowning - - -	10	-	1	6	-	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Suffocation { In Bed - - -	18	6	-	-	-	5	4	-	-	-	4	2	-	-	-	2	1	-	-	-	1
Suffocation { Otherwise - - -	4	-	-	1	-	1	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-
Falls - - -	4	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	21	-	-	8	5	13	-	1	-	1	-	-	2	1	3	-	1	-	-	-	1
Otherwise, or Not Stated - - -	10	1	1	-	2	4	-	1	2	3	-	-	-	-	-	-	-	1	-	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	2
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Debility, Atrophy, Inanition - - -	72	40	3	5	-	48	9	-	-	-	9	5	-	-	-	5	4	-	-	-	4
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Sudden (Cause unascertained) - - -	5	-	-	4	1	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2
Other Ill-def. & not spec. Causes - -	12	5	-	3	-	8	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of APRIL 1897.

Mean barometric pressure, 29·835 inches; less than the average for the same month of 1856-95 by 0·068 inch.

Barometric monthly range, 1·092 inch; less by 0·136 inch.

Mean temperature, $42^{\circ}8$; less by $2^{\circ}1$.

Mean daily range of temperature, $13^{\circ}9$; being the average.

Mean humidity, 79; less by 0·9.

Rain, number of days, 15; greater by 2 days.

Rain, depth in inches, 2·06; less by 0·06 inch.

Wind, pressure on square foot, 1·73 lbs.; greater by 0·05 lb.

Wind, direction of, E. to W. as 11 to 9, and N. to S. as 4 to 7; the average being E. to W. as 9 to 8, and N. to S. as 5 to 6.

Hence, the weather of April 1897 was characterised by a rather low mean barometric pressure, with a monthly range also somewhat under the average; a mean temperature $2^{\circ}1$ under the average, with the average mean daily range; a mean humidity slightly under the average; a mean rainfall very nearly the average, falling, however, on two days in excess of the average; three days' excess of easterly winds, and a like deficiency of northerly wind, with a mean force about the average.

The mean barometric pressure was 29·835 inches, being a deficiency of 0·068 inch. The deficiency was considerably greater at western than at eastern stations, with the result of a greater predominance of easterly winds than usual, with a temperature two degrees under the average.

The mean temperature was $42^{\circ}8$, or $2^{\circ}1$ less than the average, the deficiency being equally partitioned between the days and the nights. An equal deficiency of temperature obtained at all the large towns. The first week was the coldest part of the month, the mean being $8^{\circ}0$ below the average temperature of the season. The absolutely highest temperature was $58^{\circ}2$ on the 29th at Perth, and the lowest $24^{\circ}6$ on the 3rd at Aberdeen.

The mean rainfall was 2·06 inches, being very slightly under the average. It nearly all fell from the 11th to the 19th, none fell from the 20th to the 26th, and during the other days of the month, the rains were comparatively slight. Hail with snow showers fell from the 1st to the 4th, the 11th to the 17th, and on the 30th. The rainfall on the 13th was heavy, amounting at Glasgow, Paisley, and Greenock to 1·10 inch, 1·02 inch, and 1·13 inch respectively. The amounts differed greatly in the different Towns, being 53 per cent. above the average at Glasgow, but at Edinburgh 50 per cent. under it.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of APRIL 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.				HYGRO- METER.			DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.									
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
		inch.	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.	dys.	inch.	lbs.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	64	29.769	29.830	1.068	57.0	26.0	43.4	31.0	16.2	25.5	43.2	40.0	36.2	.213	2.48	77	12	2.78	0	2	8	2	1	1	4	6	6	0.42
EDINBURGH, R. C. MOSSEMAN, F.R.S.E.	276	29.531	29.837	1.107	57.3	26.4	42.6	30.9	13.7	19.8	42.6	39.8	36.4	.215	2.50	80	13	1.04	0	2	9	2	3	6	6	2	0	0.88
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.659	29.842	1.100	55.0	27.9	42.3	27.1	14.0	19.7	42.1	40.1	37.6	.226	2.61	85	15	1.54	0	2	3	12	0	5	5	3	0	1.77
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	40	29.790	29.834	1.145	59.6	24.6	42.5	35.0	13.2	21.7	42.2	39.6	36.4	.216	2.50	81	16	2.11	1	4	3	6	3	5	1	4	3	1.96
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.782	29.837	1.107	56.7	29.1	43.2	27.6	11.7	19.0	43.2	40.2	36.6	.217	2.52	78	19	1.02	3	1	10	2	3	2	8	0	1	2.07
PAISLEY, DONALD, MAULEAN, The Coats Observatory.	107	29.713	29.830	1.103	58.0	27.2	43.8	30.8	14.5	21.8	43.2	39.8	35.8	.209	2.44	76	15	2.74	1	3	9	2	3	3	5	2	2	0.81
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.584	29.835	1.081	55.4	28.2	42.2	27.2	13.0	18.5	42.4	38.8	34.5	.200	2.32	75	16	3.49	0	1	5	10	0	5	7	2	0	4.20
PERTH, A. GAEDDOCK, Gardener to James F. Pullar, F.R.S.E.	140	29.676	29.832	1.026	58.2	27.0	42.6	31.2	14.6	24.5	42.9	40.0	36.5	.216	2.51	79	14	1.79	4	0	12	3	1	6	0	4	0	...
Means,	133	29.688	29.835	1.092	56.8	26.6	42.8	30.1	13.9	21.3	42.7	39.8	36.3	.214	2.49	79	15	2.06	1	2	7	5	2	4	5	3	1	1.73

North Latitude.—Glasgow, 55° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'. Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 28'. Mean, 3° 30'.

* Absolute highest. † Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of May 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4187 children, of whom 2152 were males, and 2035 females. Of these, 3887 were legitimate, and 300 illegitimate, being in the proportion of one illegitimate in every 14·0 Births, or the illegitimate Births constituted 7·2 per cent. of the whole. In Paisley, 5·2 per cent. of the Births were illegitimate; in Edinburgh, 6·7; in Glasgow, 6·9; in Greenock, 7·1; in Leith, and in Perth, 7·5; in Aberdeen, 7·9; and in Dundee, 9·7 per cent.

639 Marriages were registered in these Towns during May, being 110 above the average for the month during the last ten years, allowing for increase of the population.

The Deaths of 2813 persons were registered in these Towns during the month, of whom 1415 were males, and 1398 females. Allowance being made for increase of the population, this number is 143 above the average number for May during the last ten years.

A comparison of the Deaths registered shows that during May the mortality was at the annual rate of 16·7 Deaths per thousand persons in Aberdeen; 18·2 in Greenock; 18·4 in Dundee; 18·5 in Perth; 21·7 in Glasgow; 21·9 in Paisley; 22·4 in Leith; and 25·0 in Edinburgh.

Of the 1318 Deaths registered in Glasgow, 271 were of children under one year of age, and 223 of persons over 60 years; of the 620 in Edinburgh, 129 were of children under one year, and 129 of persons over 60 years; of the 255 in Dundee, 57 were

of children under one, and 51 of persons over 60; of the 196 in Aberdeen, 38 were under one, and 70 over 60; of the 143 in Leith, 43 were under one, and 13 over 60; of the 138 in Paisley, 29 were under one, and 38 over 60; of the 95 in Greenock, 18 were under one, and 22 over 60; and of the 48 in Perth, 6 were under one, and 15 over 60 years.

Of the whole 2813 Deaths, 1133, or 40·3 per cent., were of children under five years of age. In Perth, 20·8 per cent. of the persons who died were under five years of age; in Greenock, 25·3; in Aberdeen, 29·6; in Paisley, 32·6; in Dundee, 35·3; in Glasgow, 41·3; in Edinburgh, 45·6; and in Leith, 55·2 per cent.

Miasmatic Diseases caused 398 Deaths, or 14·1 per cent. of the whole. This rate was exceeded in Edinburgh and Leith from the prevalence of Measles and Hooping-Cough in each of these Towns.

Fevers caused 17 Deaths. Of which 16 were caused by Enteric, and one by Simple Continued Fever.

Measles caused 159 Deaths, or 5·7 per cent. of the whole. Of these 53 or 4·0 per cent. occurred in Glasgow; 13 or 9·1 per cent. occurred in Leith; and 89 or 14·4 per cent. occurred in Edinburgh.

Hooping-Cough caused 156 Deaths, or 5·5 per cent. of the whole; and of these 82 occurred in Glasgow, or 6·2 per cent. of the Deaths there, 47 in Edinburgh, or 7·6 per cent.; 4 in Perth, or 8·3 per cent.; and 12 in Leith, or 8·4 per cent.

Diphtheria caused 21 Deaths; Scarlatina, 13; and Puerperal Fever, 8.

From Intemperance there resulted 9 Deaths, 8 being ascribed to Chronic Alcoholism, and 1 to Delirium Tremens.

Apoplexy caused 97 Deaths; Paralysis, 50; Heart Diseases, 231; and Premature Birth Debility, 80.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 542, or 19·3 per cent. of the whole. Those from Consumption alone numbered 278, or 9·9 per cent. 5 Deaths were attributed to Croup.

91 Deaths resulted from Violent Causes, of which 9 were Suicidal (2 by Gunshot, 1 by Cut-throat, 1 by Drowning, 4 by Hanging, and 1 by Poison).

Five females were aged 90 years and upwards, the oldest of whom was a widow aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	714,919	1072	986	2058	1917	141	304	696	622	1318
EDINBURGH,	244,120	272,773	292,364	350	306	656	612	44	134	310	301	620
DUNDEE,	140,794	154,118	163,090	166	206	372	336	36	63	119	136	255
ABERDEEN,	106,806	124,943	138,143	229	212	441	406	35	53	88	108	196
LEITH,	59,485	68,707	75,186	113	100	213	197	16	23	63	80	143
PAISLEY,	55,638	66,425	74,206	100	112	212	201	11	20	70	63	138
GREENOCK,	66,704	63,423	61,475	89	79	168	156	12	26	37	58	95
PERTH,	28,980	29,919	30,524	33	34	67	62	5	6	23	25	48
TOTAL,	1,279,873	1,439,016	1,549,907	2152	2035	4187	3887	300	639	1415	1398	2813

MAY 1896,	Mean Temp. 54°·4	2105	2002	4107	3836	271	502	1222	1151	2373
MAY 1895,	Mean Temp. 52°·7	2192	2068	4260	3928	332	439	1347	1266	2613
MAY 1894,	Mean Temp. 47°·0	2055	1971	4026	3726	300	498	1235	1174	2409
MAY 1893,	Mean Temp. 53°·3	2221	2235	4456	4124	332	567	1378	1313	2691
MAY 1892,	Mean Temp. 50°·6	2160	2020	4180	3875	305	546	1346	1350	2696
MAY 1891,	Mean Temp. 47°·6	1885	1866	3751	3474	277	471	1342	1308	2650
MAY 1890,	Mean Temp. 51°·5	1945	1890	3835	3505	330	475	1285	1321	2606
MAY 1889,	Mean Temp. 52°·3	2100	1962	4062	3737	325	499	1231	1238	2469
MAY 1888,	Mean Temp. 49°·2	2046	1830	3876	3573	298	501	1119	1151	2270
MAY 1887,	Mean Temp. 49°·8	1959	1903	3862	3509	353	489	1174	1197	2371

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhea, registered in each District of the several Towns during the Month of MAY 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	29	5	7	7	9	1	1. St Peter,	0	0	0	2	0	1	2
2. Camlachie,	0	5	0	10	1	0	4	2. St Mary,	0	0	0	1	0	0	3
3. Dennistoun,	0	1	0	8	2	0	6	3. St Clement,	0	0	0	3	0	0	2
4. Calton,	0	1	0	4	0	0	1	4. St Andrew,	0	1	0	1	0	1	3
5. Blackfriars,	0	1	0	4	0	1	1	5. Lochee,	0	0	0	0	0	0	1
6. St Rollox,	0	0	0	2	0	0	1	Mains,	0	0	0	0	0	0	0
7. Blythswood,	0	0	0	3	0	0	1								
8. Milton,	0	0	0	5	0	0	0	ABERDEEN—							
9. Kelvin,	0	2	0	11	0	1	5	1. St Nicholas,	0	0	1	0	1	0	4
10. Anderston,	0	0	0	6	1	0	0	2. Aberdeen,	0	0	0	0	0	0	1
11. Hutchesontown,	0	4	0	10	1	0	2	3. Woodside,	0	0	0	0	0	0	0
12. Gorbals,	0	1	1	3	1	0	1	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	4	0	1	0	0	1	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	4	0	3	1	0	0	Nigg,	0	0	0	0	0	0	0
Cathcart,	0	1	2	0	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	0	0	3	0	1	2	1. North,	0	9	0	8	0	0	1
Shettleston,	0	0	0	0	0	0	0	2. South,	0	4	1	4	1	0	3
Plantation,	0	0	0	1	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	1	0	1	1	0	2
Partick,	0	0	0	1	0	0	1								
EDINBURGH—								GREENOCK—							
1. St George,	0	20	0	6	2	1	2	1. East,	0	2	0	1	0	0	1
2. St Andrew,	0	9	1	10	1	0	0	2. West,	0	0	2	2	0	0	2
3. Canongate,	0	44	0	28	0	2	1								
4. St Giles,	0	12	0	4	1	0	3	PERTH,	0	0	0	4	0	0	1
5. Newington,	0	4	0	1	0	0	0								
6. Portobello,	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2813	544	117	440	223	1318	283	47	161	129	620	90	24	90	51	255	53	15	53	70	199
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	490	163	18	18	16	215	141	11	8	7	167	21	3	2	2	28	7	-	2	4	13
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	10	-	-	4	-	4	-	-	2	1	3	1	-	1	-	2	-	-	-	-	-
IV. CONSTITUTIONAL "	567	51	39	151	31	272	10	20	65	11	106	12	9	33	5	59	8	9	22	11	50
V. DEVELOPMENTAL "	174	44	-	-	24	68	17	-	-	21	38	7	-	-	8	15	10	-	-	7	17
VI. LOCAL "	1372	237	46	230	141	654	96	16	80	85	277	37	12	48	34	131	23	4	28	48	103
VII. VIOLENCE - -	91	3	8	24	7	42	6	-	6	2	14	3	-	6	1	10	3	1	1	-	5
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	109	46	-	13	4	63	13	-	-	2	15	9	-	-	1	10	7	1	-	-	8
I.																					
1. MIASMATIC DISEASES -	398	149	13	10	7	179	135	10	6	5	156	7	3	2	1	13	2	-	1	2	7
2. DIARRHOEAL "	59	12	4	4	7	27	4	-	-	2	6	10	-	-	1	11	4	-	-	1	1
3. MALARIAL "	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL "	16	2	-	2	1	5	2	1	-	-	3	3	-	-	-	3	1	-	-	1	-
6. SEPTIC "	16	-	-	2	1	3	-	-	2	-	2	1	-	-	-	1	-	-	1	-	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	10	-	-	4	-	4	-	-	2	1	3	1	-	1	-	2	-	-	-	-	-
IV.																					
CONSTITUTIONAL DISEASES	567	51	39	151	31	272	10	20	65	11	106	12	9	33	5	59	8	9	22	11	50
V.																					
DEVELOPMENTAL DISEASES	174	44	-	-	24	68	17	-	-	21	38	7	-	-	8	15	10	-	-	7	17
VI.																					
1. DIS. OF NERVOUS SYSTEM -	326	71	12	34	48	165	15	3	14	23	55	10	3	5	5	23	7	-	7	17	3
2. " ORGANS OF SPECIAL SENSE -	5	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM	231	6	5	57	34	102	1	1	19	20	41	1	2	13	10	31	1	2	10	14	2
4. " RESPIRATORY SYSTEM	542	118	12	82	42	254	69	5	23	27	124	20	5	13	15	53	8	1	7	12	2
5. " DIGESTIVE SYSTEM -	159	41	9	18	6	74	11	6	12	4	33	5	1	6	2	14	7	-	3	3	1
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	68	1	2	21	9	34	-	1	8	8	17	1	1	4	1	7	-	-	1	2	-
8. " REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	10	-	-	7	1	8	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	11	-	-	3	-	3	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	14	-	4	5	1	10	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
10. " INTEGUMENTARY SYSTEM -	4	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life,
Registered during the Month of MAY 1897.

69

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	79	13	38	13	143	45	14	41	38	138	24	11	38	22	95	10	3	20	15	48
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	31	1	1	1	34	5	-	4	2	11	5	1	8	1	15	4	-	1	2	7
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	6	3	17	1	27	8	3	7	1	19	2	5	11	3	21	2	2	6	3	13
V. DEVELOPMENTAL,, -	7	-	-	2	9	6	-	-	11	17	2	-	-	1	3	2	-	-	5	7
VI. LOCAL " -	27	9	18	8	62	24	8	27	23	82	12	2	15	16	45	2	1	11	4	18
VII. VIOLENCE - - -	3	-	1	1	5	-	2	3	1	6	-	2	3	1	6	-	-	2	1	3
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	5	-	-	-	5	2	1	-	-	3	3	1	1	-	5	-	-	-	-	-
I.																				
1. MIASMATIC DISEASES - -	26	1	1	-	28	4	-	1	-	5	5	1	1	-	7	4	-	-	1	5
2. DIARRHEAL " - -	4	-	-	-	4	1	-	1	-	2	-	-	2	1	3	-	-	-	1	1
3. MALARIAL " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - -	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
6. SEPTIC " - -	-	-	-	1	1	-	-	1	2	3	-	-	5	-	5	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	6	3	17	1	27	8	3	7	1	19	2	5	11	3	21	2	2	6	3	13
V.																				
DEVELOPMENTAL DISEASES--	7	-	-	2	9	6	-	-	11	17	2	-	-	1	3	2	-	-	5	7
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	3	1	4	2	10	10	3	4	7	24	4	1	-	6	11	1	1	2	3	7
2. " ORGANS OF SPECIAL SENSE -	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	1	3	2	-	6	1	2	5	7	15	-	-	3	4	7	-	-	2	-	2
4. " RESPIRATORY SYSTEM -	19	4	5	3	31	8	1	14	7	30	6	-	7	4	17	1	-	3	1	5
5. " DIGESTIVE SYSTEM -	4	1	3	1	9	4	2	2	2	10	1	-	3	-	4	-	-	2	-	2
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	-	1	1	-	2	-	-	1	-	1	-	-	1	2	3	-	-	1	-	1
8. " REPRODUCTIVE SYSTEM:—																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1
10. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

[illegible]

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																					
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Veg. Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydatid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. from Animal Par. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DIETETIC DISEASES.																					
Starvation, Want of Breast Milk	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Scurvy - - - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Intemp. { Chronic Alcoholism	1	-	-	3	-	3	-	-	2	1	3	-	-	1	1	-	-	-	-	-	
{ Delirium Tremens -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CONSTITUTIONAL DISEASES.																					
Rheumatic Fever, Rheu- matism of Heart - - -	8	-	2	1	-	3	-	1	-	1	-	-	1	-	1	-	-	1	-	1	
Rheumatism - - - - -	5	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Gout - - - - -	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rickets - - - - -	7	2	-	-	-	2	2	-	1	3	1	-	-	-	1	1	-	-	-	1	
Cancer - - - - -	121	-	1	38	21	60	-	1	16	8	25	-	-	8	4	12	-	6	5	11	
Tabes Mesenterica - - -	38	17	4	-	-	22	-	1	1	-	2	1	-	-	1	1	-	-	-	-	
Tubercular Meningitis (Acute Hydrocephalus) - - -	52	16	8	3	-	27	3	4	-	7	7	1	-	-	8	4	1	-	-	5	
Phthisis - - - - -	278	9	17	96	3	125	3	10	44	2	59	3	6	22	1	32	7	13	2	22	
Other forms of Tuber. Scrofula	34	6	7	1	1	15	2	3	1	-	6	-	2	2	4	1	1	1	1	4	
Purp., Hemorrhagic Diathesis	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Anæmia, Chl., Leucocythæmia	17	-	-	8	3	11	-	-	1	-	1	-	-	-	-	-	-	-	2	2	
Diabetes Mellitus - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Other Constitutional Diseases	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
DEVELOPMENTAL DISEASES.																					
Premature Birth - - -	80	39	-	-	-	39	15	-	-	-	15	3	-	-	3	8	-	-	-	8	
Atelectasis - - - - -	3	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	
Cyanosis - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spina Bifida - - - - -	9	3	-	-	-	3	1	-	-	-	1	3	-	-	3	1	-	-	-	1	
Imperforate Anus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cleft Palate, Harelip - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Congenital Defects	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Old Age - - - - -	79	-	-	-	24	24	-	-	-	21	21	-	-	-	8	8	-	-	7	7	
DISEASES OF NERVOUS SYSTEM.																					
Inflammation of Brain or its Mem																					

DEATHS FROM ALL CAUSES at Four Periods of Life.

73

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	3	-	3	-	1	-	1	-	3	3	6	-	2	1	3	-	-	-
Tabes Mesenterica	2	-	1	-	3	7	-	-	7	1	-	-	1	1	-	-	-	-	-	1
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus)	4	-	-	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis	-	3	11	-	14	3	5	1	9	1	5	7	13	-	1	3	-	-	4	-
Other forms of Tuberculosis, Scrofula	-	-	1	1	2	-	1	-	1	-	1	-	1	1	-	-	-	-	1	-
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	6	-	-	-	6	5	-	-	5	2	-	-	2	2	-	-	-	-	2	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	2	2	-	-	11	11	-	-	1	1	-	-	5	5	-	-	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes	1	-	-	-	1															

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	186	2	4	48	27	81	1	-	13	16	30	1	1	15	7	24	1	2	8	14	25
Pericarditis -	4	-	-	1	-	1	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-
Hypertrophy of Heart -	4	-	1	1	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Angina Pectoris -	5	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-
Syncope -	17	4	-	1	4	9	-	-	3	3	6	-	-	1	-	1	-	-	-	-	-
Aneurism -	9	-	-	5	-	5	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1
Senile Gangrene -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	8	5	1	-	-	6	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Croup -	5	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Bronchitis -	226	38	3	27	28	96	36	-	10	13	59	8	1	6	8	23	4	-	3	9	16
Pneumonia -	261	61	5	51	7	124	32	5	11	12	60	10	3	5	5	23	4	1	2	-	7
Pleurisy -	14	1	2	-	1	4	-	-	2	2	4	-	1	1	-	2	-	-	1	1	2
Other Diseases of Resp. System	24	10	1	3	5	19	-	-	-	-	-	-	-	1	-	1	-	1	2	3	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	19	13	-	-	-	13	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	18	1	1	6	2	10	-	3	1	4	1	1	-	1	2	1	-	-	-	-	1
Enteritis -	37	14	2	4	1	21	3	1	-	4	4	-	1	1	6	2	-	-	-	-	2
Ulceration of Intestine -	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	6	2	1	-	-	3	1	-	1	2	-	-	1	-	1	-	-	-	-	-	-
Stricture or Strang. of Intestine	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	5	2	-	-	-	2	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Hernia -	5	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	2	-
Fistula -	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Peritonitis -	29	4	5	3	1	13	1	2	4	-	7	-	1	2	-	3	-	-	1	1	-
Ascites -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Other Diseases of Liver	17	3	-	1	-	4	1	1	2	-	4	-	-	-	-	-	1	-	2	1	4
Other Dis. of Digestive System	6	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	19	-	2	7	3	12	-	-	-	1	1	1	-	3	-	4	-	-	-	-	-
Bright's Disease -	29	-	1	9	4	14	-	-	2	5	7	-	-	1	-	1	-	-	1	1	2
Uræmia -	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	5	-	-	1	-	1	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	12	1	-	3	1	5	-	-	3	1	4	-	1	-	1	2	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

75

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	1	3	2	6	1	2	4	5	12	-	-	3	3	6	-	-	2	-	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	3	1	1	3	8	2	1	8	4	15	2	-	3	2	7	-	-	1	1	2
Pneumonia	16	3	4	-	23	6	-	5	3	14	4	-	3	2	9	-	-	1	-	1
Pleurisy	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	1	-	1	2	-	-	-	2	-	1	-	1	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis	1	-	-	-	1	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver	-	-	-	1	1	-	-	2	2	2	1	-	1	-	2	-	-	-	-	-
Other Diseases of Digestive System	-	-	1	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Bright's Disease	-	1	-	-	1	-	-	1	-	1	-	-	-	2	2	-	-	1	-	1
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	7	-	-	1	-	1	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	12	-	4	4	1	9	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
Arthritis, Ostitis, Periostitis - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	9	1	2	4	-	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	5	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1
Drowning - - -	8	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suffocation { In Bed - - -	8	2	-	-	-	2	1	-	-	-	-	3	-	-	-	3	-	-	-	-	-
{ Otherwise - - -	5	-	1	1	-	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Falls - - -	3	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	21	-	3	6	3	12	-	-	1	1	-	-	4	1	5	-	-	-	-	-	-
Otherwise, or Not Stated - - -	15	-	2	4	3	9	1	-	1	-	2	-	1	-	1	-	-	1	-	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Suicide - - -	9	-	-	3	-	3	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	77	38	-	1	-	39	12	-	-	-	12	8	-	-	-	8	6	-	-	-	6
Mortification - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	4	-	-	1	-	1	1	-	-	1	2	-	-	-	-	-	1	-	-	-	1
Sudden (Cause unascertained) - - -	10	1	-	4	3	8	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Other Ill-def. & not spec. Causes -	14	6	-	6	1	13	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

77

77

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—MAY 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,650	66	5	34	0	0	0	0	1	0	0	0	0	7	5
Ayr,	23,782	73	5	53	0	0	0	0	0	1	0	0	0	14	5
Banff, with Macduff,	8,689	21	5	13	0	0	0	0	0	0	0	0	0	2	0
Blairstown,	4,198	7	2	3	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,347	2	0	7	0	0	0	0	0	0	0	0	0	1	2
Campbeltown,	10,589	29	0	12	0	0	0	0	0	0	0	0	0	4	3
Cathcart (Landward),	5,772	16	1	4	0	1	0	0	0	0	0	0	0	1	1
Coatbridge,	37,319	120	14	42	0	0	0	1	0	0	0	2	0	6	5
Crieff,	5,697	6	1	15	0	1	0	0	0	0	0	0	0	2	4
Dumbarton,	20,438	52	2	32	0	0	0	2	0	1	0	0	0	4	1
Dumfries, with Troqueer,	24,684	58	8	40	0	0	0	4	0	1	0	1	0	6	3
Dunfermline,	30,213	78	9	51	0	0	0	1	0	0	0	0	0	5	7
Dunoon,	7,594	19	0	13	0	0	0	0	0	0	0	0	0	2	0
Eastwood (Landward),	14,372	47	3	20	0	0	0	0	0	1	0	2	0	4	3
Elgin,	10,870	41	6	25	0	0	0	0	0	0	0	0	0	6	2
Falkirk,	29,654	93	3	43	0	0	0	3	1	1	0	4	0	12	2
Forfar,	13,185	45	4	19	0	0	0	0	0	1	0	0	0	1	0
Galashiels,	19,153	48	4	31	0	1	0	1	0	0	0	1	0	4	8
Govan—(1) Plantation (Land- ward),	25,753	78	4	46	0	1	0	0	0	0	0	0	0	10	6
(2) Govan (Landward),	47,267	137	14	97	0	1	2	17	1	3	0	2	0	25	11
(3) Partick (Landward),	43,729	138	16	66	0	6	0	5	0	0	0	3	0	15	5
Haddington,	4,956	10	3	11	0	0	0	0	0	0	0	0	0	2	2
Hawick, with Wilton,	22,699	41	1	43	0	16	0	0	0	0	0	1	0	5	5
Inverness,	25,610	50	15	49	0	0	0	0	0	0	0	0	0	15	2
Kilmarnock, with Riccarton,	32,978	88	11	44	0	0	0	1	0	1	0	1	0	6	5
Kilmore and Kilbride (Oban),	6,129	12	4	7	0	0	0	0	0	0	0	0	0	0	2
Kinning Park (Landward),	15,203	60	2	25	0	5	0	1	0	0	0	0	0	4	1
Kirkcaldy and Abbotshall,	19,453	58	6	29	0	0	0	1	0	1	0	0	0	8	1
Kirkeudbright,	3,476	5	0	6	0	0	0	0	0	0	0	0	0	1	1
Largs,	5,430	8	0	5	0	0	0	0	0	0	0	0	0	0	1
Logie (Bridge of Allan),	4,409	7	1	3	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,007	7	0	1	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,367	31	3	28	0	0	0	0	0	0	0	3	0	8	1
Moulin (Pitlochry),	2,276	2	0	4	0	0	0	0	0	0	0	1	0	0	0
Nairn,	5,164	18	0	7	0	0	0	0	0	0	0	0	0	2	0
New Monkland (Airdrie),	38,144	113	5	52	0	0	0	1	0	0	0	1	0	10	5
North Berwick,	3,279	5	0	7	0	0	0	0	0	0	0	0	0	1	0
Peterhead, with Boddam,	16,900	56	7	23	0	0	0	1	0	0	0	0	0	4	3
Rothsay,	9,681	26	1	15	0	2	0	0	0	1	0	0	0	5	1
St Andrews and St Leonards,	8,851	16	1	8	0	0	0	0	0	0	0	0	0	0	0
Shettleston (Landward),	15,244	47	7	26	0	4	0	5	0	0	0	0	0	1	1
Stirling,	15,605	49	6	29	0	0	0	2	0	0	0	0	0	7	1
Stranraer,	6,058	17	1	8	0	0	0	0	0	0	0	2	0	0	2
Wick,	12,278	27	2	18	0	4	0	0	0	1	0	1	0	2	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level,

For the month of MAY 1897.

Mean barometric pressure, 29.937 inches; less than the average for the same month of 1856-95 by 0.009 inch.

Barometric monthly range, 1.282 inch; greater by 0.203 inch.

Mean temperature, $48^{\circ}2$; less by $1^{\circ}6$.

Mean daily range of temperature, $15^{\circ}8$; greater by $0^{\circ}8$.

Mean humidity, 76; less by 1.3.

Rain, number of days, 14; being the average.

Rain, depth in inches, 2.34; greater by 0.11 inch.

Wind, pressure on square foot, 2.03 lbs.; greater by 0.51 lb.

Wind, direction of, E. to W. as 9 to 10, and N. to S. as 5 to 7; the average being E. to W. as 9 to 9, and N. to S. as 5 to 6.

Thus, the weather of May 1897 was characterised by a mean barometric pressure nearly the average, with a monthly range considerably above; a mean temperature $1^{\circ}6$ under the average, with a mean daily range nearly $1^{\circ}0$ above it; a mean humidity a good deal under the average; a mean rainfall slightly above the average, falling on the average number of days; a mean direction of the wind nearly the normal, with a mean force a good deal above the average.

The mean barometric pressure was slightly above the average, south of the Forth and Clyde; to the north it was below it, the deficiency amounting in Shetland to 0.040 inch, which resulted in a two days' excess of southerly winds.

The mean temperature was $48^{\circ}2$, or $1^{\circ}6$ under the average, the deficiency of the days being $1^{\circ}3$, and of the nights $2^{\circ}0$. The distribution of temperature among the towns was very unequal, being $2^{\circ}5$ under the average at Aberdeen, $2^{\circ}0$ at Edinburgh and Leith, whereas at Glasgow, Paisley, and Greenock it was only $1^{\circ}0$. The nights were frequently very cold, and as the temperature repeatedly fell towards 40° or under it, the progress of vegetation was very slow. The coldest weather occurred from the 1st to the 13th; and rather high temperatures ruled from the 16th to the 24th, and on the last two days of the month. The absolutely highest temperature was $69^{\circ}9$ at Glasgow on the 16th, and the lowest $29^{\circ}2$ at Perth on the 13th.

The mean rainfall was 2.34 inches, being only slightly above the average. Its distribution among the towns was very unequal in amount; the smallest amount was 1.28 inch, at Edinburgh, whereas 4.84 inches fell at Glasgow. As compared with their normals, Aberdeen and Greenock were the average; Edinburgh, Leith, Dundee, and Perth 30 below it; Paisley 30 per cent. above; while Glasgow was 1.27 per cent above it. Except on the 13th, the weather from the 8th to the 23rd was rainless. Rather heavy falls were recorded on the 4th and 28th; on the latter of these days 1.60 inch was collected at Glasgow. Hail was of frequent occurrence on the first week.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of MAY 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.									
					Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.										
		inch.	inch.	inch.															N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Mean Pres- sure on Sq. ft.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	64	29.883	29.943	1.282	69.9	29.7	49.3	40.2	17.6	29.3	48.7	44.4	39.7	.245	2.81	71	14	4.84	1	3	5	1	3	2	3	7	6	0.59
EDINBURGH, E. C. MOSSEMAN, F.R.S.E.	276	29.648	29.950	1.289	67.9	33.9	48.2	34.0	14.7	23.0	46.8	43.6	40.0	.248	2.81	78	14	1.28	2	1	9	1	2	3	8	3	2	0.77
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.737	29.918	1.287	64.5	32.3	47.5	32.3	17.0	24.1	47.3	45.1	42.7	.273	3.21	85	14	1.41	2	3	0	15	1	2	5	3	0	2.07
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	40	29.882	29.930	1.298	63.8	30.0	46.1	33.8	14.1	25.9	46.7	43.6	40.1	.249	2.91	79	12	2.13	2	6	1	3	6	4	2	6	1	3.06
LEITH, JAMES BOLLAM, Navigation Agent, and GEORGE REID, RATE.	50	29.802	29.947	1.275	69.0	36.5	48.4	32.5	12.3	19.0	47.7	44.0	39.0	.246	2.95	75	12	1.29	2	1	9	2	2	1	11	1	2	2.07
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.826	29.942	1.278	68.3	32.0	49.7	36.3	17.0	26.8	48.7	44.6	40.2	.249	2.85	73	18	2.78	1	6	5	1	4	5	4	4	1	1.17
GREENOCK, ROBERT GRAMOUR, Greenock Water Works.	233	29.696	29.946	1.306	66.7	32.8	48.2	33.9	15.6	27.6	48.8	44.4	39.6	.245	2.80	70	19	2.44	0	1	5	6	1	6	7	5	0	4.49
PERTH, A. GAEDCKE, Gardener to James F. Pullar, F.R.S.E.	140	29.764	29.919	1.240	66.5	29.2	48.3	37.3	18.4	25.5	48.0	44.5	40.7	.253	2.90	76	11	1.53	4	0	7	5	2	12	1	0	0	...
Means,	133	29.778	29.937	1.282	66.9	32.2	48.2	35.3	15.8	25.1	47.8	44.3	40.4	.251	2.90	76	14	2.34	2	3	5	4	2	5	6	3	1	2.03

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 21'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 39'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of June 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4411 children, of whom 2213 were males, and 2198 females. Of these, 4135 were legitimate, and 276 illegitimate, being in the proportion of one illegitimate in every 16·0 Births, or the illegitimate Births constituted 6·3 per cent. of the whole. In Greenock, 3·5 per cent. of the Births were illegitimate; in Paisley, 4·2; in Leith, 4·3; in Perth, 5·8; in Glasgow, 6·4; in Aberdeen, 6·6; in Edinburgh, 6·8; and in Dundee, 7·7 per cent.

2224 Marriages were registered in these Towns during the month, being 489 above the June average of the last ten years, allowing for increase of the population.

The Deaths of 2531 persons were registered in these Towns during June, of whom 1329 were males, and 1202 females. If increase of the population be allowed for, this number is 98 above the average for June during the last ten years.

A comparison of the Deaths registered shows that during June the mortality was at the annual rate of 13·7 Deaths per thousand persons in Aberdeen; 18·8 in Dundee; 18·9 in Glasgow; 19·0 in Paisley; 20·0 in Greenock; 23·3 in Edinburgh; 25·1 in Perth; and 27·5 in Leith.

Of the 1113 Deaths registered in Glasgow, 237 were of children under one year of age, and 196 of persons over 60 years; of the 560 in Edinburgh, 126 were of children under one year, and 107 of persons over 60 years; of the 252 in Dundee, 58 were under one, and 51 over 60 years; of the 156 in Aberdeen, 36 were under one, and 43 over 60; of the 170 in Leith, 56 were under one, and 32 over 60; of the

116 in Paisley, 29 were under one, and 26 over 60; of the 101 in Greenock, 15 were under one, and 23 over 60; and of the 63 in Perth, 8 were under one, and 24 over 60 years.

Of the whole 2531 Deaths, 1000, or 39·5 per cent., were of children under five years of age. In Perth, 19·0 per cent. of the persons who died were under five years of age; in Greenock, 29·7; in Dundee, 35·7; in Aberdeen, 35·9; in Paisley, 36·2; in Glasgow, 38·5; in Edinburgh, 42·5; and in Leith, 61·2 per cent.

Miasmatic Diseases caused 300 Deaths, or 11·9 per cent. of the whole mortality. This rate was exceeded in Edinburgh and Leith from the prevalence of Measles in the former, and of Measles and Hooping-Cough in the latter Town.

The Deaths from Fever numbered 28, all being returned as Enteric.

Hooping-Cough was the most fatal epidemic, having caused 119 Deaths, or 4·7 per cent. of the whole. In Greenock, 3·0 per cent. of the Deaths were caused by Hooping-Cough; in Dundee, 4·4; in Edinburgh, 4·8; in Glasgow, 4·9; and in Leith, 12·4 per cent.

Measles was the next most fatal of the epidemics, causing 110 Deaths, or 4·3 per cent. of the whole. In Edinburgh, 59 Deaths, or 10·5 per cent.; and in Leith, 26 or 15·3 per cent. of the Deaths in these Towns respectively were caused by Measles.

Diarrhoea and Dysentery caused 32 Deaths; Scarlatina, 16; Diphtheria, 7; Puerperal Fever, 6; Choleraic Diarrhoea, 4; and Small-pox, 1.

From Intemperance there resulted 3 Deaths, 2 being from Chronic Alcoholism, and 1 from Delirium Tremens.

To Apoplexy were ascribed 75 Deaths; to Paralysis, 45; to Diseases of the Heart, 206; and to Premature Birth Debility, 71.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 438, or 17·3 per cent. of the whole. Those from Consumption alone numbered 269, or 10·6 per cent. 6 Deaths were caused by Croup.

To Violent Causes were attributed 98 Deaths, of which 10 were Suicidal (2 being by Gunshot, 2 by Cut-throat, 2 by Drowning, 2 by Hanging, 1 by Precipitation, and 1 by Poison).

Two males and 2 females were aged 90 years and upwards, the eldest being the males, who were each aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JUNE 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legit. mate.	Illegit. mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	714,919	1085	1029	2114	1979	135	1036	583	530	1113
EDINBURGH,	244,120	272,773	292,364	344	379	723	674	49	536	290	270	560
DUNDEE,	140,794	154,118	163,090	224	218	442	408	34	139	133	119	252
ABERDEEN,	106,306	124,943	138,143	219	223	442	413	29	208	79	77	156
LEITH,	69,485	68,707	75,186	103	130	233	223	10	111	101	69	170
PAISLEY,	55,638	66,425	74,206	107	108	215	206	9	85	62	54	116
GREENOCK,	66,704	63,423	61,475	96	77	173	167	6	64	50	51	101
PERTH,	28,980	29,919	30,524	35	34	69	65	4	45	31	32	63
TOTAL,	1,279,873	1,439,016	1,549,907	2213	2198	4411	4135	276	2224	1329	1202	2531

JUNE 1896,	Mean Temp. 57°·2	2179	2193	4372	4033	339	2089	1219	1183	2402
JUNE 1895,	Mean Temp. 56°·7	2054	1903	3957	3657	300	1847	1157	1069	2226
JUNE 1894,	Mean Temp. 54°·8	1935	1911	3846	3585	261	1747	1078	1087	2165
JUNE 1893,	Mean Temp. 58°·4	2103	2004	4107	3802	305	1663	1349	1214	2563
JUNE 1892,	Mean Temp. 54°·0	2121	2062	4183	3842	341	1796	1141	1143	2284
JUNE 1891,	Mean Temp. 56°·2	1996	1946	3942	3623	319	1600	1334	1360	2694
JUNE 1890,	Mean Temp. 55°·2	1913	1784	3697	3414	283	1616	1164	1188	2352
JUNE 1889,	Mean Temp. 57°·4	1815	1790	3605	3304	301	1384	1013	1028	2041
JUNE 1888,	Mean Temp. 52°·5	1918	1782	3700	3384	316	1315	1002	1000	2002
JUNE 1887,	Mean Temp. 53°·4	1962	1819	3781	3464	317	1280	1075	1112	2187

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of JUNE 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton,	1	8	1	16	3	17	1	1. St Peter,	0	0	1	0	1	0	2
2. Camlachie,	0	2	0	5	0	1	1	2. St Mary,	0	0	0	1	0	1	4
3. Dennistoun,	0	0	0	5	0	2	1	3. St Clement,	0	0	0	5	0	2	0
4. Calton,	0	1	0	2	0	0	1	4. St Andrew,	0	0	0	5	0	0	3
5. Blackfriars,	0	1	0	0	0	0	1	5. Lochee,	0	0	0	0	0	0	0
6. St Rollox,	0	2	2	2	0	0	1	Mains,	0	0	0	0	0	0	0
7. Blythswood,	0	0	0	1	0	1	1								
8. Milton,	0	0	0	0	5	0	0	ABERDEEN—							
9. Kelvin,	0	0	0	0	0	1	0	1. St Nicholas,	0	1	2	0	1	1	5
10. Anderston,	0	0	0	7	0	0	0	2. Aberdeen,	0	0	0	0	0	0	1
11. Hutchesontown,	0	1	0	6	0	0	0	3. Woodside,	0	0	0	0	0	0	0
12. Gorbals,	0	2	0	1	0	1	1	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	0	0	0	0	0	0	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	4	0	0	0	0	0	Nigg,	0	1	0	0	0	0	0
Cathcart,	0	0	1	1	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	0	0	1	0	0	1	1. North,	0	8	1	8	0	0	1
Shettleston,	0	0	0	0	0	0	0	2. South,	0	18	1	13	0	0	0
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	1	0	1	1	0	1
Partick,	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George,	0	16	1	2	0	0	1	1. East,	0	0	0	1	0	0	0
2. St Andrew,	0	8	0	2	0	0	1	2. West,	0	1	2	2	0	0	0
3. Canongate,	0	27	2	18	0	1	1								
4. St Giles,	0	6	0	4	0	0	2	PERTH,	0	0	0	2	0	0	0
5. Newington,	0	2	0	1	0	0	0								
6. Portobello,	0	0	2	0	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2531	428	118	371	196	1113	238	40	175	107	560	90	22	89	51	252	56	18	39	43	156
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	356	89	20	25	3	137	87	7	13	1	108	20	1	4	5	30	9	-	2	3	14
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	7	-	-	2	-	2	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
IV. CONSTITUTIONAL "	523	48	44	116	23	231	17	16	62	8	103	7	12	39	7	65	6	11	16	4	37
V. DEVELOPMENTAL "	181	40	-	-	33	73	14	-	-	21	35	7	-	-	7	14	7	-	-	6	13
VI. LOCAL "	1247	199	45	186	131	561	92	16	87	75	270	43	8	41	32	124	26	6	19	26	77
VII. VIOLENCE - - -	98	12	9	29	4	54	7	1	11	2	21	-	1	4	-	5	2	1	1	3	7
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	119	40	-	13	2	55	20	-	2	-	22	12	-	1	-	13	5	-	1	1	7
I.																					
1. Miasmatic Diseases -	300	79	20	15	1	115	82	7	10	1	100	12	1	3	1	17	5	-	2	-	7
2. Diarrheal " -	36	8	-	3	1	12	4	-	2	-	6	8	-	-	2	10	4	-	-	2	6
3. Malarial " -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal " -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Septic " -	17	-	-	7	1	8	1	-	1	-	2	-	-	1	2	3	-	-	-	1	1
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	7	-	-	2	-	2	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
IV.																					
CONSTITUTIONAL DISEASES	523	48	44	116	23	231	17	16	62	8	103	7	12	39	7	65	6	11	16	4	37
V.																					
DEVELOPMENTAL DISEASES	181	40	-	-	33	73	14	-	-	21	35	7	-	-	7	14	7	-	-	6	13
VI.																					
1. Dis. of Nervous System -	297	68	7	29	24	138	30	3	15	21	69	10	1	9	7	27	2	1	4	9	16
2. " Organs of Special Sense -	6	2	1	-	-	3	3	1	-	-	1	1	-	-	-	1	-	-	-	-	-
3. " Circulatory System	206	1	8	47	29	85	3	2	19	18	42	2	1	11	8	22	2	-	7	3	12
4. " Respiratory System	438	94	11	53	44	202	49	3	25	20	97	16	3	14	11	44	12	2	1	3	18
5. " Digestive System -	178	31	6	27	10	74	7	4	14	9	34	14	2	2	4	22	8	1	2	7	18
6. " Lymphatic System and Ductless Glands -	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " Urinary System -	75	-	4	18	10	32	1	1	10	5	17	-	-	4	2	6	1	1	3	4	9
8. " Reproductive System:—																					
(a) Diseases of Organs of Generation -	11	-	-	4	2	6	1	-	1	1	3	-	-	1	-	1	-	-	1	-	-
(b) Diseases of Parturition -	7	-	-	4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
9. " Organs of Locomotion -	18	1	7	1	1	10	-	2	2	-	4	-	1	-	-	1	-	1	1	-	-
10. " Integumentary System -	9	2	1	1	1	5	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

85

Registered during the Month of JUNE 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	86	12	9	26	3	50	7	1	8	-	16	-	1	4	-	5	2	1	-	3	6
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	12	-	-	3	1	4	-	-	3	2	5	-	-	-	-	-	-	-	1	-	1
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	119	40	-	13	2	55	20	-	2	-	22	12	-	1	-	13	5	-	1	1	7
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	110	21	-	-	-	21	56	3	-	-	59	-	-	-	-	-	2	-	-	-	2
Epidemic Rose Rash	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	16	1	2	1	-	4	3	1	1	-	5	-	1	-	-	1	2	-	-	-	2
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	18	-	1	5	1	7	-	-	7	1	8	-	-	1	1	-	-	-	1	-	1
Hooping-Cough - -	119	53	1	-	-	54	23	3	1	-	27	11	-	-	-	11	-	-	-	-	-
Mumps - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	7	4	-	-	-	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	28	-	16	7	-	23	-	-	1	-	1	-	-	3	-	3	-	-	1	-	1
Other Miasmatic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	4	2	-	1	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diarrhoea, Dysentery - -	32	6	-	2	1	9	4	-	2	-	6	8	-	-	1	9	4	-	-	2	6
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	8	-	-	1	1	2	-	-	1	-	1	-	-	-	2	2	-	-	-	1	1
Pyæmia, Septicæmia - -	3	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	6	-	-	5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

89

Registered during the Month of JUNE 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	-	3	5	-	1	1	2	-	-	-	4	2	6	-	1	-	-	1
Tabes Mesenterica	5	-	-	-	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	3
Tubercular Meningitis (Acute	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrocephalus)	3	-	-	-	3	2	-	-	2	-	1	-	-	-	1	-	1	-	-	1
Phthisis	-	2	9	1	12	-	13	1	15	1	5	10	-	-	16	-	2	2	-	4
Other forms of Tuberculosis, Scrofula	1	-	-	-	1	1	-	-	1	1	-	1	-	-	2	-	-	1	-	1
Purpura, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	7	-	-	-	7	7	-	-	7	2	-	-	-	2	2	-	-	-	-	2
Atelectasis	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1
Spina Bifida	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	5	5	-	-	11	11	-	-	-	5	5	-	-	-	4	-	4
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-	-	-</																		

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	167	-	6	36	25	67	-	2	17	15	31	-	-	10	6	16	-	-	6	3	9
Pericarditis -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Hypertrophy of Heart -	5	-	-	2	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Angina Pectoris -	5	-	-	3	-	3	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Syncope -	13	-	1	5	2	8	2	-	2	4	-	-	-	-	-	-	-	-	-	-	-
Aneurism -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	3	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Phlebitis -	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	6	1	-	-	-	1	1	-	-	1	2	-	-	-	-	2	2	-	-	-	2
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	6	2	-	-	-	2	-	-	-	-	-	-	1	-	-	1	1	2	-	-	3
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	180	31	1	17	30	79	23	1	7	12	43	6	2	5	7	18	6	-	-	3	9
Pneumonia -	210	44	7	30	9	90	23	2	16	8	49	10	2	9	3	24	5	-	1	-	6
Pleurisy -	13	2	2	5	1	10	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
Other Diseases of Resp. System	24	15	1	-	2	18	3	-	1	-	4	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	15	10	-	-	-	10	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Sore-throat, Quinsy -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1
Dyspepsia -	7	-	-	2	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1
Hæmatemesis -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	25	2	-	7	-	9	1	2	1	4	8	-	-	-	-	-	-	-	-	2	3
Enteritis -	49	16	1	2	-	19	1	1	-	-	2	11	1	1	-	13	6	-	-	1	7
Ulceration of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	6	1	1	-	-	2	1	-	2	-	3	-	-	-	-	-	-	-	-	1	1
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fistula -	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Peritonitis -	24	1	3	4	2	10	1	1	2	1	5	1	1	-	1	3	1	1	1	1	4
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	9	-	-	2	-	2	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	26	-	-	7	4	11	1	-	6	1	8	-	-	-	2	2	-	-	-	1	1
Other Dis. of Digestive System	3	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	24	-	3	8	4	15	-	-	3	1	4	-	-	2	-	2	1	-	1	-	2
Bright's Disease -	26	-	1	6	3	10	1	1	5	1	8	-	-	1	1	2	-	1	1	2	4
Uræmia -	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	11	-	-	1	2	3	-	-	2	2	2	-	-	-	1	1	-	-	-	1	1
Other Dis. of Urinary System	9	-	-	1	1	2	-	-	2	1	3	-	-	1	-	1	-	-	-	-	-

91

91

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	4	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Diseases of Uterus and Vagina -	6	-	-	3	1	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	7	1	4	-	-	5	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
Arthritis, Ostitis, Periostitis -	4	-	1	-	1	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion	7	-	2	1	-	3	-	-	1	-	1	-	1	-	-	1	-	-	1	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Pemphigus - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Burns & Scalds - - -	8	4	2	-	-	6	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	6	-	2	2	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Drowning - - -	15	1	1	5	2	9	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
Suffocation { In Bed - - -	12	4	-	-	-	4	4	-	-	-	4	-	-	-	-	-	2	-	-	-	2
{ Otherwise - - -	6	1	-	3	-	4	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Falls - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	19	2	1	8	1	12	-	-	4	-	4	-	-	2	-	2	-	-	1	-	1
Otherwise, or Not Stated - -	15	-	3	5	-	8	3	-	3	-	6	-	-	-	-	-	1	-	-	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	10	-	-	2	1	3	-	-	3	2	5	-	-	-	-	-	-	-	1	-	1
Execution - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	92	35	-	2	-	37	20	-	-	-	20	11	-	1	-	12	3	-	-	-	3
Mortification - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Tumour - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Abscess - - -	3	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Ill-def. & not spec. Causes	15	3	-	9	-	12	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1897.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—JUNE 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy	Consumption.
Arbroath,	23,650	46	36	23	0	0	0	0	0	0	0	1	0	6	1
Ayr,	28,782	86	35	48	0	0	0	1	1	0	0	0	0	7	7
Banff, with Macduff,	8,689	27	8	4	0	0	0	0	0	0	0	0	0	0	1
Blairgowrie,	4,198	8	7	4	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,347	2	0	5	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,589	20	15	9	0	0	0	0	0	0	0	1	1	2	1
Cathcart (Landward),	5,772	16	3	8	0	0	0	0	0	0	0	0	0	2	2
Coatbridge,	37,319	104	40	50	0	3	0	1	0	0	0	1	0	7	10
Crief,	5,697	11	7	7	0	1	0	0	0	0	0	0	0	0	1
Dumbarton,	20,438	53	15	24	0	0	0	4	0	0	0	0	0	1	4
Dumfries, with Troqueer,	24,684	74	24	45	0	0	0	1	0	0	0	0	0	5	10
Dunfermline,	30,213	81	37	39	0	0	0	0	0	0	0	3	0	7	4
Dunoon,	7,594	9	5	8	0	0	0	0	0	1	0	0	0	1	0
Eastwood (Landward),	14,372	36	10	20	0	0	0	0	0	0	0	0	0	1	
Elgin,	10,870	25	13	16	0	0	0	0	0	0	0	0	0	3	0
Falkirk,	29,654	107	22	44	0	0	0	2	0	1	0	3	0	9	5
Forfar,	13,185	34	24	19	0	0	0	0	0	0	0	1	0	2	2
Galashiels,	19,153	39	27	23	0	0	0	0	0	0	0	0	0	3	3
Govan—(1) Plantation (Land- ward),	25,753	78	15	37	0	5	0	2	0	1	0	1	0	7	3
(2) Govan (Landward),	47,267	154	47	94	0	1	1	7	0	1	0	2	0	14	15
(3) Partick (Landward),	43,729	132	42	62	0	5	0	5	0	0	0	3	1	9	5
Haddington,	4,956	13	5	8	0	0	0	0	0	0	0	0	0	2	1
Hawick, with Wilton,	22,699	52	24	29	0	0	0	0	0	0	0	1	0	3	5
Inverness,	25,610	70	50	40	0	0	0	0	0	0	0	2	0	8	3
Kilmarnock, with Riccarton,	32,978	109	47	41	0	0	0	9	0	0	0	1	0	3	6
Kilmore and Kilbride (Oban),	6,129	14	8	6	0	0	0	0	0	0	0	0	0	1	1
Kinning Park (Landward),	15,203	37	20	22	0	2	0	1	0	0	0	0	0	3	3
Kirkcaldy and Abbotshall,	19,453	56	19	25	0	1	0	4	0	0	0	2	0	1	2
Kirkcudbright,	3,476	8	3	4	0	0	0	0	0	0	0	0	0	1	0
Largs,	5,430	6	4	5	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,409	9	4	9	0	0	0	0	0	0	0	0	0	0	5
Moffat,	3,007	5	3	3	0	0	0	0	0	0	0	0	0	0	0
Montrose	13,867	29	13	50	0	1	0	0	0	1	0	2	0	8	6
Moulin (Pitlochry),	2,276	2	3	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	17	3	7	0	0	0	0	0	0	0	1	0	1	1
New Monkland (Aldrie),	38,144	124	33	48	0	5	0	3	0	1	0	0	2	7	4
North Berwick,	3,279	6	2	9	0	0	0	0	0	0	0	0	0	1	2
Peterhead, with Boddam,	16,900	46	15	17	0	0	0	0	0	0	0	1	0	3	4
Rothsay,	9,631	22	10	11	0	0	0	0	0	0	0	0	0	0	3
St Andrews and St Leonards,	8,851	13	7	11	0	0	0	2	1	0	0	0	0	3	1
Shettleston (Landward),	15,244	48	10	26	1	2	1	0	0	1	0	3	0	1	5
Stirling,	15,605	41	26	24	0	3	0	1	1	0	0	1	0	2	2
Stranraer,	6,058	16	7	8	0	0	0	0	0	0	0	1	0	2	0
Wick,	12,278	36	10	41	0	19	0	0	0	0	0	1	0	5	1

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of JUNE 1897.

Mean barometric pressure, 30.003 inches; greater than the average for the same month of 1856-95 by 0.057 inch.

Barometric monthly range, 0.939 inch; greater by 0.012 inch.

Mean temperature, $54^{\circ}8$; less by $1^{\circ}0$.

Mean daily range of temperature, $13^{\circ}5$; less by $1^{\circ}8$.

Mean humidity, 83; greater by 5.6.

Rain, number of days, 19; greater by 6 days.

Rain, depth in inches, 5.38; greater by 2.88 inches.

Wind, pressure on square foot, 1.28 lbs.; less by 0.06 lb.

Wind, direction of, E. to W. as 12 to 7, and N. to S. as 4 to 6; the average being E. to W. as 8 to 10, and N. to S. as 4 to 6.

Thus, the weather of June 1897 was characterised by a mean barometric pressure rather above the average, with a monthly range a little above the average; a mean temperature a degree under the average, with a mean daily range lower than any that has occurred since 1879; a very large mean humidity, which during the past 42 years has only been exceeded in 1872 and 1874; an unusually heavy rainfall, and falling on six days more than the average; and a large preponderance of easterly winds.

The excess of mean barometric pressure above the average was 0.083 inch at Aberdeen; whereas at Greenock it was only 0.055 inch, resulting in an unusual prevalence of easterly winds, which were five days above the average, accompanied with low temperature.

The mean temperature was $54^{\circ}8$, or $1^{\circ}0$ under the average, the days being $1^{\circ}9$ and the nights $0^{\circ}1$ under the average. The low temperature was occasioned by the clouded skies and the greatly reduced sunshine which prevailed. As usual with east winds, temperature was comparatively much less at the eastern than at the western towns. Thus, at Aberdeen and Dundee, it was a degree and a half under the average, but at Glasgow and Greenock it was half a degree above it. The absolutely highest temperature was $77^{\circ}4$ at Glasgow on the 5th, and the lowest $36^{\circ}0$ at Edinburgh on the 8th.

The mean rainfall was 5.38 inches, which is more than double the average of June. This very heavy rainfall all but equalled the phenomenally large rainfall of June 1872, which amounted to 5.41 inches. It is singular that the fall was very large both in the western and eastern towns, it being seldom that the easterly winds carry heavy rainfalls so far to westward. But during last June the atmosphere was loaded with aqueous vapour to a degree rarely experienced in the summer months. The heaviest downpours of the month occurred with thunderstorms from the 13th to the 15th, the amounts on these three days being 4.21 inches at Glasgow, 3.27 inches at Dundee, and 2.67 inches at Greenock.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JUNE 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Mean at Station and 32°.	Mean at Sea-level and 32°.	Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Inch.	dys.	Number of Days it blew in certain Directions.								
																					N	NE	E	SE	S	SW	W	NW	
GLASGOW. J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	64	29.939	29.908	0.924	77.4	36.9	56.5	40.5	15.8	29.7	55.7	52.1	48.7	346	3.86	78	18	9.46	1	2	7	3	1	1	3	5	7	0.38	
EDINBURGH, R. C. MOSSEMAN, F.R.S.E.	276	29.708	30.008	1.007	73.4	36.0	54.1	37.4	13.0	24.0	53.6	51.1	48.7	344	3.87	83	21	3.99	2	0	14	3	1	3	4	2	1	0.87	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.829	30.008	0.913	71.9	39.5	54.4	32.4	13.5	24.5	53.8	51.8	49.9	359	4.06	87	19	5.13	1	2	5	11	1	6	1	3	0	1.12	
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	29.966	30.014	0.905	70.8	37.2	53.2	33.6	13.7	26.6	53.2	50.8	48.5	340	3.82	84	16	3.36	2	4	2	2	6	5	1	5	3	1.30	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.950	30.004	1.016	72.3	38.4	54.4	33.8	11.7	22.1	54.0	51.3	48.7	342	3.89	82	18	3.37	1	3	12	3	2	2	5	0	2	1.39	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.750	29.998	0.920	74.4	40.2	54.9	34.2	13.2	23.5	53.8	51.2	48.7	342	3.88	82	20	7.16	0	4	7	4	0	5	5	3	2	2.62	
PERTH, A. GARECKE, Gardener to James F. Pullar, F.R.S.E.	140	29.850	30.002	0.880	69.5	40.0	55.4	29.5	13.9	22.5	55.2	52.5	49.9	360	4.03	83	21	4.60	0	0	13	5	4	6	1	1	0	..	
Means,	133	29.857	30.003	0.939	*(77.4)	36.0	54.8	34.5	13.5	24.7	54.2	51.5	49.0	347	3.91	83	19	5.38	1	2	9	4	2	4	3	3	2	1.28	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.																													

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of July 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4145 children, of whom 2086 were males, and 2059 females. Of these, 3829 were legitimate, and 316 illegitimate, being in the proportion of one illegitimate in every 13·1 Births, or the illegitimate Births constituted 7·6 per cent. of the whole. In Greenock, 3·3 per cent. of the Births were illegitimate; in Leith, 4·9; in Paisley, 5·7; in Aberdeen, 6·6; in Perth, 6·9; in Glasgow, 7·9; in Edinburgh, 8·7; and in Dundee, 9·9 per cent.

1828 Marriages were registered in these Towns during July, being 256 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2387 persons were registered in these Towns during July, of whom 1209 were males, and 1178 females. Allowing for increase of the population, this number is 38 above the average for the month during the last ten years.

A comparison of the Deaths shows that during the month the mortality was at the annual rate of 13·3 Deaths per thousand persons in Aberdeen; 15·5 in Greenock; 17·7 in Glasgow; 18·4 in Paisley; 19·0 in Edinburgh; 20·0 in Dundee; 22·0 in Perth; and 23·8 in Leith.

Of the 1077 Deaths registered in Glasgow, 269 were of children under one year of age, and 191 of persons over 60 years; of the 471 in Edinburgh, 113 were of children under one year, and 106 of persons over 60; of the 277 in Dundee, 74 were under one, and 63 over 60 years; of the 156 in Aberdeen, 39 were under one, and 50

over 60; of the 152 in Leith, 39 were under one, and 24 over 60; of the 116 in Paisley, 26 were under one, and 21 over 60; of the 81 in Greenock, 23 were under one, and 20 over 60; and of the 57 in Perth, 5 were under one, and 21 over 60 years.

Of the whole 2387 Deaths, 957, or 40·1 per cent., were of children under five years of age. In Perth, 17·5 per cent. of the persons who died were under five years of age; in Aberdeen, 33·3; in Paisley, 33·6; in Dundee, 36·8; in Edinburgh, 40·3; in Glasgow, 40·4; in Greenock, 46·9; and in Leith, 59·2 per cent.

Miasmatic Diseases caused 235 Deaths, or 9·8 per cent. of the whole. This rate was greatly exceeded in Leith from the prevalence of Measles and Hooping-Cough; and slightly in Edinburgh, where fatal cases of Measles, Scarlatina, and Hooping-Cough occurred.

28 Deaths from Fever occurred, the whole being attributed to Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 110 Deaths, or 4·6 per cent. of the whole mortality. In Paisley, 2·6; in Edinburgh, 3·6; in Dundee, 4·7; in Greenock, 4·9; in Glasgow, 5·2; and in Leith, 10·5 per cent. of the Deaths in these Towns respectively were caused by Hooping-Cough.

Measles caused 55 Deaths, or 2·3 per cent. of the whole; of which 17, or 3·6 per cent. occurred in Edinburgh; and 30, or 19·7 per cent. occurred in Leith.

Scarlatina caused 28 Deaths; Diphtheria, 5; Cholera, 2; and Puerperal Fever, 9.

Diarrhœa and Dysentery caused 94 Deaths, or 3·9 per cent. of the whole.

To Intemperance were attributed 8 Deaths, 6 being from Chronic Alcoholism, and 2 from Delirium Tremens.

Apoplexy caused 69 Deaths; Paralysis, 53; Heart Diseases, 220; and Premature Birth Debility, 75.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 329, or 13·8 per cent. of the whole. Those from Consumption alone numbered 246, or 10·3 per cent. 5 Deaths were caused by Croup.

From Violent Causes there resulted 95 Deaths, of which 9 were Suicidal (3 being from Gunshot Wounds, 3 from Hanging, 2 from Cut-throat, and 1 from Precipitation).

Two males and 8 females had passed the 90th year of life, the eldest being the widow of a shoemaker, was aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JULY 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	577,846	658,708	714,919	984	1000	1993	1836	157	851	543	534	1077
EDINBURGH,	244,120	272,773	292,364	350	340	690	630	60	321	236	235	471
DUNDEE,	140,794	154,118	163,090	200	206	406	366	40	234	129	148	277
ABERDEEN,	106,306	124,943	138,143	198	196	394	368	26	175	85	71	156
LEITH,	59,485	68,707	75,186	98	84	182	173	9	50	85	67	152
PAISLEY,	55,638	66,425	74,206	115	94	209	197	12	81	70	46	116
GREENOCK,	66,704	63,423	61,475	99	85	184	178	6	82	37	44	81
PERTH,	28,980	29,919	30,524	42	45	87	81	6	34	24	33	57
TOTAL,	1,279,873	1,439,016	1,549,907	2086	2059	4145	3829	316	1828	1209	1178	2387

JULY 1896,	Mean Temp. 58°·1	2075	2013	4088	3794	294	1780	1229	1152	2381
JULY 1895,	Mean Temp. 57°·2	2120	2070	4190	3887	303	1705	1221	1255	2476
JULY 1894,	Mean Temp. 59°·5	2038	1859	3897	3589	308	1614	1018	1003	2021
JULY 1893,	Mean Temp. 58°·7	1974	1916	3890	3594	296	1514	1305	1283	2588
JULY 1892,	Mean Temp. 55°·9	1981	1810	3791	3510	281	1407	1112	996	2108
JULY 1891,	Mean Temp. 59°·1	2010	1838	3848	3534	314	1358	1042	992	2094
JULY 1890,	Mean Temp. 56°·2	1847	1808	3655	3329	326	1452	1118	1112	2230
JULY 1889,	Mean Temp. 57°·1	1919	1795	3714	3412	302	1441	1168	1102	2270
JULY 1888,	Mean Temp. 54°·7	1903	1759	3662	3343	319	1372	919	940	1859
JULY 1887,	Mean Temp. 60°·6	1778	1791	3569	3270	299	1164	1047	1050	2097

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JULY 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton,	0	1	2	7	1	8	12	1. St Peter,	0	0	0	2	0	0	1
2. Camlachie,	0	0	0	4	0	0	6	2. St Mary,	0	0	1	0	0	0	1
3. Dennistoun,	0	0	0	4	1	1	4	3. St Clement,	0	0	0	0	0	1	3
4. Calton,	0	2	0	6	0	0	8	4. St Andrew,	0	0	0	4	0	3	6
5. Blackfriars,	0	0	0	2	0	0	2	5. Lochee,	0	0	0	0	0	0	2
6. St Rollox,	0	3	6	3	0	0	0	Mains,	0	0	0	0	0	0	0
7. Blythswood,	0	0	0	1	0	0	1								
8. Milton,	0	0	0	2	1	1	1	ABERDEEN—							
9. Kelvin,	0	1	0	5	0	2	2	1. St Nicholas,	0	0	3	0	0	0	4
10. Anderston,	0	0	0	6	0	0	6	2. Aberdeen,	0	0	1	1	0	1	2
11. Hutchesontown,	0	0	1	8	0	1	2	3. Woodside,	0	0	0	0	0	0	0
12. Gorbals,	0	0	0	3	0	0	3	4. Old Aberdeen,	0	0	0	0	0	0	0
13. Tradeston,	0	1	0	1	0	0	1	E. Peterculter,	0	0	0	0	0	0	0
14. Kinning Park,	0	0	0	0	0	0	1	Nigg,	0	0	0	0	0	0	1
Cathcart,	0	0	0	0	0	0	0								
Eastwood,	0	0	0	0	0	0	0	LEITH—							
Maryhill,	0	0	0	3	0	1	2	1. North,	0	4	0	6	0	0	0
Shettleston,	0	0	0	0	0	0	0	2. South,	0	26	0	10	0	1	3
Plantation,	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0	0	1	3	0	1	4
Partick,	0	0	0	1	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George,	0	5	2	3	1	2	5	1. East,	0	0	0	4	0	0	4
2. St Andrew,	0	4	0	7	0	0	1	2. West,	0	0	0	0	0	2	1
3. Canongate,	0	6	7	4	1	1	1								
4. St Giles,	0	2	0	1	0	0	1	PERTH,	0	0	1	0	0	2	2
5. Newington,	0	0	2	2	0	0	1								
6. Portobello,	0	0	1	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1897.

101

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	90	7	31	24	152	39	11	45	21	116	38	3	20	20	81	10	10	16	21	57
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	46	3	1	-	50	6	2	4	-	12	6	2	3	1	12	2	2	1	-	5
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	9	3	13	4	29	5	6	12	-	23	4	1	9	2	16	3	5	6	1	15
V. DEVELOPMENTAL,, -	2	-	-	1	3	5	-	-	5	10	4	-	-	4	8	-	-	-	6	6
VI. LOCAL " -	25	1	12	17	55	15	3	27	16	61	23	-	5	12	40	4	3	9	12	28
VII. VIOLENCE - - -	-	-	4	1	5	-	-	2	-	2	-	-	1	-	1	1	-	-	1	2
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	8	-	-	1	9	6	-	-	-	6	1	-	2	1	4	-	-	-	1	1
I.																				
1. MIASMATIC DISEASES - -	43	3	1	-	47	3	2	1	-	6	4	1	1	-	6	-	2	1	-	3
2. DIARRHOEAL " - - -	3	-	-	-	3	2	-	2	-	4	2	1	1	1	5	2	-	-	-	2
3. MALARIAL " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS " - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5. VENEREAL " - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
6. SEPTIC " - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES -	9	3	13	4	29	5	6	12	-	23	4	1	9	2	16	3	5	6	1	15
V.																				
DEVELOPMENTAL DISEASES -	2	-	-	1	3	5	-	-	5	10	4	-	-	4	8	-	-	-	6	6
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	3	-	3	8	14	9	-	8	9	26	5	-	-	2	7	2	1	2	2	7
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
3. " CIRCULATORY SYSTEM -	-	-	3	4	7	-	-	8	1	9	-	-	3	6	9	-	1	1	5	7
4. " RESPIRATORY SYSTEM -	15	1	4	2	22	3	2	5	2	12	9	-	-	2	11	1	1	1	3	5
5. " DIGESTIVE SYSTEM - -	6	-	1	3	10	2	-	5	3	10	9	-	-	-	9	1	-	-	-	2
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM - -	1	-	-	-	1	-	-	-	1	1	-	-	2	2	4	-	-	4	1	5
8. " REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
(b) DISEASES OF PARTURITION -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
9. " ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10. " INTEGUMENTARY SYSTEM -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	86	4	7	15	10	36	10	2	7	2	21	4	3	3	-	10	1	2	4	3	10
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	9	-	-	5	1	6	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	135	66	2	14	1	83	17	1	1	-	19	5	-	-	-	5	6	-	1	1	8
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	55	6	1	1	-	8	17	-	-	-	17	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	28	8	1	-	-	9	7	5	-	-	12	1	-	-	-	1	2	2	-	-	4
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	9	-	1	2	1	4	-	-	-	1	1	-	1	-	1	2	-	-	1	-	1
Hooping-Cough - - -	110	52	4	-	-	56	17	-	-	-	17	13	-	-	-	13	1	-	-	-	1
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	28	-	4	10	-	14	-	1	1	1	3	-	-	4	-	4	1	-	-	-	1
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	94	45	1	3	2	51	7	-	1	1	9	13	-	-	-	13	5	-	1	1	7
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	9	5	-	-	-	5	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	6	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	2	1	3
Puerperal Fever - - -	9	-	-	4	-	4	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-

103

103

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	-	-	3	1	4	-	-	2	-	2	-	-	1	-	1	1	-	-	1	2
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	8	-	-	1	9	6	-	-	-	6	1	-	2	1	4	-	-	-	1	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	28	2	-	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hooping-cough -	15	1	-	-	16	3	-	-	-	3	4	-	-	-	4	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	1	-	1	-	1	-	-	1	-	1	1	-	2	-	1	1	-	2
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	3	-	-	-	3	2	-	2	-	4	2	1	1	1	5	2	-	-	-	2
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

105

Registered during the Month of JULY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Trush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	2	1	3	-	4	-	-	4	-	1	2	3	-	2	1	3	-	-
Tabes Mesenterica - - - - -	-	3	1	-	4	2	1	-	-	3	4	-	-	4	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis - - - - -	-	2	1	8	3	14	1	4	7	12	-	1	7	8	1	5	3	-	1	9
Other forms of Tuberculosis, Scrofula - - - - -	-	-	2	1	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
Purpura, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Constitutional Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	-	2	-	-	2	5	-	-	-	5	4	-	-	4	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	-	1	1	-	-	5	-	5	-	-	4	4	-	-	6	-	6	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	-	-	-	-	-	6	-	1	-	7	2	-	-	2	1	-	-	-	1	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - - - -	4	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of Uterus and Vagina - - - - -	5	1	1	1	-	3	-	-	1	1	-	-	-	1	-	-	-	1	-	1	-
Disorders of Menstruation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - - - -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Plegmasia Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - - - -	9	-	2	1	1	4	-	-	1	1	-	3	-	-	3	-	1	-	-	1	-
Arthritis, Ostitis, Periostitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - - - - -	8	-	1	1	1	3	-	2	-	2	-	1	1	-	2	1	-	-	-	1	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - - - -	4	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - - - -	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - - - -	2	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ and Veh. oth. than R'wys. - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - - - - -	-	-	-	-	-</																

DEATHS FROM ALL CAUSES at Four Periods of Life.

109

Registered during the Month of JULY 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5.	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Lupus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Emphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. other than R'ways. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Drowning -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Otherwise, or Not Stated -	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Debility, Atrophy, Inanition -	6	-	-	-	6	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmorrhage -	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-def. and not spec. Causes -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in selected Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—JULY 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,650	59	32	32	0	0	0	0	0	1	0	0	0	3	3
Ayr,	28,782	76	22	44	0	0	0	0	0	0	0	3	1	7	5
Banff, with Macduff,	8,689	20	4	13	0	0	0	0	0	1	0	0	1	3	1
Blairgowrie,	4,198	7	0	4	0	0	0	0	0	0	0	0	0	1	0
Callander,	2,347	2	0	5	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,†	10,589	26	8	11	0	0	0	0	1	0	0	0	0	5	1
Cathcart (Landward),	5,772	13	5	7	0	0	0	0	0	0	0	0	0	0	1
Coatbridge,	37,319	125	38	44	1*	7	0	0	1	1	0	1	0	3	6
Crief,	5,697	13	2	8	0	1	0	1	0	0	0	1	0	0	0
Dumbarton,	20,438	53	18	17	0	0	0	1	0	0	0	1	0	4	4
Dumfries, with Troqueer,	24,684	56	20	37	0	0	0	1	1	0	0	0	0	1	4
Dunfermline,	30,213	73	33	49	0	0	1	0	0	0	0	2	0	5	8
Dunoon,	7,594	13	3	18	0	0	0	0	0	0	0	0	0	3	0
Eastwood (Landward),	14,372	46	14	13	0	0	0	0	0	0	0	2	0	1	1
Elgin,	10,870	20	9	16	0	0	0	0	0	0	0	3	0	1	2
Falkirk,	29,654	81	41	43	0	2	1	1	1	1	0	2	1	5	4
Forfar,	13,185	38	14	27	0	0	0	0	0	0	0	0	0	3	2
Galashiels,	19,153	30	4	13	0	0	0	0	0	0	0	0	0	1	1
Govan—(1) Plantation (Landward),	25,753	83	13	40	0	5	0	2	0	1	2	2	0	7	1
(2) Govan (Landward),	47,267	142	47	88	0	2	0	3	1	1	1	7	0	12	10
(3) Partick (Landward),	43,729	116	54	57	0	4	0	2	0	0	0	2	0	8	6
Haddington,	4,956	16	5	14	0	0	0	0	0	0	0	0	0	0	0
Hawick, with Wilton,	22,699	38	7	19	0	1	2	0	0	0	0	0	0	0	4
Inverness,	25,610	58	15	43	0	0	0	3	0	0	0	1	0	4	4
Kilmarnock, with Riccarton,	32,978	83	29	46	0	0	0	7	0	0	1	0	0	6	7
Kilmore and Kilbride (Oban),	6,129	7	4	7	0	0	0	0	0	0	0	0	0	0	1
Kinning Park (Landward),	15,203	38	10	22	0	1	0	1	0	0	0	0	0	5	1
Kirkcaldy and Abbotshall,	19,453	38	26	28	0	0	0	3	0	0	0	0	0	1	1
Kirkcudbright,	3,476	6	0	5	0	0	0	0	0	0	0	0	0	0	2
Largs,	5,430	5	0	9	0	0	0	0	0	0	0	0	0	1	1
Logie (Bridge of Allan),	4,409	7	3	5	0	0	0	0	0	0	0	0	0	0	1
Moffat,	3,007	6	1	2	0	0	0	0	0	0	0	0	0	0	0
Montrose	13,367	25	11	32	0	0	0	0	0	0	0	0	1	7	4
Moulin (Pitlochry),	2,276	4	1	3	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	10	3	10	0	0	0	0	0	1	0	0	0	0	0
New Monkland (Airdrie),	38,144	122	42	42	0	7	0	2	0	0	0	4	0	3	6
North Berwick,	3,279	6	0	3	0	0	0	0	0	0	0	0	0	2	0
Peterhead, with Boddam,	16,900	54	10	17	0	0	0	0	0	0	0	2	0	3	1
Rothsay,	3,631	14	3	15	0	0	0	0	0	0	0	0	0	1	1
St Andrews and St Leonards,	8,851	14	5	12	0	0	0	0	0	0	0	1	0	2	2
Shettleston (Landward),	15,241	55	16	22	0	2	0	1	0	0	0	1	0	4	2
Stirling,	15,605	35	10	25	0	3	1	1	0	0	0	0	0	7	4
Stranraer,	6,058	12	4	16	0	0	0	0	0	0	0	0	0	3	1
Wick,	12,278	29	5	17	0	0	0	0	0	1	0	1	0	3	1

* Chicken-pox.

† In Campbeltown for last month the Marriages and Deaths were transposed.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level,

For the month of JULY 1897.

Mean barometric pressure, 29·949 inches ; greater than the average for the same month of 1856-95 by 0·074 inch.

Barometric monthly range, 0·980 inch ; greater by 0·064 inch.

Mean temperature, $59^{\circ}3$; greater by $1^{\circ}1$.

Mean daily range of temperature, $16^{\circ}6$; greater by $2^{\circ}2$.

Mean humidity, 76 ; less by 3·0.

Rain, number of days, 12 ; less by 4 days.

Rain, depth in inches, 2·25 ; less by 0·88 inch.

Wind, pressure on square foot, 1·40 lb. ; greater by 0·04 lb.

Wind, direction of, E. to W. as 8 to 13, and N. to S. as 4 to 6; the average being E. to W. as 6 to 13, and N. to S. as 4 to 6.

Thus, the weather of July 1897 was characterised by a mean barometric pressure considerably above the average, with a monthly range a little above it ; a mean temperature fully a degree above the average, with an unusually large mean daily range, which during the last 42 years was exceeded only in July 1868 when the range was $17^{\circ}2$; a very low mean humidity ; a mean rainfall, both in amount and frequency of fall, a good deal under the average ; and a slight excess of north-easterly winds.

The excess of mean barometric pressure was 0·067 inch at Aberdeen, but at Glasgow, Paisley, and Greenock it was 0·078 inch, being thus greater in the south than in the north. This more rapid diminution of pressure from south to north than usual was accompanied with a wind force a little more than the average.

The mean temperature was $59^{\circ}3$, or $1^{\circ}1$ above the average, the days being $2^{\circ}2$ above the normal, whereas the nights were only the average. The higher temperature of the month was thus entirely occasioned by the greater warmth of the days. The type of the weather was anticyclonic on the 1st, 2nd, 9th, to the 19th, and from the 22nd to the end of the month. The highest temperatures occurred on the 15th and 19th, when at all the large towns except Aberdeen, it rose higher than $80^{\circ}0$. It will be seen that northerly winds prevailed at Aberdeen on twelve days, being much greater than at any other of the towns, and hence the mean temperature there was markedly the lowest, being only $57^{\circ}4$, whereas at Paisley it was $60^{\circ}4$, or three degrees warmer than at Aberdeen. The number of hours of sunshine was unusually large. The absolutely highest temperature was $86^{\circ}5$ at Perth on the 15th, and the lowest $40^{\circ}0$ at Glasgow on the 11th.

The mean rainfall was 2·25 inches, or 28 per cent. less than the average. At all the towns it was under the average, the deficiency being 46 per cent. at Edinburgh, Perth, and Aberdeen, but at Glasgow it was only 7 per cent. and at Greenock 16 per cent. No rain fell from the 9th to the 19th, and on the last three days of the month. Most of the rain fell from the 4th to the 8th, and from the 20th to the 25th. At Dundee 1·60 inch fell on the 24th, and at Greenock 1·03 inch on the 20th. Wide-spread thunderstorms occurred on the 23rd, 24th, and 25th. The thunderstorm of the 24th is stated to have been the most severe in Aberdeen since the great thunderstorm of July 23rd, 1873 ; and on the same day the hail accompanying it was "like pieces of ice."

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of JULY 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.					RAIN.		WINDS.										Mean Pres- sure on Sq. ft.
		Range.	Mean at Sea-level and 32°.	Mean at Station and 32°.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Va- pour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.		
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.899	29.938	0.914	83.3	40.0	60.2	43.3	18.2	38.9	59.1	54.4	50.2	.363	4.10	72	12	2.95		1	2	5	0	0	3	6	5	9	0	36
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.665	29.961	0.996	81.0	43.3	59.2	37.7	16.1	31.7	58.1	54.2	50.7	.370	3.85	76	10	1.82		1	4	6	0	1	1	16	0	2	1.14	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.763	29.940	1.010	80.8	42.1	59.0	38.7	17.5	31.7	58.2	55.5	53.1	.404	4.51	83	10	2.28		0	2	3	8	1	7	7	3	0	1.23	
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	29.877	29.925	1.070	74.0	38.6	57.4	35.4	14.3	22.0	57.9	54.3	51.1	.376	4.20	78	13	1.58		5	5	1	3	3	8	4	2	0	1.98	
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	29.897	29.951	0.939	80.3	43.0	59.5	37.3	15.0	31.2	58.2	54.5	51.2	.378	4.23	78	12	2.29		1	3	7	1	1	1	14	0	2	2.10	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.842	29.954	0.926	85.0	43.2	60.4	41.8	17.1	37.2	59.0	54.9	51.2	.377	4.27	76	14	2.02		2	1	7	0	3	2	2	1	0	0.71	
GREENOCK, ROBERT GLIMOUR, Greenock Water Works.	233	29.710	29.956	0.932	80.7	42.8	59.0	37.9	15.7	31.3	58.9	53.8	49.3	.351	3.95	70	13	3.34		0	3	5	2	0	8	10	2	1	2.31	
PERTH, A. GAEDROE, Gardener to James F. Pullar, F.R.S.E.	140	29.797	29.948	0.992	86.5	41.0	59.4	45.5	18.7	39.0	59.0	55.2	51.8	.385	4.36	77	12	1.71		0	0	6	7	1	9	8	0	0	..	
Means,	133	29.806	29.949	0.980	86.5	40.0	59.3	39.7	16.6	32.9	58.6	54.6	51.0	.375	4.18	76	12	2.25		1	3	5	2	2	5	9	2	2	1.40	
North L. titude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of August 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4040 children, of whom 2091 were males, and 1949 females. Of these, 3744 were legitimate, and 296 illegitimate, being in the proportion of one illegitimate in every 13·6 Births, or the illegitimate Births constituted 7·3 per cent. of the whole. In Leith, 3·0 per cent. of the Births were illegitimate; in Greenock, 4·2; in Paisley, 4·6; in Glasgow, 6·8; in Edinburgh, 8·2; in Aberdeen, 9·0; in Perth, 10·3; and in Dundee, 11·8 per cent.

1023 Marriages were registered in these Towns during August, being 165 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2651 persons were recorded in these Towns during August, of whom 1364 were males, and 1287 females. Increase of the population being allowed for, this is 440 above the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during August the mortality was at the annual rate of 15·3 Deaths per thousand persons in Aberdeen; 17·3 in Edinburgh; 18·9 in Perth; 20·6 in Paisley; 21·4 in Glasgow, and in Dundee; 21·8 in Leith; and 24·1 in Greenock.

Of the 1302 Deaths registered in Glasgow, 512 were of children under one year of age, and 155 of persons over 60 years; of the 429 in Edinburgh, 118 were of children under one year, and 92 of persons over 60 years; of the 297 in Dundee, 92 were under one, and 62 over 60; of the 179 in Aberdeen, 44 were under one, and

42 over 60; of the 139 in Leith, 56 were under one, and 17 over 60; of the 130 in Paisley, 37 were under one, and 28 over 60; of the 126 in Greenock, 69 were under one, and 15 over 60; and of the 49 in Perth, 11 were under one, and 14 over 60 years.

Of the whole 2651 Deaths, 1318, or 49·7 per cent., were of children under five years of age. In Aberdeen, 35·8 per cent. of the persons who died were under five years of age; in Paisley, 38·5; in Perth, 38·8; in Edinburgh, 40·8; in Dundee, 43·8; in Glasgow, 54·0; in Greenock, 65·9; and in Leith, 67·6 per cent.

Miasmatic Diseases caused 200 Deaths, or 7·5 per cent. of the whole. This rate was greatly exceeded in Leith, owing to the prevalence of Measles.

Hooping-Cough was the most fatal epidemic, having caused 92 Deaths or 3·5 per cent. of the whole. This rate was slightly exceeded in Glasgow, Dundee, Leith, and Greenock.

Fevers caused 18 Deaths, all of which were stated to have been from Enteric Fever.

Measles caused 39 Deaths, or 1·5 per cent. of the whole. In Leith, 24 Deaths, or 17·3 per cent. of the total mortality, resulted from Measles.

Scarlatina caused 32 Deaths, or 1·2 per cent. of the whole. In Edinburgh, 13 Deaths, or 3·0 per cent. of the total mortality, were ascribed to this disease.

Diarrhœa and Dysentery caused 325 Deaths, or 12·3 per cent. of the total mortality. In Glasgow, 207 Deaths, or 15·9 per cent; in Paisley, 25 or 19·2 per cent.; and in Greenock, 36 or 28·6 per cent. of the whole were caused by this disease.

Diphtheria caused 9 Deaths; Simple Cholera, 14; and Puerperal Fever, 4.

From Intemperance there resulted 8 Deaths, 6 being ascribed to Chronic Alcoholism, and 2 to Delirium Tremens.

Apoplexy caused 83 Deaths; Paralysis, 48; Heart Diseases, 199; and Premature Birth Debility, 63.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 302, or 11·4 per cent. Those from Consumption alone numbered 243, or 9·2 per cent. 6 Deaths were attributed to Croup.

102 Deaths resulted from Violent Causes, of which 4 were Suicidal (2 by Gun-shot Wounds, 1 by Poison, and 1 by Hanging).

Two males and 5 females had reached the age of 90 years and upwards, the eldest of whom were the widow of a wine merchant, and the daughter of a farmer, each aged 96 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, AUGUST 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	577,846	668,708	714,919	975	950	1925	1795	130	433	685	617	1302
EDINBURGH, .	244,120	272,773	292,364	377	332	709	651	58	260	241	188	429
DUNDEE, . .	140,794	154,118	163,090	209	190	399	352	47	67	123	174	297
ABERDEEN, .	106,306	124,943	133,143	185	159	344	313	31	91	92	87	179
LEITH, . . .	59,485	68,707	75,186	124	111	235	228	7	62	74	65	139
PAISLEY, . .	55,638	66,425	74,206	103	92	195	186	9	70	50	80	130
GREENOCK, .	66,704	63,423	61,475	82	88	165	158	7	21	68	58	126
PERTH, . . .	28,980	29,919	30,524	36	32	68	61	7	19	31	18	49
TOTAL, . . .	1,279,873	1,439,016	1,549,907	2091	1949	4040	3744	296	1023	1364	1287	2651

AUGUST 1896, . . .	Mean Temp. 56°·4	1996	1945	3941	3643	298	937	1080	1011	2101
AUGUST 1895, . . .	Mean Temp. 59°·1	1976	1868	3844	3568	276	871	1122	1071	2193
AUGUST 1894, . . .	Mean Temp. 56°·6	1942	1829	3771	3486	285	806	936	1003	1939
AUGUST 1893, . . .	Mean Temp. 61°·0	2021	1942	3963	3642	321	869	1243	1223	2471
AUGUST 1892, . . .	Mean Temp. 56°·8	1910	1845	3755	3467	288	962	1125	1061	2186
AUGUST 1891, . . .	Mean Temp. 56°·8	1696	1666	3362	3099	263	812	1032	941	1973
AUGUST 1890, . . .	Mean Temp. 56°·6	1724	1677	3401	3159	242	685	1006	979	1985
AUGUST 1889, . . .	Mean Temp. 56°·8	1779	1577	3356	3094	262	709	996	1023	2019
AUGUST 1888, . . .	Mean Temp. 56°·0	1726	1730	3456	3152	304	664	901	926	1827
AUGUST 1887, . . .	Mean Temp. 57°·7	1818	1799	3617	3299	318	769	1036	1090	2126

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of August 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	1	1	15	1	9	31	1. St Peter, .	0	0	0	1	2	0	1
2. Camlachie, .	0	0	0	5	0	0	30	2. St Mary, .	0	0	1	2	0	0	4
3. Dennistoun, .	0	0	0	4	0	0	19	3. St Clement, .	0	0	1	2	1	1	0
4. Calton, .	0	1	1	0	4	0	16	4. St Andrew, .	0	0	1	3	0	1	7
5. Blackfriars, .	0	0	1	6	0	0	11	5. Loches, .	0	0	1	0	0	0	3
6. St Rollox, .	0	0	4	4	0	0	5	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	1	0	1	0	0	10								
8. Milton, .	0	0	1	2	0	0	11	ABERDEEN—							
9. Kelvin, .	0	0	1	1	0	1	10	1. St Nicholas, .	0	0	1	2	1	1	2
10. Anderson, .	0	0	0	3	0	0	7	2. Aberdeen, .	0	0	0	0	0	0	3
11. Hutchesontown, .	0	0	1	3	0	0	27	3. Woodside, .	0	0	0	0	0	0	1
12. Gorbals, .	0	1	0	4	0	0	8	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	2	0	0	0	1	7	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	1	2	0	0	3	Nigg, .	0	0	0	0	0	0	2
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	0	0	2	0	0	11	1. North, .	0	6	0	1	0	0	1
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	18	1	6	1	1	7
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	1	1	0	0	1	25
Partick, .	0	0	0	0	0	0	1								
EDINBURGH—								GREENOCK—							
1. St George, .	0	1	1	1	2	0	5	1. East, .	0	0	0	4	0	0	20
2. St Andrew, .	0	3	0	1	0	0	8	2. West, .	0	0	0	2	0	0	16
3. Canongate, .	0	4	11	3	0	1	5								
4. St Giles, .	0	0	0	3	0	0	6	PERTH, .	0	0	2	0	1	0	2
5. Newington, .	0	0	1	0	0	1	0								
6. Portobello, .	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2651	703	91	353	155	1302	175	32	130	92	429	130	19	86	62	297	64	15	58	42	179
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	565	280	14	19	9	322	55	3	7	2	67	32	-	4	2	38	11	2	-	1	14
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC "	11	-	1	2	1	4	-	-	1	1	2	-	-	-	-	-	1	-	1	-	2
IV. CONSTITUTIONAL "	483	46	31	122	13	212	16	16	47	14	93	19	13	41	6	79	2	7	19	8	30
V. DEVELOPMENTAL "	139	35	-	-	30	65	13	-	-	10	23	3	-	13	21	5	-	-	3	-	8
VI. LOCAL "	1221	271	34	175	91	571	73	12	63	61	209	53	5	39	40	137	35	6	32	30	103
VII. VIOLENCE - -	102	13	11	23	9	56	5	1	10	3	19	2	1	2	1	6	3	-	5	-	8
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	130	58	-	12	2	72	13	-	2	1	16	16	-	-	-	16	7	-	1	-	8
I.																					
1. Miasmatic Diseases -	200	68	11	10	2	91	28	3	4	-	35	19	-	3	-	22	3	2	-	-	5
2. Diarrheal "	339	205	2	6	7	220	23	-	-	2	25	12	-	1	2	15	8	-	-	-	1
3. Malarial "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Zoogenous "	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Venereal "	14	6	-	1	-	7	3	-	2	-	5	1	-	-	-	1	-	-	-	-	-
6. Septic "	12	1	1	2	-	4	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES - -	11	-	1	2	1	4	-	-	1	1	2	-	-	-	-	-	1	-	1	-	-
IV.																					
CONSTITUTIONAL DISEASES	483	46	31	122	13	212	16	16	47	14	93	19	13	41	6	79	2	7	19	8	30
V.																					
DEVELOPMENTAL DISEASES	139	35	-	-	30	65	13	-	-	10	23	3	-	-	13	21	5	-	-	3	-
VI.																					
1. Dis. of Nervous System -	307	68	5	29	26	128	16	1	20	21	58	15	2	9	14	40	10	1	5	13	2
2. " Organs of Special Sense -	5	2	2	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. " Circulatory System	199	7	6	49	24	86	3	2	17	18	40	1	-	9	12	22	-	1	9	11	2
4. " Respiratory System	302	75	1	37	21	134	35	3	10	6	54	16	-	8	9	33	15	-	11	6	3
5. " Digestive System -	304	116	9	26	10	161	18	4	7	11	40	19	1	6	3	29	10	-	5	-	1
6. " Lymphatic System and Ductless Glands -	3	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
7. " Urinary System -	59	1	4	19	7	31	1	1	5	3	10	-	2	5	2	9	-	3	1	-	-
8. " Reproductive System:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Diseases of Organs of Generation -	8	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	1	-	-
(b) Diseases of Parturition -	10	-	-	6	-	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
9. " Organs of Locomotion -	16	1	7	1	-	9	-	1	1	2	4	1	-	-	-	1	-	1	-	-	-
10. " Integumentary System -	8	1	-	3	3	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

Registered during the Month of AUGUST 1897.

117

[illegible]

[illegible]

121

121

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	158	3	5	43	18	69	3	1	14	14	32	-	-	6	9	15	-	1	7	11	19
Pericarditis -	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	-	1
Hypertrophy of Heart -	5	-	-	-	1	1	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Angina Pectoris -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Syncope -	15	4	-	4	2	10	-	-	-	2	2	-	-	1	1	2	-	-	-	-	-
Aneurism -	4	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-
Senile Gangrene -	5	-	-	-	2	2	-	-	1	1	1	-	-	1	1	1	-	-	-	-	-
Embolism, Thrombosis -	3	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	2	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	8	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3
Croup -	6	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	129	15	1	22	15	53	20	1	4	5	30	6	-	3	7	16	5	-	3	3	11
Pneumonia -	132	47	-	12	5	64	13	2	4	-	19	9	-	5	2	16	4	-	5	3	12
Pleurisy -	6	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	3	-	3
Other Diseases of Resp. System	20	9	-	2	1	12	2	-	1	1	4	-	-	-	-	-	1	-	-	-	1
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	27	10	-	-	-	10	5	-	-	-	5	1	-	-	-	1	1	-	-	-	1
Sore-throat, Quinsy -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	39	8	1	5	5	19	2	2	3	4	11	1	-	1	1	3	-	-	1	-	1
Enteritis -	165	83	1	8	3	95	7	1	-	2	10	15	-	1	1	17	7	-	-	-	7
Ulceration of Intestine -	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ilæus, Obstruction of Intestine	8	2	-	3	-	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	4	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Hernia -	6	-	1	1	-	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	27	5	5	2	-	12	4	-	-	1	5	-	1	3	-	4	-	-	3	-	3
Ascites -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	-	2	2	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver	12	3	-	3	-	6	1	-	1	2	2	-	-	-	-	2	-	-	-	-	-
Other Dis. of Digestive System	3	1	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	25	1	3	6	2	12	-	1	2	1	4	-	2	3	1	6	-	1	1	-	2
Bright's Disease -	20	-	1	7	2	10	-	-	2	1	3	-	-	2	-	2	-	1	-	-	1
Uremia -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	2	3	5	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Urinary System	6	-	-	3	-	3	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1

123

123

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	7	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	6	-	4	-	-	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - -	6	-	3	-	-	3	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-
Other Dis. of Organs of Locomotion	4	1	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	4	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Horses { Veh. oth. than R'wys. - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Burns & Scalds - - -	8	2	2	-	1	5	-	-	-	-	1	-	-	-	-	1	2	-	-	-	2
Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Drowning - - -	21	1	3	8	1	13	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2
Suffocation { In Bed - - -	11	6	-	-	-	6	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Otherwise - - -	6	-	-	2	-	2	1	-	2	-	3	-	-	1	-	1	-	-	-	-	-
Falls - - -	4	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1
Weather Agencies - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Fractures (not stated) - - -	26	2	5	8	4	19	-	-	2	1	3	-	-	1	1	1	-	-	1	-	1
Otherwise, or Not Stated - - -	13	1	-	3	2	6	1	1	2	-	4	-	-	-	-	-	-	-	1	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	4	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	107	55	-	4	-	59	13	-	1	-	14	14	-	-	-	14	7	-	-	-	7
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes - -	17	2	-	8	1	11	-	-	1	-	1	2	-	-	-	2	-	-	1	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

125

Registered during the Month of AUGUST 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - - -	-	-	-	-	-	-	2	-	-	2	-	1	-	-	1	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locomotion - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Horses { Veh. other than R'ways. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, Scalds { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3
Suffocation { In Bed - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation { Otherwise - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
Otherwise, or Not Stated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - - -	3	-	-	-	3	1	-	-	-	1	8	-	-	-	8	1	-	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other ill-def. and not spec. Causes - -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—AUGUST 1897.

DISTRICTS.	Estimated population at Middle of 1897.	Total Births	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	28,650	54	11	22	0	0	0	0	1	0	0	2	0	1	3
Ayr,	28,782	73	21	65	0	0	0	0	1	0	0	17	0	2	6
Banff, with Macduff,	8,689	28	4	8	0	0	0	0	0	0	0	0	0	0	0
Blairstown,	4,198	10	0	7	0	0	0	0	0	0	0	0	0	0	1
Callander,	2,347	2	0	3	0	0	0	0	0	0	0	0	0	0	1
Campbeltown,	10,589	32	5	11	0	0	0	0	0	0	0	2	0	5	0
Cathcart (Landward),	5,772	12	2	11	0	0	0	0	0	0	0	6	0	1	0
Coatbridge,	37,319	180	17	55	0	2	0	3	0	0	12	0	2	3	3
Crieff,	5,697	17	1	8	0	0	0	0	0	0	1	0	0	0	0
Dumbarton,	20,438	61	12	35	0	0	0	2	0	1	0	10	0	2	4
Dumfries, with Troqueer,	24,684	43	21	32	0	0	0	0	0	0	0	0	0	4	3
Dunfermline,	30,213	78	21	37	0	0	0	1	0	0	0	2	0	4	5
Dunoon,	7,594	11	3	13	0	0	0	0	0	0	0	5	0	0	0
Eastwood (Landward),	14,372	39	4	25	0	0	1	4	0	0	0	7	0	1	0
Elgin,	10,870	14	2	15	0	0	0	1	0	0	0	3	0	0	2
Falkirk,	29,654	93	10	43	0	1	0	1	0	1	0	10	0	3	2
Forfar,	13,185	28	8	19	0	0	0	0	1	1	0	1	0	0	2
Galashiels,	19,153	39	8	20	0	0	0	1	0	0	0	2	0	1	3
Govan—(1) Plantation (Land- ward),	25,753	61	8	39	0	0	0	0	0	0	11	3	4	3	4
(2) Govan (Landward),	47,267	160	22	133	0	0	0	2	1	3	0	26	2	16	11
(3) Partick (Landward),	43,729	109	16	77	0	3	1	4	0	1	0	18	0	3	5
Haddington,	4,956	5	5	6	0	0	0	0	0	0	0	0	0	0	2
Hawick, with Wilton,	22,699	42	8	29	0	0	0	0	0	0	0	5	0	1	1
Inverness,	25,610	55	15	47	0	0	0	1	0	2	0	6	1	7	3
Kilmarnock, with Riccarton,	32,978	77	20	53	0	0	0	4	0	3	0	20	0	1	5
Kilmore and Kilbride (Oban),	6,129	14	2	9	0	0	0	0	0	0	0	1	0	0	1
Kinning Park (Landward),	15,203	47	2	32	0	2	0	0	0	0	0	10	0	3	2
Kirkcaldy and Abbotshall,	19,453	57	8	21	0	0	1	1	0	0	0	3	0	3	5
Kirkcubright,	3,476	4	1	3	0	0	0	0	0	0	1	1	0	1	0
Largs,	5,430	12	0	3	0	0	0	0	0	0	0	1	0	0	0
Logie (Bridge of Allan),	4,409	11	1	6	0	0	0	0	0	0	0	0	0	0	0
Moffat,	3,007	4	0	4	0	1	0	0	0	0	0	0	0	0	0
Montrose	13,367	24	5	24	0	0	0	0	0	0	0	1	0	0	3
Moulin (Pitlochry),	2,276	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	11	2	10	0	0	0	0	0	1	0	0	0	1	1
New Monkland (Airdrie),	38,144	115	9	61	0	5	3	1	0	1	0	7	0	3	5
North Berwick,	3,279	8	0	2	0	1	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,900	66	7	19	0	0	0	0	0	0	0	1	1	0	2
Rothsay,	9,631	26	3	16	0	0	0	0	0	0	0	3	0	0	2
St Andrews and St Leonards,	8,851	15	1	11	0	0	0	0	0	0	0	0	0	3	1
Shettleston (Landward),	15,244	58	2	26	0	2	0	0	0	0	0	4	0	4	3
Stirling,	16,605	43	11	32	0	0	0	2	0	0	0	2	0	5	5
Stranraer,	6,058	19	3	9	0	0	0	0	1	0	0	1	0	2	1
Wick,	12,278	34	6	6	0	0	0	0	0	0	0	1	0	0	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of AUGUST 1897.

Mean barometric pressure, 29·694 inches; less than the average for the same month of 1856–95 by 0·166 inch.

Barometric monthly range, 1·019 inch; greater by 0·036 inch.

Mean temperature, $60^{\circ}2$; greater by $2^{\circ}6$.

Mean daily range of temperature, $14^{\circ}9$; greater by $0^{\circ}9$.

Mean humidity, 82; greater by 0·6.

Rain, number of days, 20; greater by 3 days.

Rain, depth in inches, 4·53; greater by 1·04 inch.

Wind, pressure on square foot, 1·11 lb.; less by 0·23 lb.

Wind, direction of, E. to W. as 7 to 10, and N. to S. as 2 to 11; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence, the weather of August 1897 was characterised by a mean barometric pressure unusually low, with a monthly range a little above the average; a mean temperature unusually high, with a mean daily range nearly a degree above the average; a mean humidity slightly above the average; a mean rainfall considerably above the average, falling on three more days than the average; and a very large excess of southerly winds.

The mean barometric pressure was 29·694 inches, a lower mean pressure having occurred only twice in August during the past forty-two years, *viz.*, in 1860 and 1891, when it was respectively 29·585 inches and 29·663 inches. This unwonted low mean pressure was much lower at western and southern stations than at eastern and northern stations. From this unequal distribution of barometric pressure resulted an extraordinary prevalence of southerly winds, the excess being two days for each of the directions SE, S, and SW, or six days excess in all. So great an excess in August has only been exceeded in 1884, when it was seven days.

With these southerly winds, the mean temperature rose to $2^{\circ}6$ above the average of the month, an excess which was equally distributed over all the eight large towns. So high a mean temperature for August has been exceeded only in 1857 and 1893, when it was respectively $61^{\circ}7$ and $61^{\circ}0$. The highest temperatures ruled from the 1st to the 12th, and from the 25th to the end of the month. The month was further remarkable in that the maximum temperatures rose above 60° each day of the month at six of the towns, and at the other two towns it fell below 60° only on one day. The absolutely highest temperature was $80^{\circ}3$ at Glasgow on the 4th; and the lowest, $41^{\circ}2$, at Glasgow on the 10th and at Aberdeen on the 16th.

The mean rainfall was 4·53 inches, or 30 per cent. above the average. Its distribution over the country was very irregular, being 5 per cent. under the average at Aberdeen and Perth; but above it at the other six towns, the excess in percentages of the average being 90 at Paisley, 69 at Leith, and 56 at Glasgow. The heaviest rainfall occurred on the 11th, on which day the amounts were 2·24 inches at Glasgow, 1·87 inch at Paisley, 1·12 inch at Leith, 0·93 inch at Edinburgh, and 0·88 inch at Aberdeen. Thunder was of frequent occurrence during the first half of the month, and heavy rains accompanied the thunderstorms.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of AUGUST 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										Mean Pressure on Sq. ft.	lbs.	
		Mean at Station and 32°.		Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.											
		inch.	inch.	inch.															°	°	°	°	°	°	°	°	°			°
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.635	29.694	0.994	80.3	41.2	60.3	39.1	17.4	25.4	°	53.1	.403	4.80	78	20	5.24	0	2	4	1	1	3	8	0	12	0.17			
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.402	29.698	0.982	78.1	48.6	60.4	29.5	14.9	23.5	°	54.0	.417	4.07	83	19	4.24	0	0	3	1	3	13	8	1	2	0.72			
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.518	29.693	1.028	78.3	44.1	59.7	34.2	15.3	26.5	°	53.7	.413	4.40	84	22	3.32	0	1	2	11	1	8	0	2	0	0.74			
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	29.656	29.704	1.070	75.0	41.2	59.7	33.8	15.0	31.8	°	53.5	.411	4.57	83	17	3.05	1	1	2	3	11	6	2	3	2	1.18			
LEITH, JAMES BOLAM, Navigation School, and GEORGE REIDPATH.	50	29.640	29.694	1.060	74.4	50.0	60.8	24.4	13.0	21.1	°	56.2	.412	4.94	82	19	4.57	1	2	4	4	4	4	9	1	2	1.25			
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.570	29.683	0.992	78.5	45.3	60.3	33.2	14.4	33.2	°	56.2	.412	4.94	82	21	5.70	1	1	6	2	7	4	4	2	4	0.90			
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.451	29.695	0.988	77.0	47.5	59.8	29.5	13.1	20.2	°	53.4	.394	4.38	80	23	7.23	0	2	1	7	0	9	11	1	0	2.82			
PERTH, A. GARDEKE, Gardener to James F. Pullar, F.R.S.E.	140	29.541	29.691	1.037	75.5	42.5	60.0	33.0	16.4	25.5	°	50.3	.416	4.51	84	22	2.86	2	1	9	3	4	12	0	0	0	..			
Means,	133	29.552	29.694	1.019	78.0	41.2	60.2	32.1	14.9	25.9	°	50.0	.410	4.57	82	20	4.53	1	1	4	4	4	7	6	1	3	1.11			

North Latitude.—Glasgow, 56° 53'; Aberdeen, 57° 9'; Leith, 55° 53'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & CO., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of September 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 3859 children, of whom 1915 were males, and 1944 females. Of these, 3560 were legitimate, and 299 illegitimate, being in the proportion of one illegitimate in every 12·9 Births, or the illegitimate Births constituted 7·7 per cent. of the whole. In Greenock, 5·0 per cent. of the Births were illegitimate; in Paisley, 5·3; in Leith, 6·8; in Glasgow, 7·4; in Edinburgh, 8·2; in Aberdeen, 8·3; in Dundee, 9·6; and in Perth, 14·5 per cent.

924 Marriages were registered in these Towns during the month. Increase of the population being allowed for this number is 36 above the average for the month of September during the last ten years.

The Deaths of 2384 persons were registered in these Towns during September, of whom 1172 were males, and 1212 females. Allowing for increase of the population, this is 252 above the average number for the month during the last ten years.

A comparison of the Deaths registered shows that during September the mortality was at the annual rate of 12·8 Deaths per thousand persons in Perth; 17·2 in Aberdeen; 17·9 in Paisley; 18·7 in Edinburgh; 18·8 in Glasgow; 19·6 in Leith; 19·8 in Dundee; and 22·0 in Greenock.

Of the 1102 Deaths registered in Glasgow, 322 were of children under one year of age, and 200 of persons over 60 years; of the 449 in Edinburgh, 122 were of children under one year, and 99 of persons over 60; of the 265 in Dundee, 96 were under one, and 41 over 60; of the 195 in Aberdeen, 61 were under one, and 51

over 60; of the 121 in Leith, 42 were under one, and 20 over 60; of the 109 in Paisley, 24 were under one, and 36 over 60; of the 111 in Greenock, 26 were under one, and 29 over 60; and of the 32 in Perth, 5 were under one, and 11 over 60 years.

Of the whole 2384 Deaths, 1032, or 43·3 per cent., were of children under five years of age. In Perth, 18·7 per cent. of the persons who died were under five years of age; in Paisley, 35·8; in Greenock, 36·0; in Edinburgh, 38·3; in Aberdeen, 40·0; in Glasgow, 49·3; in Dundee, 50·2; and in Leith, 53·7 per cent.

Miasmatic Diseases caused 179 Deaths, or 7·5 per cent. of the whole. This rate was exceeded in Dundee, where Hooping-Cough prevailed, and in Greenock, from the prevalence of Measles and Hooping-Cough.

Fevers caused 32 Deaths, constituting 1·3 per cent. of the whole mortality. Of these 2 were attributed to Typhus (one each in Edinburgh and Greenock), and 30 to Enteric Fever.

Hooping-Cough caused 74 Deaths, or 3·1 per cent. of the whole. In Glasgow, 40 Deaths were ascribed to Hooping-Cough, being at the rate of 3·6 per cent. of the Deaths there; in Greenock, 5 or 4·5 per cent.; in Leith, 6 or 4·9 per cent.; and in Dundee, 14 or 5·3 per cent.

Measles caused 15 Deaths, and Scarlatina, 22. In Greenock, 6 Deaths resulted from Measles, being at the rate of 5·4 per cent. of the Deaths in that town.

Diphtheria caused 24 Deaths; Puerperal Fever, 7; Small-pox, 4; and Simple Cholera, 3.

Diarrhoea and Dysentery caused 146 Deaths, or 6·1 per cent. of the whole.

To Intemperance were attributed 8 Deaths, 7 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy was the cause of 81 Deaths; Paralysis, of 50; Heart Diseases, of 177; and Premature Birth Debility, of 64.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 393, or 16·5 per cent. Those from Consumption alone numbered 208, or 8·7 per cent. 11 Deaths were attributed to Croup.

76 Deaths resulted from Violent Causes, of which 4 were Suicidal (1 on the Railway, 1 by Drowning, 1 by Hanging, and 1 by Cut-throat).

Ten females were aged 90 years and upwards, the eldest of whom were two widows aged respectively 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, SEPTEMBER 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	577,846	658,708	714,919	951	939	1890	1750	140	447	559	543	1102
EDINBURGH, .	244,120	272,773	292,364	298	302	600	551	49	200	227	222	449
DUNDEE, . .	140,794	154,118	163,090	189	208	397	359	38	58	121	144	265
ABERDEEN, .	106,806	124,943	138,143	173	201	374	343	31	104	93	102	195
LEITH, . . .	59,485	68,707	75,186	117	102	219	204	15	40	61	60	121
PAISLEY, . .	55,638	66,425	74,206	86	85	171	162	9	33	47	62	109
GREENOCK, .	66,704	68,423	61,475	70	69	139	132	7	33	48	63	111
PERTH, . . .	28,980	29,919	30,524	31	38	69	59	10	9	16	16	32
TOTAL, . . .	1,279,873	1,439,016	1,549,907	1915	1944	3859	3560	299	924	1172	1212	2384

SEPTEMBER 1896, . .	Mean Temp. 53°·3	1882	1913	3895	3626	269	1019	1040	988	2028
SEPTEMBER 1895, . .	Mean Temp. 58°·0	1866	1785	3651	3385	266	943	1097	1115	2212
SEPTEMBER 1894, . .	Mean Temp. 52°·5	1765	1591	3356	3110	246	840	916	868	1784
SEPTEMBER 1893, . .	Mean Temp. 53°·2	1869	1799	3668	3364	304	821	1151	1138	2289
SEPTEMBER 1892, . .	Mean Temp. 51°·5	1819	1694	3513	3238	275	828	1035	998	2033
SEPTEMBER 1891, . .	Mean Temp. 55°·4	1703	1655	3358	3124	234	792	952	1028	1980
SEPTEMBER 1890, . .	Mean Temp. 57°·7	1736	1609	3345	3080	265	816	1062	1059	2121
SEPTEMBER 1889, . .	Mean Temp. 53°·1	1708	1664	3372	3099	273	775	997	939	1936
SEPTEMBER 1888, . .	Mean Temp. 52°·5	1602	1504	3106	2845	261	686	890	846	1736
SEPTEMBER 1887, . .	Mean Temp. 52°·6	1684	1637	3321	3068	253	643	966	1017	1983

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of SEPTEMBER 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	4	0	3	10	5	19	6	1. St Peter, . .	0	0				0	2
2. Camlachie, . .	0	0	0	4	0	0	6	2. St Mary, . .	0	0	1	1	0	0	2
3. Dennistoun, . .	0	0	0	7	0	0	3	3. St Clement, . .	0	0	1	4	1	2	0
4. Calton, . . .	0	1	0	7	0	0	4	4. St Andrew, . .	0	0	0	0	0	0	0
5. Blackfriars, . .	0	0	0	4	0	0	6	5. Lochee, . . .	0	0	1	0	0	0	0
6. St Rollox, . . .	0	1	2	1	0	0	3	Mains,	0	0	0	0	0	0	0
7. Blythswood, . .	0	1	0	2	1	1	6								
8. Milton,	0	1	0	0	1	0	3	ABERDEEN—							
9. Kelvin,	0	0	0	4	0	0	7	1. St Nicholas, . .	0	0	0	0	0	0	2
10. Anderston, . .	0	1	2	0	1	0	4	2. Aberdeen, . .	0	0	0	2	2	0	7
11. Hutchesontown, .	0	0	0	1	0	0	3	3. Woodside, . . .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	0	0	1	0	0	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	0	0	0	0	0	0	E. Peterculter, . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	0	0	0	1	Nigg,	0	0	0	0	0	0	1
Cathcart,	0	0	0	0	0	0	0								
Eastwood,	0	0	0	2	0	0	4	LEITH—							
Maryhill,	0	0	0	0	0	0	0	1. North,	0	1	0	2		0	2
Shettleston, . . .	0	0	0	0	0	0	0	2. South,	0	1	0	4	0	1	6
Plantation, . . .	0	0	0	0	0	0	0								
Govan,	0	0	0	0	0	0	0	PAISLEY,	0		1	0	3	3	8
Partick,	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . . .	0	0	3	1	1	0	6	1. East,	0	3	0	4	0	0	5
2. St Andrew, . . .	0	0	0	0	1	1	2	2. West,	0	3	0	1	1	2	3
3. Canongate, . . .	0	1	4	2	5	2	3								
4. St Giles,	0	0	0	1	0	0	5	PERTH,	0	0	0	1	0	0	1
5. Newington, . . .	0	0	1	2	1	1	9								
6. Portobello, . . .	0	0	1	0	0	0	1								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
ALL CAUSES - - -	2384	499	78	325	200	1102	172	29	149	99	449	133	18	73	41	265	78	15	51	51
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	351	120	10	20	9	159	43	7	8	-	58	37	5	5	3	50	17	-	4	2
II. PARASITIC DISEASE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
III. DIETETIC	15	1	-	2	-	3	1	-	3	-	4	1	-	-	-	1	3	-	1	-
IV. CONSTITUTIONAL	466	45	29	115	22	211	19	8	56	21	104	8	5	25	4	42	5	9	11	13
V. DEVELOPMENTAL	162	30	-	-	31	61	21	-	-	13	34	3	-	-	5	8	11	-	-	7
VI. LOCAL	1196	238	33	161	129	561	71	13	73	64	221	71	8	38	29	146	32	6	32	28
VII. VIOLENCE - - -	76	7	4	20	7	38	5	1	6	1	13	4	-	5	-	9	2	-	3	1
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	116	58	2	7	2	69	11	-	3	-	14	9	-	-	-	9	7	-	-	-
I.																				
1. MIASMATIC DISEASES -	179	61	8	15	3	87	18	7	4	-	29	18	4	2	-	24	4	-	2	1
2. DIARRHOEAL	149	56	1	-	4	61	24	-	2	-	26	16	1	1	3	21	13	-	2	1
3. MALARIAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGNOUS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
5. VENEREAL	7	3	-	1	-	4	1	-	-	-	1	2	-	-	-	2	-	-	-	-
6. SEPTIC	15	-	1	4	2	7	-	-	2	-	2	-	-	2	-	2	-	-	-	-
II.																				
PARASITIC DISEASES -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
III.																				
DIETETIC DISEASES - -	15	1	-	2	-	3	1	-	3	-	4	1	-	-	-	1	3	-	1	-
IV.																				
CONSTITUTIONAL DISEASES	466	45	29	115	22	211	19	8	56	21	104	8	5	25	4	42	5	9	11	13
V.																				
DEVELOPMENTAL DISEASES	162	30	-	-	31	61	21	-	-	13	34	3	-	-	5	8	11	-	-	7
VI.																				
1. DIS. OF NERVOUS SYSTEM -	279	52	9	36	41	138	16	1	15	18	50	9	3	4	9	25	15	2	5	6
2. " ORGANS OF SPECIAL SENSE -	4	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
3. " CIRCULATORY SYSTEM	177	1	4	35	26	66	5	4	18	18	45	3	3	7	8	21	-	1	8	8
4. " RESPIRATORY SYSTEM	393	128	9	45	38	220	20	1	15	8	44	35	1	12	6	54	9	2	8	8
5. " DIGESTIVE SYSTEM -	241	54	2	19	11	86	30	6	13	11	60	23	-	8	3	34	8	1	5	1
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. " URINARY SYSTEM -	63	2	3	18	9	32	-	1	8	6	15	1	-	3	2	6	-	-	2	4
8. " REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	10	1	-	5	-	6	-	-	1	1	2	-	-	1	-	1	-	-	-	-
(b) DISEASES OF PARTURITION -	8	-	-	2	-	2	-	-	2	-	2	-	-	2	-	2	-	-	1	-
9. " ORGANS OF LOCOMOTION -	15	-	4	1	1	6	-	-	1	1	2	-	-	1	-	1	-	-	3	-
10. " INTEGUMENTARY SYSTEM -	4	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

133

Registered during the Month of SEPTEMBER 1897.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	70	7	4	19	7	37	3	1	5	1	10	4	-	5	-	9	2	-	3	1	6
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	6	-	-	1	-	1	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	116	58	2	7	2	69	11	-	3	-	14	9	-	-	-	9	7	-	-	-	7
MIASMATIC DISEASES.																					
Small-pox { Vaccinated	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	15	6	-	-	-	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	22	5	1	1	-	7	6	3	-	-	9	3	2	-	-	5	-	-	-	-	-
Typhus - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	8	-	-	1	1	2	-	-	1	-	1	-	1	-	-	1	-	-	2	1	3
Hooping-Cough - - -	74	40	-	-	-	40	6	-	-	-	6	14	-	-	-	14	2	-	-	-	2
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	24	8	-	-	-	8	5	1	2	-	8	1	1	-	-	2	2	-	-	-	2
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	30	1	7	11	1	20	-	2	1	-	3	-	1	1	-	2	-	-	-	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	146	53	1	-	4	58	24	-	2	-	26	16	1	1	3	21	13	-	2	1	16
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	6	3	-	-	-	3	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	6	-	1	-	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Fever - - -	7	-	-	3	-	3	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

135

Registered during the Month of SEPTEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	-	-	3	1	4	-	-	-	1	1	1	-	-	1	2	-	-	1	-	1
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	2	-	-	-	2	6	-	-	-	6	7	-	-	1	8	1	-	-	-	1
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	2	-	-	2	-	-	-	-	-	3	3	-	-	6	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Influenza -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	-	6	-	-	6	-	-	-	-	-	5	-	-	-	5	1	-	-	-	1
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	1	-	1	-	1	2	-	3	-	1	-	1	-	-	-	-	-	-
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	6	-	1	1	8	8	-	-	-	8	7	-	-	1	8	-	-	-	1	1
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedæna -	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Pyæmia, Septicæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

137

Registered during the Month of SEPTEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scurvy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart -	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	-	-	2	1	3	-	1	5	6	1	-	6	3	9	1	-	1	-	1	1
Tubes Mesenterica -	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) -	2	1	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis -	2	7	5	1	15	-	1	8	9	-	2	6	-	8	-	1	3	-	-	4
Other forms of Tuberculosis, Scrofula -	2	-	-	-	2	-	1	1	2	-	1	1	-	2	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diabetes Mellitus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth -	6	-	-	-	6	2	-	-	2	3	-	-	-	3	1	-	-	-	-	1
Atelectasis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Old Age -	-	-	4	-	4	-	-	13	13	-	-	-	8	8	-	-	-	-	2	2
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes -	-	-	-	-	2	-	-	-	2	2	1	-	-	3	-	-	-	-	-	-
Apoplexy -	-	-	3	2	5	-	2	1	3	-	-	3	-	3	-	-	-	1	-	1
Softening of Brain -	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	4	-	4	-	1	4	5	-	-	-	-	-	-	-	1	1	-	2
Paralysis Agitans -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Epilepsy -	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Convulsions -	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	1	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	148	1	3	30	23	57	5	3	13	15	36	-	3	5	7	15	-	1	8	6	15
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	4	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	3	-	-	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-
Syncope -	11	-	-	2	1	3	-	-	-	2	3	-	1	-	4	-	-	-	-	-	-
Aneurism -	6	-	-	2	-	2	-	-	3	-	3	-	1	-	1	-	-	-	-	-	-
Senile Gangrene -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Embolism, Thrombosis -	3	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	1	
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	4	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	11	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	5	-	-	1	-	1	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	152	38	1	17	25	81	5	-	3	2	10	23	-	2	3	28	4	1	3	4	12
Pneumonia -	184	63	6	25	11	105	12	1	5	2	20	11	1	9	3	24	4	1	5	3	13
Pleurisy -	9	2	-	2	-	4	1	-	3	-	4	-	-	1	-	1	-	-	-	-	-
Other Diseases of Resp. System	24	16	1	-	2	19	-	-	3	1	4	-	-	-	-	-	-	-	1	1	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	4	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Dentition -	12	8	-	-	-	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy -	5	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	5	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Hæmatemesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Diseases of Stomach -	32	5	1	4	3	13	1	1	2	2	6	-	2	3	5	-	-	1	-	-	1
Enteritis -	100	32	1	3	1	37	19	-	4	-	23	19	-	2	-	21	3	-	-	-	3
Ulceration of Intestine -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	11	1	-	2	1	4	-	-	1	2	3	1	-	1	2	-	-	-	-	-	-
Stricture or Strang. of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Hernia -	10	1	-	2	2	5	2	-	1	3	1	-	-	-	-	1	1	-	-	1	1
Fistula -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Peritonitis -	26	1	-	4	-	5	-	2	3	-	5	1	-	2	-	3	1	-	3	1	5
Ascites -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	5	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	14	1	-	1	1	3	1	-	3	1	5	-	1	-	1	-	1	-	-	-	1
Other Dis. of Digestive System	4	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	23	2	2	8	5	17	-	-	-	-	-	1	-	-	1	2	-	-	1	1	2
Bright's Disease -	25	-	-	8	2	10	-	1	5	3	9	-	-	8	1	4	-	-	1	-	1
Œræmia -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	6	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	3	3	-
Other Dis. of Urinary System	7	-	1	1	2	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-

139

139

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Uterus and Vagina - -	8	1	-	4	-	5	-	-	1	-	1	-	-	1	-	1	-	-	-	-	
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pelvic Abscess - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Perineal Abscess - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Dis. of Testes, Penis, Scrotum, &c. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Convulsions - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Placenta Prævia, Flooding - - -	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Accidents of Childbirth - -	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	8	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-	2	
Arthritis, Ostitis, Periostitis - -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Dis. of Organs of Locomotion -	5	-	2	-	-	2	-	-	1	-	1	-	-	1	-	1	-	1	-	1	
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Phlegmon, Cellulitis - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lupus - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Integ. System - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vehicles { Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
and { Veh. oth. than R'wys. - -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ships, Boats, Docks (ex. Drown.) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scalds { Other Burns & Scalds - -	6	2	1	1	-	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Poisons, Poisonous Vapours - - -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	
Drowning - - -	8	1	-	4	-	5	-	-	-	-	-	-	1	-	1	1	-	1	-	2	
Suffocation { In Bed - - -	8	4	-	-	-	4	1	-	-	-	1	2	-	-	2	-	-	-	-	-	
{ Otherwise - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Falls - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fractures (not stated) - - -	28	-	1	8	5	14	-	-	4	1	5	1	-	3	-	4	-	1	1	2	
Otherwise, or Not Stated - - -	9	-	2	3	-	5	-	-	-	-	-	1	-	1	-	2	-	-	-	-	
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
Suicide - - -	4	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Debility, Atrophy, Inanition - -	99	54	1	1	-	56	10	-	1	-	11	9	-	-	-	9	7	-	-	7	
Mortification - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Tumour - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abscess - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Hæmorrhage - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Sudden (Cause unascertained) - -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Ill-def. & not spec. Causes -	10	3	1	4	2	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

141

141

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—SEPTEMBER 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,650	41	13	27	0	0	0	0	1	0	0	4	0	4	4
Ayr,	28,782	80	16	51	0	0	0	1	0	1	0	8	0	6	10
Banff, with Macduff,	8,689	24	6	12	0	0	0	0	0	0	0	1	0	1	0
Blairgowrie,	4,198	10	1	4	0	0	0	0	0	0	0	0	0	0	0
Callander,	2,347	5	1	1	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,589	32	4	15	0	0	0	0	1	0	0	1	1	4	1
Cathcart (Landward),	5,772	13	2	8	0	0	0	0	0	0	0	2	0	1	0
Coatbridge,	37,319	109	11	43	0	0	0	2	0	0	0	8	0	5	2
Crief,	5,697	11	2	9	0	0	0	1	0	0	0	0	0	0	0
Dumbarton,	20,438	49	9	30	0	0	0	0	0	0	0	5	0	9	4
Dumfries, with Troqueer,	24,684	67	11	34	0	0	0	0	0	0	0	3	0	4	1
Dunfermline,	30,213	61	6	39	0	2	2	1	0	0	0	2	0	1	5
Dunoon,	7,594	19	2	13	0	0	0	0	0	0	0	1	0	2	1
Eastwood (Landward),	14,372	40	5	23	0	0	0	4	0	0	0	0	0	2	1
Elgin,	10,870	28	6	18	0	0	0	0	0	0	0	2	0	1	3
Falkirk,	29,654	94	6	50	0	0	0	3	2	0	0	3	0	8	3
Forfar,	13,185	33	3	15	0	0	0	0	0	0	0	2	0	2	0
Galashiels,	19,153	30	11	21	0	0	0	2	0	0	0	0	0	4	3
Govan—(1) Plantation (Landward),	25,753	76	12	38	0	0	0	2	0	0	0	6	0	5	1
(2) Govan (Landward),	47,267	137	26	97	0	0	1	0	5	0	12	2	16	8	
(3) Partick (Landward),	43,729	106	27	60	0	1	0	2	1	2	0	3	0	12	3
Haddington,	4,956	7	2	5	0	0	0	0	0	1	0	1	1	0	0
Hawick, with Wilton,	22,699	23	9	32	0	0	2	0	0	1	0	2	0	2	4
Inverness,	25,610	58	12	46	0	1	0	0	1	1	0	5	0	7	1
Kilmarnock, with Riccarton,	32,978	89	21	59	0	0	5	2	0	7	0	6	0	5	4
Kilmore and Kilbride (Oban),	6,129	10	5	10	0	0	0	2	0	0	0	0	0	1	2
Kinning Park (Landward),	15,203	46	17	8	0	0	0	0	0	0	0	1	0	0	2
Kirkcaldy and Abbotshall,	19,453	35	9	21	0	0	0	0	0	0	0	2	0	1	3
Kirkcaldy,	3,476	12	0	2	0	0	0	0	0	0	0	0	0	0	0
Largs,	5,430	6	2	3	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,409	4	2	6	0	0	0	0	0	0	0	0	0	0	1
Moffat,	2,007	3	0	7	0	0	0	0	0	0	0	0	0	0	0
Montrose,	13,367	25	10	22	0	0	0	0	0	0	0	1	0	4	3
Moulin (Pitlochry),	2,276	5	0	0	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	8	2	9	0	0	0	0	0	0	0	0	0	2	0
New Monkland (Airdrie),	38,144	83	11	38	0	0	1	4	0	2	0	4	1	5	6
North Berwick,	3,279	2	2	7	0	0	0	0	0	0	0	1	0	2	0
Peterhead, with Boddam,	16,900	58	20	16	0	0	0	0	0	0	0	6	1	2	1
Rothsay,	9,631	20	4	11	0	0	0	0	0	0	0	0	1	2	1
St Andrews and St Leonards,	8,851	14	2	10	0	0	0	0	0	0	0	0	0	0	4
Shettleston (Landward),	15,244	55	4	20	0	0	0	1	0	0	0	1	0	2	4
Stirling,	15,605	35	7	21	0	0	1	0	1	0	0	0	0	4	2
Stranraer,	6,058	13	1	11	0	0	0	0	0	0	0	1	0	4	0
Wick,	12,273	35	4	17	0	0	0	0	0	0	0	0	0	0	3

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 133 feet above the sea-level,

For the month of SEPTEMBER 1897.

Mean barometric pressure, 29.891 inches; greater than the average for the same month of 1856-95 by 0.056 inch.

Barometric monthly range, 1.215 inch; greater by 0.019 inch.

Mean temperature, $52^{\circ}4$; less by $1^{\circ}4$.

Mean daily range of temperature, $15^{\circ}0$; greater by $1^{\circ}8$.

Mean humidity, 82; less by 1.5.

Rain, number of days, 18; greater by 2 days.

Rain, depth in inches, 2.38; less by 1.02 inch.

Wind, pressure on square foot, 1.65 lb.; greater by 0.22 lb.

Wind, direction of, E. to W. as 4 to 15, and N. to S. as 5 to 5; the average being E. to W. as 5 to 12, and N. to S. as 4 to 6.

Hence, the weather of September 1897 was characterised by a mean barometric pressure and a monthly range both a little above the average; a mean temperature about a degree and a half under the average, accompanied with a mean daily range unusually high; a mean humidity rather less than the average; a mean rainfall an inch under the average, but falling on two days more than the average; and three days' excess of north-westerly winds.

It is seen that the mean barometric pressure was considerably less at Aberdeen than at Glasgow, Paisley, and Greenock. This excess in the west resulted in a greater prevalence of north-westerly winds, which in turn resulted in a lower mean temperature and humidity for the month, and a larger daily range of temperature owing to the greater dryness of the air.

The mean temperature was $52^{\circ}4$ or $1^{\circ}4$ less than the average, the days being $0^{\circ}5$ and the nights $2^{\circ}3$ colder than usual. Thus the depression of temperature was mainly due to the much greater cold of the nights, which proved of no small advantage to the cut grain in stook, particularly in the rather showery weather which prevailed. The absolutely highest temperature was $73^{\circ}7$ at Paisley on the 13th; and the lowest, $32^{\circ}0$, at Perth on the 8th.

The mean rainfall was 2.38 inches, or 30 per cent. less than the average. It was very unequally distributed being 55 per cent. short of the average at Aberdeen and Dundee; but 9 per cent. above it at Greenock. At Dundee the amount was 1.30 inch whereas at Greenock it was 5.51 inches. Very heavy daily falls were absent at all the large towns, the greatest being 0.95 inch at Greenock on the 23rd. Little or no rain fell from the 7th to the 12th, the 18th and 19th, and the 25th to the 27th. Hail is reported on the 3rd and thunderstorm on the 17th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of SEPTEMBER 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										
		feet.	Range.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	29.850	29.909	1.192	69.1	33.9	52.4	35.2	15.3	27.1	52.0	48.9	45.7	.308	3.48	79	16	2.81	0	1	3	1	1	2	5	10	0.41	
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.600	29.899	1.229	69.1	33.0	53.0	31.1	15.1	23.8	51.8	49.4	46.9	.323	3.40	84	20	1.64	1	2	3	1	0	2	14	4	3	1.74
DUNDEE JOHN CARNOCHAN, Curator of Cemeteries.	134	29.698	29.877	1.248	69.1	33.5	51.7	33.6	15.6	27.5	50.9	48.8	46.6	.320	3.57	87	17	1.30	0	3	1	4	0	8	7	0	1	1.10
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	40	29.803	29.856	1.275	72.4	35.0	50.9	37.4	16.2	33.4	50.2	47.6	44.9	.298	3.40	83	17	1.31	2	2	0	1	4	10	6	1	1	1.80
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPAH.	50	29.846	29.896	1.219	71.1	41.3	53.9	29.8	13.9	22.9	52.8	49.5	46.3	.313	3.57	78	19	1.79	1	3	2	1	2	4	13	22	2	2.01
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.793	29.907	1.193	73.7	37.3	53.2	36.4	14.3	23.8	51.7	49.3	46.8	.322	3.62	84	18	2.96	1	1	2	0	2	3	13	4	4	1.44
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	233	29.656	29.904	1.125	68.7	33.4	52.4	30.3	12.4	21.0	51.3	48.5	45.6	.308	3.47	81	19	5.51	0	2	1	2	0	8	11	6	0	3.06
PERTH, A. GARDECKE, Gardener to James F. Fullar, F.R.S.E.	140	29.730	29.882	1.240	71.0	32.0	52.0	39.0	17.1	27.4	51.2	48.5	45.7	.309	3.48	82	18	1.75	6	1	2	4	3	10	4	0	0	..
Means,	133	29.748	29.891	1.215	73.7	32.0	52.4	34.1	15.0	25.9	51.5	48.8	46.1	.312	3.50	82	18	2.88	1	2	2	2	1	6	9	5	2	1.65

North latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 55° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 55° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of October 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth, the Births of 4048 children, of whom 2060 were males, and 1988 females. Of these, 3758 were legitimate, and 290 illegitimate, being in the proportion of one illegitimate in every 14.0 Births, or the illegitimate Births constituted 7.2 per cent. of the whole. In Leith, 3.6 per cent. of the Births were illegitimate; in Paisley, 6.0; in Edinburgh, and in Greenock, 6.8; in Glasgow, 7.0; in Dundee, 8.5; in Perth, 9.0; and in Aberdeen, 9.4 per cent.

905 Marriages were registered in these Towns during October. Increase of the population being allowed for this number is 16 above the average for the month during the last ten years.

The Deaths of 2498 persons were registered in these Towns during October, of whom 1288 were males, and 1210 females. Allowing for increase of the population, this number is 63 above the average for the month during the last ten years.

A comparison of the Deaths registered shows that during October the mortality was at the annual rate of 13.5 Deaths per thousand persons in Perth; 15.1 in Paisley; 15.7 in Leith; 16.6 in Aberdeen; 18.0 in Edinburgh; 19.8 in Glasgow; 21.1 in Greenock; and 22.4 in Dundee.

Of the 1205 Deaths registered in Glasgow, 334 were of children under one year of age, and 196 of persons over 60 years; of the 448 in Edinburgh, 87 were of children under one year, and 107 of persons over 60 years; of the 310 in Dundee, 136 were under one year, and 43 over 60 years; of the 195 in Aberdeen, 70 were under

one, and 45 over 60; of the 100 in Leith, 38 were under one, and 8 over 60; of the 95 in Paisley, 25 were under one, and 18 over 60; of the 110 in Greenock, 30 were under one, and 27 over 60; and of the 35 in Perth, 11 were under one, and 10 over 60 years.

Of the whole 2498 Deaths, 1104, or 44·2 per cent., were of children under five years of age. In Edinburgh, 28·1 per cent. of the persons who died were under five years of age; in Perth, 34·3; in Paisley, 37·9; in Greenock, 40·9; in Glasgow, 45·8; in Aberdeen, 50·3; in Leith, 53·0; and in Dundee, 58·7 per cent.

Miasmatic Diseases caused 220 Deaths, or 8·8 per cent. of the whole mortality. This rate was exceeded in Glasgow, Greenock, and Paisley, the rate in the latter town amounting to 14·7 per cent., and being caused by the combined prevalence of Scarlatina, Hooping-Cough, and Fever.

Fevers caused 38 Deaths, of which one (in Glasgow) was from Typhus, 36 from Enteric, and one from Simple-Continued Fever.

Hooping-Cough caused 80 Deaths, or 3·2 per cent. of the whole. In Leith, 7 per cent. of the Deaths were attributed to Hooping-Cough.

Scarlatina caused 47 Deaths, being at the rate of 1·9 per cent. of the whole, and Measles 24 or 1·0 per cent.

Diarrhoea and Dysentery caused 76 Deaths, or 3·0 per cent. of the whole.

Diphtheria caused 20 Deaths; Puerperal Fever, 8, and Simple Cholera, one.

Intemperance was the cause of 7 Deaths, 3 being from Chronic Alcoholism, and 4 from Delirium Tremens.

Apoplexy caused 81 Deaths; Paralysis, 52; Heart Diseases, 214; and Premature Birth Debility, 79.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 596, or 22·9 per cent. Those from Consumption alone numbered 223, or 8·9 per cent. 9 Deaths were attributed to Croup.

94 Deaths resulted from Violent Causes, of which 2 were Suicidal (1 by hanging and 1 by Cut-throat).

One male and three females had passed the 90th year of life, the eldest being a widow aged 95 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, OCTOBER 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, .	577,846	658,703	714,919	1908	951	1959	1821	138	428	633	572	1205
EDINBURGH, .	244,120	272,773	292,364	332	305	637	594	43	176	233	215	448
DUNDEE, .	140,794	154,118	163,090	222	204	426	390	36	102	147	163	310
ABERDEEN, .	106,306	124,943	133,143	188	195	383	347	36	77	102	98	195
LEITH, .	59,485	68,707	75,186	102	121	223	215	8	31	50	50	100
PAISLEY, .	55,638	66,425	74,206	88	78	166	156	10	37	52	43	95
GREENOCK, .	66,704	63,423	61,475	81	95	176	164	12	36	55	55	110
PERTH, .	23,980	29,919	30,524	39	39	78	71	7	18	16	19	35
TOTAL, .	1,279,873	1,439,016	1,549,907	2060	1988	4048	3758	290	905	1288	1210	2498

OCTOBER 1896,	Mean Temp. 43°·4	2138	1993	4131	3823	308	954	1143	1204	2347
OCTOBER 1895,	Mean Temp. 44°·0	1940	1863	3803	3523	280	933	1225	1198	2423
OCTOBER 1894,	Mean Temp. 46°·0	2112	2082	4194	3876	318	915	1191	1144	2335
OCTOBER 1893,	Mean Temp. 43°·4	2025	1966	3991	3719	272	854	1142	1200	2342
OCTOBER 1892,	Mean Temp. 43°·7	2067	1810	3877	3605	272	929	1187	1152	2339
OCTOBER 1891,	Mean Temp. 47°·1	1858	1713	3571	3282	289	715	1100	1132	2232
OCTOBER 1890,	Mean Temp. 49°·2	1794	1670	3464	3179	285	702	1130	1167	2297
OCTOBER 1889,	Mean Temp. 46°·1	1911	1862	3773	3490	283	755	1108	1113	2221
OCTOBER 1888,	Mean Temp. 48°·0	1999	1883	3882	3559	323	809	1130	1110	2240
OCTOBER 1887,	Mean Temp. 45°·1	1835	1719	3554	3262	292	811	1048	1111	2159

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhœa, registered in each District of the several Towns during the Month of OCTOBER 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhœa.
GLASGOW—								DUNDEE—							
1. Bridgeton, .	0	3	8	9	3	17	1	1. St Peter, .	0	0	0	0	0	0	6
2. Camlachie, .	0	1	0	2	0	1	1	2. St Mary, .	0	0	0	0	3	1	6
3. Dennistoun, .	0	1	0	7	0	0	5	3. St Clement, .	0	0	1	2	1	1	6
4. Calton, .	0	0	0	4	1	1	0	4. St Andrew, .	0	0	3	5	1	0	5
5. Blackfriars, .	0	0	0	0	0	0	0	5. Lochee, .	0	0	0	0	1	0	2
6. St Rollox, .	0	0	6	4	0	0	2	Mains, .	0	0	0	0	0	0	0
7. Blythswood, .	0	0	1	3	0	0	0								
8. Milton, .	0	1	1	2	0	0	3	ABERDEEN—							
9. Kelvin, .	0	1	0	3	2	0	12	1. St Nicholas, .	0	0	6	0	0	1	9
10. Anderston, .	0	8	0	5	0	0	0	2. Aberdeen, .	0	0	1	0	0	0	2
11. Hutchesontown, .	0	1	1	5	1	1	12	3. Woodside, .	0	0	0	0	0	0	0
12. Gorbals, .	0	1	0	0	0	0	0	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, .	0	2	0	1	0	0	0	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	1	0	1	0	0	0	Nigg, .	0	0	0	1	0	0	0
Cathcart, .	0	0	0	0	0	0	0								
Eastwood, .	0	0	0	0	0	0	0	LEITH—							
Maryhill, .	0	0	0	7	1	0	1	1. North, .	0	0	0	3	0	1	2
Shettleston, .	0	0	0	0	0	0	0	2. South, .	0	0	0	4	0	0	4
Plantation, .	0	0	0	0	0	0	0								
Govan, .	0	0	0	0	0	0	0	PAISLEY, .	0	0	5	4	0	5	4
Partick, .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, .	0	0	2	1	1	2	3	1. East, .	0	1	0	4	1	0	1
2. St Andrew, .	0	0	0	0	1	0	1	2. West, .	0	3	0	1	0	0	0
3. Canongate, .	0	0	11	0	2	6	1								
4. St Giles, .	0	0	0	2	1	1	1	PERTH, .	0	0	1	0	0	0	2
5. Newington, .	0	0	0	0	0	0	4								
6. Portobello, .	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
ALL CAUSES - - -	2498	552	86	371	196	1205	126	37	178	107	448	182	17	68	43	310	98	15	37	45
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	341	113	14	28	3	158	23	14	12	3	52	41	2	6	5	54	20	1	5	-
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	8	1	-	3	-	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL „	434	29	36	107	18	190	16	13	56	10	95	6	4	23	6	39	9	10	17	10
V. DEVELOPMENTAL „	146	33	-	-	30	63	11	-	-	11	22	17	-	-	2	19	12	-	-	5
VI. LOCAL „	1380	318	29	204	133	684	61	7	96	79	243	109	10	35	29	183	51	4	14	30
VII. VIOLENCE - -	94	10	7	22	9	48	3	3	9	4	19	5	1	4	1	11	2	-	1	-
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	95	48	-	7	3	58	12	-	2	-	14	4	-	-	-	4	4	-	-	-
I.																				
1. MIASMATIC DISEASES -	220	90	11	18	2	121	12	13	8	1	34	15	2	3	1	21	7	1	1	-
2. DIARRHEAL „ -	77	14	-	3	1	18	8	1	-	1	10	24	-	-	1	25	11	-	-	-
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGENOUS „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. VENEREAL „ -	17	5	-	2	-	7	3	-	2	1	6	2	-	-	-	2	1	-	1	-
6. SEPTIC „ -	27	4	3	5	-	12	-	-	2	-	2	-	-	3	3	6	1	-	3	-
II.																				
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - -	8	1	-	3	-	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES	434	29	36	107	18	190	16	13	56	10	95	6	4	23	6	39	9	10	17	10
V.																				
DEVELOPMENTAL DISEASES	146	33	-	-	30	63	11	-	-	11	22	17	-	-	2	19	12	-	-	5
VI.																				
1. DIS. OF NERVOUS SYSTEM -	284	55	7	31	31	124	14	1	24	21	60	10	1	6	8	25	10	-	3	10
2. „ ORGANS OF SPECIAL SENSE -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. „ CIRCULATORY SYSTEM	214	2	2	51	39	94	1	29	29	59	-	3	12	7	22	-	4	1	7	12
4. „ RESPIRATORY SYSTEM	596	210	8	66	35	319	35	1	17	18	71	84	2	6	6	98	28	-	5	7
5. „ DIGESTIVE SYSTEM -	181	44	7	29	19	99	10	3	11	6	30	12	2	3	3	20	12	-	3	2
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
7. „ URINARY SYSTEM -	63	3	1	17	9	30	1	-	8	5	14	2	1	5	4	12	-	-	-	4
8. „ REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	6	1	-	1	-	2	-	-	4	-	4	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	11	-	-	6	-	6	-	-	1	-	1	-	-	2	-	2	-	-	2	-
9. „ ORGANS OF LOCOMOTION -	13	1	3	1	-	5	1	-	-	-	1	1	1	1	1	3	-	-	-	-
10. „ INTEGUMENTARY SYSTEM -	9	2	1	2	-	5	1	-	1	-	2	1	-	-	-	1	1	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	53	36	36	8	100	36	11	30	18	95	45	9	29	27	110	12	1	12	10	35
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	12	1	3	-	16	9	3	4	2	18	11	1	1	-	13	2	1	-	1	4
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC " -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CONSTITUTIONAL,, -	6	-	17	-	23	1	2	9	1	13	1	4	13	2	20	-	-	4	4	8
V. DEVELOPMENTAL,, -	7	-	-	1	8	3	-	-	3	6	5	-	-	4	9	2	-	-	-	2
VI. LOCAL " -	17	2	14	7	40	20	5	16	11	52	25	4	12	21	62	5	-	7	5	17
II. VIOLENCE - - -	3	-	1	-	4	-	1	1	1	3	2	-	3	-	5	-	-	1	-	1
II. ILL-DEFINED AND NOT SPECIFIED CAUSES -	8	-	-	-	8	3	-	-	-	3	1	-	-	-	1	3	-	-	-	3
I.																				
Miasmatic Diseases - -	7	1	-	-	8	6	3	4	1	14	10	1	-	-	11	-	1	-	1	2
DIARRHOEAL " - -	5	-	1	-	6	3	-	-	1	4	1	-	-	-	1	2	-	-	-	2
MALARIAL " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL " - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC " - - - -	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																				
DIETETIC DISEASES - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.																				
CONSTITUTIONAL DISEASES--	6	-	17	-	23	1	2	9	1	13	1	4	13	2	20	-	-	4	4	8
V.																				
DEVELOPMENTAL DISEASES--	7	-	-	1	8	3	-	-	3	6	5	-	-	4	9	2	-	-	-	2
VI.																				
DISEASES OF NERVOUS SYSTEM -	4	1	2	3	10	7	-	2	4	13	8	1	2	11	22	2	-	4	1	7
" ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
" CIRCULATORY SYSTEM -	-	-	5	3	8	-	1	6	2	9	-	1	1	6	8	-	-	-	2	2
" RESPIRATORY SYSTEM -	11	1	5	1	18	12	1	2	4	19	16	1	8	3	28	-	-	2	1	3
" DIGESTIVE SYSTEM - -	1	-	2	-	3	1	-	5	1	7	-	-	1	1	2	2	-	1	-	3
" LYMPHATIC SYSTEM AND DUCTLESS GLANDS - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
" URINARY SYSTEM - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
" REPRODUCTIVE SYSTEM :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORGANS OF LOCOMOTION -	-	-	-	-	-	-	3	-	-	3	-	1	-	-	1	-	-	-	-	-
INTEGUMENTARY SYSTEM - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																					
1. ACCIDENT OR NEGLIGENCE	92	10	7	22	9	48	3	3	8	4	18	5	1	3	1	10	2	-	1	-	3
2. VIOLENCE OTHER THAN ACCIDENTAL - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
VIII.																					
ILL-DEFINED AND NOT SPECIFIED CAUSES	95	48	-	7	3	58	12	-	2	-	14	4	-	-	-	4	4	-	-	-	4
MIASMATIC DISEASES.																					
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles - - -	24	19	1	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Rose Rash - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	47	12	4	1	-	17	5	8	-	-	13	3	1	-	-	4	6	1	-	-	7
Typhus - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	10	-	-	1	2	3	-	-	2	1	3	-	-	1	1	2	-	-	-	-	-
Hooping-Cough - - -	80	51	2	-	-	53	3	-	-	-	3	7	-	-	-	7	1	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	20	8	-	-	-	8	3	2	-	-	5	5	1	-	-	6	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	36	-	4	14	-	18	-	3	6	-	9	-	-	2	-	2	-	-	1	-	-
Other Miasmatic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHOEAL DISEASES.																					
Simple Cholera - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery - - -	76	14	-	2	1	17	8	1	-	1	10	24	-	-	1	25	11	-	-	-	1
MALARIAL DISEASES.																					
Remittent Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZOOGENOUS DISEASES.																					
Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																					
Syphilis - - -	15	5	-	1	-	6	3	-	2	1	6	2	-	-	-	2	1	-	-	-	-
Gonorrhoea Stricture of Urethra - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
SEPTIC DISEASES.																					
Phagedæna - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	11	3	-	1	-	4	-	-	1	-	1	-	-	1	3	4	1	-	-	-	-
Pyæmia, Septicæmia - - -	8	1	3	2	-	6	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Puerperal Fever - - -	8	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

153

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart - - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer - - - - -	-	-	4	-	4	-	3	1	4	-	-	3	-	3	-	-	1	2	3	-
Tabes Mesenterica - - - - -	4	-	-	-	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) - - - - -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis - - - - -	1	-	12	-	13	2	2	-	4	-	8	10	1	14	-	-	2	-	2	-
Other forms of Tuberculosis, Scrofula -	1	-	1	-	2	-	3	-	3	-	1	-	1	1	-	-	1	-	1	-
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth - - - - -	7	-	-	-	7	3	-	-	3	4	-	-	-	4	2	-	-	-	-	2
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Imperforate Anus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age - - - - -	-	-	1	-	1	-	-	3	3	-	-	4	-	4	-	-	-	-	-	-
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes - - - - -	3	1	-	-	4	1	-	-	1	4	1	-	-	5	1	-	-	-	-	1
Apoplexy - - - - -	-	-	1	2	3	1	-	1	2	4	-	-	5	5	-	-	1	1	1	2
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis - -	-	-	1	-	1	-	-	2	2	-	-	2	4	6	-	-	1	-	-	1
Paralysis Agitans - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	1	-	2	2	-	-	2	3	-	-	1	4	1	-	-	-	-	1
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	-	-	-	3	-	-	3	1	-	-	1	2	-	-	1	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Epistaxis and Dis. of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	181	1	1	45	35	82	-	1	25	18	44	-	2	12	7	21	-	4	1	7	12
Pericarditis -	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
Hypertrophy of Heart -	4	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	14	1	-	-	3	4	-	-	1	7	8	-	-	-	-	-	-	-	-	-	-
Aneurism -	7	-	-	5	-	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	3	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	7	4	-	-	-	4	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Croup -	9	5	1	-	-	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	5	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	230	49	1	15	23	88	15	-	4	10	29	53	-	2	3	58	19	-	3	6	28
Pneumonia -	283	118	2	44	7	171	17	-	10	6	33	29	-	4	3	36	7	-	2	1	10
Pleurisy -	16	4	1	3	1	9	1	1	3	1	6	-	-	-	-	1	2	-	-	-	2
Other Diseases of Resp. System	46	30	2	2	4	38	2	-	-	1	3	-	1	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dentition -	11	7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	4	-	-	-	4
Sore-throat, Quinsy -	3	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	6	1	-	-	1	2	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1
Hæmatemesis -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	22	6	-	2	3	11	-	-	3	1	4	2	-	1	-	3	-	-	1	-	1
Enteritis -	54	22	1	2	27	8	1	-	9	1	9	9	-	-	1	10	5	-	-	-	5
Ulceration of Intestine -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Ileus, Obstruction of Intestine	18	1	1	3	3	8	-	-	3	2	5	-	-	-	1	1	1	-	-	1	2
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	4	-	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Fistula -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Peritonitis -	23	-	3	10	5	18	-	1	-	-	1	-	2	-	-	2	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	17	2	-	4	4	10	-	-	1	1	2	1	-	-	1	2	-	-	1	-	1
Other Dis. of Digestive System	6	1	-	3	-	4	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	18	3	-	6	2	11	1	-	1	-	2	1	1	1	-	3	-	-	-	1	1
Bright's Disease -	18	-	-	7	2	9	-	-	4	2	6	-	-	1	2	2	-	-	-	-	-
Uremia -	4	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-
Suppression of Urine -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	9	-	-	-	2	2	-	-	-	2	2	-	-	-	3	3	-	-	-	2	2
Other Dis. of Urinary System	11	-	1	4	2	7	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

155

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60 etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	4	2	6	-	1	4	2	7	-	1	1	5	7	-	-	-	2	2
Pericarditis -	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Croup -	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Bronchitis -	7	-	1	-	8	5	-	-	3	8	5	-	3	1	9	-	-	2	-	2
Pneumonia -	4	1	4	-	9	6	-	2	-	8	9	1	3	2	15	-	-	1	-	1
Pleurisy -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Stomatitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Enteritis -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
Ulceration of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Ascites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Liver -	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	3	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Convulsions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	5	-	-	2	-	2	-	-	-	-	-	-	2	-	2	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	3	1	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	6	-	1	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Other Dis. of Organs of Locom.	4	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	3	1	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1
Pemphigus - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys. - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	16	5	3	1	-	9	1	2	-	-	3	-	-	-	-	1	-	-	-	-	1
Scalds { Other Burns & Scalds - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - -	5	-	-	1	1	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Drowning - - -	9	-	-	4	1	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed - - -	14	4	-	-	-	4	2	-	-	-	2	5	-	-	5	-	-	-	-	-	-
{ Otherwise - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Falls - - -	3	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	23	-	1	8	5	14	-	1	1	1	3	-	1	2	3	1	-	-	-	-	1
Otherwise, or Not Stated - - -	16	1	3	5	-	9	-	-	-	2	2	-	1	1	2	-	-	1	-	-	1
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	74	41	-	1	-	42	12	-	-	-	12	2	-	-	-	2	4	-	-	-	4
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	3	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	16	7	-	5	2	14	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-

157

157

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption &c.—OCTOBER 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fevers—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneumonia and Pleurisy.	Consumption.
Arbroath,	23,650	41	8	30	0	0	0	0	1	1	0	2	0	4	4
Ayr,	28,782	67	18	43	0	0	0	0	0	0	0	2	0	7	9
Banff, with Macduff,	8,689	13	3	14	0	1	0	0	0	0	0	0	0	3	0
Blairstown,	4,198	8	2	7	0	0	0	0	0	0	0	0	0	1	2
Callander,	2,347	4	0	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,589	29	4	11	0	0	0	0	0	0	0	0	0	1	3
Cathcart (Landward),	5,772	18	6	5	0	0	0	0	0	0	0	0	0	0	2
Coatbridge,	37,319	109	24	58	0	0	0	0	1	1	0	5	0	17	2
Crieff,	5,697	6	0	10	0	0	0	3	0	0	0	0	1	1	2
Dumbarton,	20,438	45	9	28	0	0	0	2	1	3	0	1	0	12	0
Dumfries, with Troqueer,	24,684	57	16	34	0	0	0	0	0	0	0	0	0	7	4
Dunfermline,	30,213	62	16	36	0	1	4	1	0	0	0	1	0	6	2
Dunoon,	7,594	18	2	18	0	0	1	0	1	0	0	0	0	1	2
Eastwood (Landward),	14,372	42	6	20	0	0	1	2	0	0	0	1	0	7	1
Elgin,	10,870	25	6	14	0	0	0	0	1	1	0	0	0	3	2
Falkirk,	29,654	82	11	62	0	2	1	4	1	0	0	6	0	21	2
Forfar,	13,185	37	3	13	0	0	0	0	0	0	0	1	0	2	1
Galashiels,	19,153	29	10	14	0	0	1	1	0	0	0	0	0	1	3
Govan—(1) Plantation (Landward),	25,753	83	4	33	*1	0	0	0	1	0	0	1	0	11	2
(2) Govan (Landward),	47,267	150	28	96	0	2	4	4	4	1	0	1	1	25	7
(3) Partick (Landward),	43,729	149	21	61	0	1	0	2	0	0	0	3	1	16	3
Haddington,	4,956	8	3	7	0	0	0	0	0	1	0	1	0	3	0
Hawick, with Wilton,	22,699	32	3	26	0	0	0	0	0	0	0	0	0	4	2
Inverness,	25,610	55	14	46	0	3	0	1	1	0	0	2	2	7	3
Kilmarnock, with Riccarton,	32,978	71	15	35	0	0	0	2	0	2	0	3	0	6	0
Kilmore and Kilbride (Oban),	6,129	9	6	5	0	0	0	0	0	0	0	0	1	0	0
Kinning Park (Landward),	15,203	49	4	30	0	0	0	1	0	0	0	1	1	11	2
Kirkcaldy and Abbotshall,	19,453	52	8	30	0	0	1	1	0	0	0	1	0	7	2
Kirkcubright,	3,476	4	0	6	0	0	0	0	0	0	0	0	0	1	1
Largs,	5,430	5	2	5	0	0	0	0	0	0	0	0	0	1	0
Logie (Bridge of Allan),	4,409	11	2	5	0	0	0	0	0	0	0	0	0	0	3
Moffat,	3,007	1	1	4	0	0	0	1	0	0	0	0	0	1	0
Montrose,	13,367	26	4	31	0	0	0	0	0	0	0	0	0	8	0
Moulin (Pitlochry),	2,276	6	1	2	0	0	0	0	0	0	0	0	0	0	0
Nairn,	5,164	14	1	8	0	0	0	0	0	0	0	0	0	2	1
New Monkland (Airdrie),	28,144	123	8	55	0	0	0	3	0	0	0	5	1	18	1
North Berwick,	3,279	3	1	4	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,900	48	13	12	0	0	1	0	0	0	0	3	0	1	1
Rothsay,	9,631	16	10	10	0	0	0	0	0	1	0	0	0	3	1
St Andrews and St Leonards,	8,851	19	2	3	0	0	0	0	0	0	0	1	0	1	0
Shettleston (Landward),	15,244	42	7	22	0	0	3	0	0	0	0	1	1	7	1
Stirling,	15,605	37	12	30	0	0	0	0	1	0	0	3	0	9	1
Stranraer,	6,058	13	6	15	0	0	1	0	0	0	0	0	0	4	2
Wick,	12,278	21	3	16	0	0	0	0	0	0	0	0	0	2	1

* Chicken-pox.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of OCTOBER 1897.

Mean barometric pressure, 30.093 inches; greater than the average for the same month of 1856-95 by 0.280 inch.

Barometric monthly range, 1.382 inch; less by 0.093 inch.

Mean temperature, $48^{\circ}4$; greater by $1^{\circ}2$.

Mean daily range of temperature, $13^{\circ}4$; greater by $1^{\circ}9$.

Mean humidity, 85; less by 0.6.

Rain, number of days, 13; less by 4 days.

Rain, depth in inches, 2.17; less by 1.47 inch.

Wind, pressure on square foot, 1.10 lb.; less by 0.53 lb.

Wind, direction of, E. to W. as 8 to 10, and N. to S. as 3 to 8; the average being E. to W. as 6 to 12, and N. to S. as 4 to 6.

Hence, the weather of October 1897 was characterised by a very high mean barometer, but accompanied with a monthly range a little under the average; a mean temperature a good deal above the average, with a mean daily range much above the average; a mean humidity slightly under the average; a mean rainfall greatly under the average, fallen on four days fewer than usual in October; a considerable excess of southerly winds, with a force much under the average.

The mean barometric pressure was 30.093 inches or 0.280 inch above the average. This is the highest mean that has occurred in October during the past forty-two years, and the excess was nearly equally distributed over the large towns, there being only a slightly greater excess at eastern as compared with western stations, resulting in four days' excess of southerly winds and a relatively high temperature with a large daily range.

The mean temperature was $48^{\circ}4$ or $1^{\circ}2$ above the average, the days being $2^{\circ}1$ and the nights $0^{\circ}3$ above the average. The high temperature was thus almost altogether due to the warmer days occasioned by the strong sunshine and southerly winds. The excess of the temperature above the average was nearly equal at all the stations. The absolutely highest temperature was $65^{\circ}1$ on the 17th at Leith; and the lowest, $24^{\circ}5$ on the 14th at Glasgow.

The mean rainfall was 2.17 inches, or 40 per cent. under the average. Nearly the whole of this rain fell on the four days from the 14th to the 17th, the heaviest falls occurring on the 15th, the amounts being 1.30 inch at Aberdeen, 1.23 inch at Greenock, 1.08 inch at Perth, and 1.05 inch at Dundee. During this time cold weather ruled, the coldest day being the 14th. On the other hand, from the 1st to the 13th, and from the 18th to the 31st, little or no rain fell. During these times the type of weather was strongly anti-cyclonic, and, as happens in such weather, temperature on the top of Ben Nevis was so unusually high that the mean of the month was $6^{\circ}3$ above the average, while that of the low-lying towns was only $1^{\circ}2$.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH.

During the Month of OCTOBER 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.					HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.								Mean Pres- sure on Sq. ft.		
		Range.		Mean at Sea-level and 32°.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Wet Bulb, or Temp. of Evaporation.	Dry Bulb, or Temp. of Air.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions.									
		inch.	inch.																inch.	dys.	inch.	grs.	°	°	°		N	NE
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.038	30.009	1.397	61.9	24.5	48.2	37.4	15.1	24.4	48.4	46.0	43.4	.251	3.22	83	15	1.92	0	1	6	3	1	2	4	3	11	0.80
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.808	30.106	1.402	64.3	29.7	49.2	34.6	13.6	21.4	48.0	46.3	44.4	.263	3.36	88	10	1.27	0	0	5	1	0	5	10	3	7	0.59
DUNDEE, JOHN CAERNOCHAN, Curator of Cemeteries.	164	29.910	30.092	1.356	59.7	30.0	47.6	29.7	12.1	19.4	47.0	45.4	43.6	.248	3.28	89	14	2.24	0	3	3	7	1	7	4	6	0	1.12
ABERDEEN, PETER HARPER, Superintendant, Duthie Park.	40	30.024	30.073	1.400	31.2	20.2	47.6	31.0	14.9	27.5	47.3	45.3	43.1	.278	3.20	86	15	2.39	1	0	1	0	9	12	3	5	0	1.59
LEITH, JAMES BOLAM, Navigation School, and GREENOCK, ROBERT GILMOUR, Greenock Water Works.	50	80.044	30.099	1.379	65.1	31.3	49.1	33.8	10.4	15.7	43.8	45.1	41.1	.259	3.95	75	10	1.13	0	2	6	2	2	6	8	1	4	1.39
PAISLEY, DONALD MACLEAN, The Coast Observatory.	107
GREENOCK, ROBERT GILMOUR, Greenock Water Works.	223	29.839	30.091	1.426	62.7	31.2	48.9	31.5	11.5	20.0	46.0	46.0	43.6	.283	3.26	85	16	4.08	0	0	1	14	0	4	5	4	3	2.72
PERTH, A. GARDECKE, Gardener to James F. Fullar, F.R.S.E.	140	29.937	30.092	1.314	63.5	26.0	47.9	37.5	16.2	27.5	47.4	45.7	43.9	.286	3.26	88	13	2.17	3	0	15	6	0	7	0	0	0	..
Means,	183	29.943	30.093	1.382	65.1	24.5	48.4	33.6	13.4	22.3	47.9	45.7	43.3	.280	3.22	85	13	2.17	1	1	5	5	2	6	5	3	3	1.10

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 3° 27'; Greenock, 3° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of November 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth the Births of 3925 children, of whom 2011 were males, and 1914 females. Of these, 3634 were legitimate, and 291 illegitimate, being in the proportion of one illegitimate in every 13·5 Births, or the illegitimate Births constituted 7·4 per cent. of the whole. In Paisley, 6·0 per cent. of the Births were illegitimate; in Aberdeen and in Perth, 6·6; in Greenock, 7·0; in Glasgow, 7·3; in Leith, 7·4; in Edinburgh, 8·1; and in Dundee, 8·8 per cent.

1082 Marriages were registered in these Towns during November, being 119 above the average for the month during the last ten years, allowing for increase of the population.

The Deaths of 2546 persons were registered in these Towns during the month, of whom 1296 were males, and 1250 females. Allowing for increase of the population, this number is 135 below the November average of the last ten years.

A comparison of the Deaths registered shows that during November the mortality was at the annual rate of 16·3 Deaths per thousand persons in Leith; 19·2 in Aberdeen; 19·3 in Dundee; 19·5 in Paisley; 19·8 in Edinburgh; 20·4 in Glasgow; 21·1 in Perth; and 24·7 in Greenock.

Of the 1196 Deaths registered in Glasgow, 299 were of children under one year of age, and 198 of persons over 60 years; of the 475 in Edinburgh, 114 were of children under one year, and 122 of persons over 60 years; of the 259 in Dundee, 85 were under one year, and 47 over 60; of the 218 in Aberdeen, 80 were under one,

and 60 over 60; of the 101 in Leith, 26 were under one, and 20 over 60; of the 119 in Paisley, 27 were under one, and 31 over 60; of the 125 in Greenock, 30 were under one, and 16 over 60; and of the 53 in Perth, 18 were under one, and 12 over 60 years.

Of the whole 2546 Deaths, 1066, or 41·9 per cent., were of children under five years of age. In Edinburgh, 33·5 per cent. of the persons who died were under five years of age; in Paisley, 35·3; in Leith, 39·6; in Glasgow, 43·3; in Perth, 43·4; in Dundee, 44·8; in Aberdeen, 47·7; and in Greenock, 51·2 per cent.

Miasmatic Diseases caused 233 Deaths, or 9·2 per cent. of the whole mortality. This rate was exceeded in Glasgow, where Hooping-Cough was the most prevalent of these diseases, and also in Greenock, in consequence of the prevalence of Measles and Hooping-Cough.

Fevers caused 22 Deaths, of which one (in Edinburgh) resulted from Typhus, and 21 from Enteric Fever.

Hooping-Cough caused 69 Deaths, of which 49 occurred in Glasgow; and 7 in Greenock, being at the rate of 4·1, and 5·6 per cent. of the Deaths in these towns.

Scarlatina caused 54 Deaths, or 2·1 per cent. of the whole, and Measles 50 or 2·0 per cent. In Greenock 19 Deaths were caused by Measles, being at the rate of 15·2 per cent. of the Deaths there.

From Diarrhoea and Dysentery there resulted 57 Deaths, or 2·2 per cent. of the whole.

Diphtheria caused 24 Deaths, and Puerperal Fever, 12.

To Intemperance were attributed 10 Deaths, 9 being from Chronic Alcoholism, and 1 from Delirium Tremens.

Apoplexy caused 82 Deaths; Paralysis, 44; Diseases of the Heart, 203; and Premature Birth Debility, 77.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 620, or 24·4 per cent. Those from Consumption alone numbered 226, or 8·9 per cent. 17 Deaths resulted from Croup.

99 Deaths were ascribed to Violent Causes, of which 8 were Suicidal (2 by Gun-shot Wounds, 2 by Hanging, 2 by Precipitation, and 1 each by Cut-throat and Poison).

Eleven females were aged 90 years and upwards, the eldest of whom was the widow of a coffee grinder, and was aged 97 years.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, NOVEMBER 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	714,919	955	906	1861	1726	135	563	613	583	1196
EDINBURGH, . .	244,120	272,773	292,364	342	316	658	605	53	208	238	237	475
DUNDEE, . . .	140,794	154,118	163,090	213	209	422	385	37	85	124	135	259
ABERDEEN, . .	106,306	124,943	138,143	200	162	362	338	24	74	118	100	218
LEITH, . . .	59,485	68,707	75,186	87	116	203	188	15	50	50	51	101
PAISLEY, . . .	55,638	66,425	74,206	101	99	200	188	12	43	59	60	119
GREENOCK, . .	66,704	63,423	61,475	75	68	143	133	10	32	65	60	125
PERTH, . . .	28,980	29,919	30,524	38	35	76	71	5	18	29	24	53
TOTAL, . . .	1,279,873	1,439,016	1,540,907	2011	1914	3925	3634	291	1082	1296	1250	2546

NOVEMBER 1896, . . .	Mean Temp. 42°·3	1958	1870	3828	3538	290	1051	1395	1358	2663
NOVEMBER 1895, . . .	Mean Temp. 43°·0	1726	1707	3433	3209	224	905	1191	1143	2334
NOVEMBER 1894, . . .	Mean Temp. 45°·5	1985	1860	3845	3552	293	826	1315	1277	2592
NOVEMBER 1893, . . .	Mean Temp. 40°·1	1910	1846	3756	3461	295	879	1394	1450	2844
NOVEMBER 1892, . . .	Mean Temp. 42°·5	2037	1910	3947	3660	287	929	1369	1343	2712
NOVEMBER 1891, . . .	Mean Temp. 41°·2	1720	1602	3322	3063	259	938	1564	1696	3260
NOVEMBER 1890, . . .	Mean Temp. 41°·5	1540	1478	3018	2796	222	907	1082	1127	2209
NOVEMBER 1889, . . .	Mean Temp. 43°·9	1726	1629	3355	3075	280	904	1056	1160	2216
NOVEMBER 1888, . . .	Mean Temp. 43°·6	1742	1696	3438	3177	261	881	1028	1015	2043
NOVEMBER 1887, . . .	Mean Temp. 40°·1	1754	1732	3486	3200	286	849	1153	1224	2377

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of NOVEMBER 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	1	5	11	12	4	10	3	1. St Peter, . .	0	0	0	2	0	0	2
2. Camlachie, . .	0	0	0	1	0	0	1	2. St Mary, . .	0	0	2	0	2	0	3
3. Dennistoun, . .	0	1	1	2	4	0	1	3. St Clement, . .	0	0	3	0	1	0	0
4. Calton, . . .	0	0	0	2	0	0	1	4. St Andrew, . .	0	0	4	2	0	0	2
5. Blackfriars, . .	0	0	0	0	0	0	1	5. Lochee, . . .	0	0	0	0	0	0	0
6. St Rollox, . . .	0	1	6	1	0	0	2	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	0	2	3	0	0	2								
8. Milton, . . .	0	1	0	2	1	1	0	ABERDEEN—							
9. Kelvin, . . .	0	2	0	6	1	2	1	1. St Nicholas, . .	0	0	2	1	1	0	6
10. Anderson, . .	0	13	0	5	0	1	1	2. Aberdeen, . .	0	0	1	2	0	0	4
11. Hutchesontown, .	0	1	0	3	0	0	2	3. Woodside, . .	0	0	0	0	0	0	1
12. Gorbals, . . .	0	0	0	0	0	1	2	4. Old Aberdeen, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	5	0	2	0	0	1	E. Peterculter, .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	1	0	0	0	Nigg, . . .	0	0	0	1	0	0	0
Cathcart, . . .	0	0	0	0	0	0	0								
Eastwood, . . .	0	0	0	0	0	0	0	LEITH—							
Maryhill, . . .	0	1	1	3	1	0	1	1. North, . . .	0	0	0	0	0	1	0
Shettleston, . .	0	0	0	0	0	0	0	2. South, . . .	0	1	1	0	1	0	1
Plantation, . .	0	0	0	0	0	0	0								
Govan, . . .	0	0	0	0	0	0	0	PAISLEY, . . .	0	0	1	1	1	0	2
Partick, . . .	0	0	0	0	0	0	0								
EDINBURGH—								GREENOCK—							
1. St George, . .	0	0	3	0	1	1	5	1. East, . . .	0	10	0	2	1	0	0
2. St Andrew, . .	0	0	1	0	0	0	1	2. West, . . .	0	9	1	5	1	3	1
3. Canongate, . .	0	0	12	1	3	2	4								
4. St Giles, . . .	0	0	0	0	0	0	1	PERTH, . . .	0	0	0	0	0	0	1
5. Newington, . .	0	0	2	3	1	0	5								
6. Portobello, . .	0	0	0	0	0	0	0								

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2546	518	89	391	198	1196	159	33	161	122	475	116	16	80	47	259	104	13	41	60	218
I. SPECIFIC FEBRILE OR ZYMOTIC DIS.	330	120	19	26	2	167	35	12	10	4	61	25	2	-	-	27	18	1	3	1	23
II. PARASITIC DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DIETETIC „	12	1	-	2	-	3	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1
IV. CONSTITUTIONAL „	446	36	25	116	19	196	15	14	55	10	94	8	6	34	5	53	5	7	17	5	34
V. DEVELOPMENTAL „	182	39	-	-	41	80	19	-	-	19	38	13	-	-	10	23	6	-	-	6	12
VI. LOCAL „	1872	274	35	214	129	652	73	5	76	85	239	54	5	44	32	135	64	5	17	48	134
VII. VIOLENCE - -	99	14	7	19	1	41	7	2	15	3	27	7	3	2	-	12	1	-	3	-	4
VIII. ILL-DEFINED & NOT SPECIFIED CAUSES	105	34	3	14	6	57	10	-	1	1	12	9	-	-	-	9	10	-	-	-	10
I.																					
1. MIASMATIC DISEASES -	233	98	17	14	1	130	18	10	7	3	38	14	2	-	-	16	7	1	-	-	8
2. DIARRHOEAL „ -	57	16	-	1	1	18	15	-	-	1	16	7	-	-	-	7	9	-	1	1	11
3. MALARIAL „ -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. ZOOGEOUS „ -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
5. VENEREAL „ -	17	5	-	1	-	6	1	1	-	-	2	2	-	-	-	2	2	-	1	-	3
6. SEPTIC „ -	22	1	2	10	-	13	1	1	3	-	5	1	-	-	-	1	-	-	1	-	1
II.																					
PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III.																					
DIETETIC DISEASES -	12	1	-	2	-	3	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1
IV.																					
CONSTITUTIONAL DISEASES	446	36	25	116	19	196	15	14	55	10	94	8	6	34	5	53	5	7	17	5	34
V.																					
DEVELOPMENTAL DISEASES	182	39	-	-	41	80	19	-	-	19	38	13	-	-	10	23	6	-	-	6	12
VI.																					
1. DIS. OF NERVOUS SYSTEM -	258	51	5	28	32	116	7	1	21	15	44	5	-	4	11	20	8	2	1	15	26
2. „ ORGANS OF SPECIAL SENSE -	10	3	1	-	-	4	2	1	1	-	4	1	-	-	-	1	1	-	-	-	1
3. „ CIRCULATORY SYSTEM -	203	2	4	48	35	89	2	-	13	29	44	-	1	15	5	21	1	-	3	11	15
4. „ RESPIRATORY SYSTEM -	620	182	14	65	43	304	43	2	19	24	88	41	2	14	11	68	45	1	7	13	66
5. „ DIGESTIVE SYSTEM -	174	33	7	30	15	85	16	-	12	9	37	6	1	5	3	15	8	1	4	5	18
6. „ LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	3	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	1	-	1
7. „ URINARY SYSTEM -	74	1	1	31	4	37	2	1	8	8	19	1	-	4	1	6	-	-	-	4	4
8. „ REPRODUCTIVE SYSTEM:—																					
(a) DISEASES OF ORGANS OF GENERATION -	8	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	1	-	-	1
(b) DISEASES OF PARTURITION -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
9. „ ORGANS OF LOCOMOTION -	10	-	3	4	-	7	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1
10. „ INTEGUMENTARY SYSTEM -	8	2	-	2	-	4	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

165

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	40	536	20	101	42	13	33	31	119	64	11	34	16	125	23	1	17	12	53	
I. SPECIFIC FEBRILE OR ZYMOTIC DISEASES -	5	3	1	9	5	1	-	1	7	29	4	1	-	34	1	-	-	1	2	
II. PARASITIC DISEASES -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DIETETIC " -	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	
IV. CONSTITUTIONAL " -	5	14	-	20	2	6	9	3	20	1	3	12	3	19	1	1	8	-	10	
V. DEVELOPMENTAL " -	4	-	6	10	2	-	-	7	9	7	-	1	8	1	-	-	1	2		
VI. LOCAL " -	23	215	13	53	26	5	21	20	72	24	3	18	12	57	15	-	6	9	30	
VII. VIOLENCE - - -	-	2	3	5	1	1	2	-	4	-	1	3	-	4	-	-	1	1	2	
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	-	3	5	-	-	-	5	3	-	-	-	3	5	-	1	-	6	
I.																				
1. MIASMATIC DISEASES - -	4	-	1	5	2	1	-	-	3	27	4	1	-	32	-	-	-	1	1	
2. DIARRHEAL " -	-	1	-	1	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	
3. MALARIAL " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4. ZOOGENOUS " -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5. VENEREAL " -	1	-	-	1	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	
6. SEPTIC " -	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II.																				
PARASITIC DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III.																				
DIETETIC DISEASES - - -	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	
IV.																				
CONSTITUTIONAL DISEASES - -	5	14	-	20	2	6	9	3	20	1	3	12	3	19	1	1	8	-	10	
V.																				
DEVELOPMENTAL DISEASES - -	4	-	6	10	2	-	-	7	9	7	-	1	8	1	-	-	1	2		
VI.																				
1. DISEASES OF NERVOUS SYSTEM -	7	3	6	16	1	2	6	8	17	3	3	4	3	13	1	-	2	3	6	
2. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3. " CIRCULATORY SYSTEM -	-	8	3	11	1	2	6	2	11	-	5	5	10	-	-	2	-	2		
4. " RESPIRATORY SYSTEM -	14	3	2	19	17	-	5	8	30	19	-	6	27	14	-	-	4	18		
5. " DIGESTIVE SYSTEM -	2	2	1	5	6	-	1	1	8	2	-	2	4	-	-	1	1	2		
6. " LYMPHATIC SYSTEM AND DUCTLESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7. " URINARY SYSTEM -	-	1	1	2	-	1	1	1	3	-	-	2	2	-	-	-	1	1		
8. " REPRODUCTIVE SYSTEM :-																				
(a) DISEASES OF ORGANS OF GENERATION -	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	1		
(b) DISEASES OF PARTURITION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9. ORGANS OF LOCOMOTION -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0. INTEGUMENTARY SYSTEM -	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-		

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

169

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eydatid Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scourvy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
{ Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart -	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Rheumatism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer -	-	-	3	-	3	-	1	1	-	2	-	2	3	5	1	-	-	2	-	2
Tubes Mesenterica -	2	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tubercular Meningitis (Acute Hydrocephalus) -	2	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Phthisis -	1	8	-	-	9	1	2	6	2	11	1	2	8	-	11	-	1	5	-	6
Other forms of Tuberculosis, Scrofula -	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	1	-	2
Purpura, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia -	-	-	2	-	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth -	3	-	-	-	3	-	-	-	-	-	6	-	-	-	6	1	-	-	-	1
Atelectasis -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Cyanosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age -	-	-	6	-	6	-	-	-	7	7	-	-	-	1	1	-	-	-	1	1
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Membranes -	2	-	-	-	2	-	-	-	-	-	1	3	3	-	7	1	-	-	-	1
Apoplexy -	-	-	2	-	2	-	-	-	3	3	-	-	1	3	4	-	-	-	2	2
Softening of Brain -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hemiplegia, Brain Paralysis -	-	-	1	4	5	-	-	2	5	7	-	-	-	-	-	-	-	2	1	3
Paralysis Agitans -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions -	5	-	-	-	5	-	1	-	-	1	2	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System -	-	-	1	-	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Dis. -	176	2	3	41	30	76	1	-	10	25	36	-	1	15	4	20	1	-	3	8	1
Pericarditis -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	6	-	-	1	1	2	-	-	1	1	2	-	-	1	-	1	-	-	-	1	-
Angina Pectoris -	6	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Syncope -	6	-	-	1	1	2	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-
Aneurism -	3	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Senile Gangrene -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Cir. System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis -	9	8	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup -	17	7	-	-	-	7	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-
Other Dis. of Larynx & Trachea	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema, Asthma -	4	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	289	70	3	29	28	130	15	-	5	17	37	23	1	5	5	34	32	-	1	8	4
Pneumonia -	241	72	8	28	8	116	23	2	7	5	37	15	1	8	4	28	11	1	4	4	2
Pleurisy -	16	3	1	3	1	8	-	-	4	1	5	-	-	1	-	1	-	-	1	-	1
Other Diseases of Resp. System	42	20	1	3	4	28	2	-	3	1	6	-	-	-	2	2	2	-	1	1	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis -	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dentition -	14	7	-	-	-	7	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Sore-throat, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia -	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna -	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach -	38	4	-	12	1	17	4	-	4	2	10	1	-	1	2	4	1	-	3	-	4
Enteritis -	36	11	-	1	2	14	7	-	2	2	11	4	-	-	-	4	3	-	-	3	-
Ulceration of Intestine -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus, Obstruction of Intestine	11	2	-	2	-	4	-	-	-	2	2	-	-	2	1	3	-	-	1	1	1
Stricture or Strang. of Intestine	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Intussusception of Intestine -	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Hernia -	7	-	-	2	3	5	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Fistula -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis -	33	4	6	5	4	19	1	-	2	2	5	-	1	1	-	2	-	1	1	2	4
Ascites -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	7	-	-	3	1	4	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1
Other Diseases of Liver -	8	1	1	1	2	5	-	-	2	-	2	1	-	-	-	1	-	-	-	-	-
Other Dis. of Digestive System	7	2	-	1	1	4	1	-	-	-	1	-	-	-	-	-	2	-	-	-	2
DIS. OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Lymphatics -	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Suprarenal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis -	24	1	1	12	2	16	1	-	2	-	3	1	-	2	-	3	-	-	-	1	1
Bright's Disease -	27	-	-	13	-	13	-	1	3	4	8	-	-	2	1	3	-	-	-	-	-
Uræmia -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	13	-	-	-	1	1	-	-	2	4	6	-	-	-	-	-	-	-	-	2	2
Other Dis. of Urinary System	8	-	-	4	1	5	1	-	1	-	2	-	-	-	-	-	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60-etc.	Total.
DISEASES OF CIRCULATORY SYSTEM.																				
Endocarditis, Valvular Disease	-	-	7	3	10	1	2	6	2	11	-	-	5	5	10	-	-	1	-	1
Mitral Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of Pectoris	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of Aorta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Pleuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	2	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empyema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	-	7	2	2	11	10	-	2	6	18	4	-	-	2	6	10	-	-	2	12
Pneumonia	-	5	1	-	6	5	-	3	1	9	14	-	5	-	19	4	-	-	2	6
Phthisis	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Leucorrhoea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Emetomesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1
Enteritis	-	2	-	-	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhoids, Obstruction of Intestine	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Peritonitis	-	1	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																				
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis	-	-	1	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-
Bright's Disease	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DIS. OF ORGANS OF GENERATION.																					
Ovarian Disease - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																					
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF LOCOMOTION.																					
Caries, Necrosis - - -	5	-	1	2	-	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1
Arthritis, Ostitis, Periostitis	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Dis. of Organs of Locom.	4	-	2	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																					
Carbuncle - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	4	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bedsore - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																					
Mines and Quarries { Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
and { Veh. oth. than R'wys.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds	15	4	1	1	-	6	1	-	-	-	1	3	1	-	-	4	1	-	-	-	1
{ Explosions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	5	2	1	1	-	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Drowning - - -	7	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation { In Bed	15	6	-	-	-	6	5	-	-	-	5	4	-	-	-	4	-	-	-	-	-
{ Otherwise	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	8	1	2	1	1	5	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	16	-	1	6	-	7	-	1	2	1	4	-	2	-	-	2	-	-	-	-	-
Otherwise, or Not Stated - -	21	1	2	5	-	8	1	-	5	-	6	1	-	-	-	1	-	-	2	-	2
VIOLENCE OTHER THAN ACCIDENTAL.																					
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	-	-	-	-	-	5	2	7	-	-	-	-	-	-	-	1	-	1
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																					
Dropsy - - -	4	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition	74	29	-	2	-	31	10	-	1	-	11	7	-	-	-	7	10	-	-	-	10
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Abscess - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained)	7	1	-	2	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	18	3	2	8	3	16	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

173

Registered during the Month of NOVEMBER 1897.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—NOVEMBER 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Croup and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,650	36	18	36	0	0	1	0	1	1	0	0	1	10	6
Ayr,	28,782	60	16	32	0	0	0	0	0	1	0	1	1	10	4
Banff, with Macduff,	8,689	19	5	14	0	1	0	0	0	0	0	2	0	4	0
Blairgowrie,	4,198	9	2	4	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,347	6	2	2	0	0	0	0	0	0	0	0	0	0	0
Campbeltown,	10,589	21	3	15	0	0	0	1	0	0	0	0	0	2	1
Cathcart (Landward),	5,772	24	6	9	0	0	1	0	0	0	0	0	0	1	1
Coatbridge,	37,319	105	24	47	0	0	0	0	0	1	0	0	0	17	5
Crieff,	5,697	11	3	16	0	0	0	0	0	0	0	1	1	6	1
Dumbarton,	20,438	37	6	17	0	0	0	0	0	0	0	0	2	5	1
Dumfries, with Troqueer,	24,684	47	18	39	0	0	0	2	0	0	0	0	0	11	9
Dunfermline,	30,213	51	16	49	0	0	2	0	0	0	0	1	1	12	9
Dunoon,	7,594	10	2	16	0	0	1	0	0	0	0	0	0	2	1
Eastwood (Landward),	14,372	38	8	29	0	3	3	0	0	0	0	0	0	6	3
Elgin,	10,870	28	4	26	0	0	0	0	0	0	0	0	0	12	3
Falkirk,	29,654	96	11	59	0	3	0	0	0	4	0	1	1	10	4
Forfar,	13,185	38	6	21	0	0	0	0	0	1	0	0	0	3	2
Galaashiels,	19,153	32	5	15	0	0	0	2	1	0	0	0	0	2	3
Govan—(1) Plantation (Land- ward),	25,753	75	8	40	0	0	1	1	0	0	0	1	0	17	4
(2) Govan (Landward),	47,267	127	30	91	0	7	2	0	1	6	0	1	0	22	6
(3) Partick (Landward),	43,729	127	36	40	0	1	0	1	0	0	0	2	1	9	2
Haddington,	4,956	11	4	7	0	0	0	0	0	0	0	0	0	4	0
Hawick, with Wilton,	22,699	27	7	27	0	0	0	0	0	0	0	0	0	3	3
Inverness,	25,610	54	19	41	0	0	0	0	1	0	0	0	1	4	3
Kilmarnock, with Riccarton,	32,978	81	23	52	0	0	2	2	1	2	0	4	0	14	3
Kilmore and Kilbride (Oban),	6,129	14	4	7	0	0	0	1	0	0	0	0	0	0	0
Kinning Park (Landward),	15,203	52	12	22	0	0	0	0	0	0	0	1	0	12	3
Kirkcaldy and Abbotshall,	19,453	48	8	22	0	0	0	4	2	0	0	0	1	1	4
Kirkcudbright,	3,476	3	2	2	0	0	0	0	0	0	0	0	0	0	0
Largs,	5,430	9	2	3	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan),	4,409	4	5	7	0	0	0	0	0	0	0	0	0	1	2
Moffat,	3,007	2	1	5	0	0	0	1	0	0	0	0	0	0	0
Montrose	13,367	29	5	22	0	0	1	0	0	0	0	2	0	3	3
Moulin (Pitlochry),	2,276	4	1	5	0	0	0	0	0	0	0	0	0	1	0
Nairn,	5,164	11	1	8	0	0	0	0	1	0	0	0	0	5	0
New Monkland (Airdrie),	38,114	112	21	63	0	0	1	3	0	2	0	3	0	21	0
North Berwick,	3,279	3	0	1	0	0	0	0	0	0	0	0	0	0	0
Peterhead, with Boddam,	16,900	63	6	17	0	0	0	0	0	0	0	3	1	3	1
Rothsay,	9,631	18	5	10	0	0	1	0	0	0	0	1	0	1	1
St Andrews and St Leonards,	8,851	15	7	15	0	0	0	0	0	0	0	0	0	1	3
Shettleston (Landward),	15,244	41	6	24	0	0	3	0	0	0	0	0	1	3	2
Stirling,	15,605	28	4	31	0	0	3	0	0	0	0	1	1	4	3
Stranraer,	6,058	9	0	13	0	0	1	0	0	0	0	0	0	2	0
Wick,	12,378	22	1	9	0	0	1	0	0	0	0	0	0	5	0

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of NOVEMBER 1897.

Mean barometric pressure, 30.093 inches ; greater than the average for the same month of 1856-95 by 0.256 inch.

Barometric monthly range, 1.781 inch ; greater by 0.227 inch.

Mean temperature, $45^{\circ}.7$; greater by $4^{\circ}.4$.

Mean daily range of temperature, $8^{\circ}.2$; less by $1^{\circ}.8$.

Mean humidity, 87 ; greater by 1.4.

Rain, number of days, 17 ; greater by 1 day.

Rain, depth in inches, 2.44 ; less by 0.98 inch.

Wind, pressure on square foot, 1.69 lb. ; greater by 0.02 lb.

Wind, direction of, E. to W. as 8 to 10, and N. to S. as 3 to 8 ; the average being E. to W. as 6 to 11, and N. to S. as 4 to 4.

Thus the weather of November 1897 was characterised by an unusually high mean barometer, with a very high monthly range ; a mean temperature higher than any hitherto recorded by the Society for November, with a mean daily range smaller than any hitherto recorded for the same month ; a mean humidity above the average, but with a mean rainfall greatly under the average, falling on one day more than the average ; and an unusual excess of winds from E., S.E., S., and S.W.

The mean barometric pressure was 30.093 inches or 0.256 inch above the average. The excess above the average was greater in the south than in the north, and in the east than in the west, with the result of an unwonted excess of winds from a southerly direction, with a correspondingly high temperature, high humidity, small rainfall, and small daily range of temperature.

The mean temperature was $45^{\circ}.7$ or $4^{\circ}.4$ above the average, the days being $3^{\circ}.5$ and the nights $5^{\circ}.3$ above their averages. High night temperatures ruled in a remarkable degree throughout the month, the only marked exception being the 16th, when $21^{\circ}.5$ was recorded at Aberdeen. The high temperature was equally partitioned among the large towns. The next highest mean temperature for November was $45^{\circ}.5$ in 1894, or $0^{\circ}.2$ lower than that of last month. The absolutely highest temperature was $60^{\circ}.2$, at Aberdeen, on the 19th, and the lowest, $21^{\circ}.5$, at the same place, on the 16th.

The mean rainfall was 2.44 inches, or 29 per cent. under the average. The largest per cent. under the average was 54 at Aberdeen, and the smallest 23 at Glasgow. The absolutely largest amount for the month was 4.70 inches at Greenock, and the smallest 1.51 inch at Aberdeen. Little or no rain fell from the 1st to the 5th, on the 15th, from the 18th to the 22nd, and on the 26th. The heaviest and most widespread falls occurred on the 12th, 14th, 28th, and 29th. At Greenock 2.02 inches fell on the 11th and 12th. Snow showers were general on the 14th. A remarkable darkness occurred on the 23rd, when the wind shifted out of its southerly direction, followed by a remarkable fall of temperature during the rest of the month. A great and sudden fall of the barometer occurred on the 28-29th, accompanied with a great storm, most disastrous both on land and sea.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of NOVEMBER 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.	DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.										Mean Pres- sure on Sq. ft.										
		Range.	Mean at Sea-level and 32°.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Ft. of Air.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	inch.	Number of Days it blew in certain Directions.										lbs.							
																					N	NE	E	SE	S	SW	W		NW	Calm or Variable.								
GLASGOW, J. E. RUSSELL, M.D., Medical Officer of Health, Glasgow.	54	30.046	30.106	1.780	58.1	33.2	40.1	32.1	9.9	21.9	46.5	44.5	42.2	.270	..	86	19	2.85	1	1	6	1	1	3	4	6	7	0.41										
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.797	30.102	1.803	57.3	27.3	45.6	30.0	7.6	17.0	45.6	44.0	42.1	.269	..	88	16	1.97	2	1	5	5	2	2	12	1	0	1.23										
DUNDEE, JOHN CARMICHAEL, Curator of Cemeteries.	164	29.902	30.085	1.827	56.6	24.3	44.5	32.3	7.8	17.8	44.8	43.3	41.6	.262	..	88	16	1.86	2	5	1	6	0	7	7	2	0	1.72										
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	30.020	30.069	1.870	60.2	21.5	44.5	33.7	8.8	20.3	44.4	42.6	40.5	.253	..	87	13	1.51	1	2	1	2	8	12	3	0	1	1.49										
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDPATH.	50	30.042	30.097	1.863	58.7	31.5	46.4	27.2	6.6	14.0	46.4	44.4	42.2	.269	..	86	16	1.83	1	2	5	3	4	4	8	1	2	2.25										
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.979	30.096	1.694	56.5	28.8	46.5	27.7	8.0	17.4	46.0	44.2	42.1	.269	..	87	20	2.75	1	4	4	1	2	7	5	2	4	1.21										
GREENOCK, ROBERT GLIMOUR, Greenock Water Works.	233	29.843	30.095	1.699	55.7	29.2	46.2	26.5	7.9	19.0	46.4	44.1	41.8	.266	..	84	20	4.70	0	1	6	4	0	9	10	0	0	3.50										
PERTH, A. GARDEKE, Gardener to James F. Fullar, F.R.S.E.	140	29.938	30.093	1.760	57.8	22.5	45.7	35.3	9.0	25.7	46.5	43.9	41.8	.266	..	88	18	2.03	1	2	9	4	3	11	0	0	0	..										
Means,	133	29.946	30.093	1.781	56.2	21.5	45.7	31.2	8.2	19.1	45.7	43.9	41.8	.265	..	87	17	2.44	1	2	5	3	3	7	6	1	2	1.69										
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 38'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																																						

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 37'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.

MONTHLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED

IN EIGHT OF THE PRINCIPAL TOWNS OF

SCOTLAND;

WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1897.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

REPORT.

DURING the month of December 1897, there were registered in the Towns of Glasgow, Edinburgh, Dundee, Aberdeen, Leith, Paisley, Greenock, and Perth the Births of 3975 children, of whom 2050 were males, and 1925 females. Of these, 3714 were legitimate, and 261 illegitimate, being in the proportion of one illegitimate in every 15·2 Births, or the illegitimate Births constituted 6·6 per cent. of the whole. In Leith, 3·4 per cent. of the Births were illegitimate; in Perth, 3·8; in Greenock, 4·5; in Glasgow, 6·6; in Dundee, 6·7; in Paisley, 7·1; in Aberdeen, 7·2; and in Edinburgh, 7·8 per cent.

1516 Marriages were registered in these Towns during December, being 196 above the average number for the month during the last ten years, allowing for increase of the population.

The Deaths of 2812 persons were registered in these Towns during the month, of whom 1423 were males, and 1389 females. Increase of the population being allowed for this number is 119 below the December average of the last ten years.

A comparison of the Deaths registered shows that during December the mortality was at the annual rate of 16·4 Deaths per thousand persons in Leith; 19·4 in Aberdeen; 20·3 in Dundee and in Paisley; 20·7 in Edinburgh; 21·2 in Perth; 22·3 in Glasgow; and 28·5 in Greenock.

Of the 1352 Deaths registered in Glasgow, 277 were of children under one year of age, and 283 of persons over 60 years; of the 514 in Edinburgh, 116 were of children under one year, and 155 of persons over 60 years; of the 281 in Dundee, 78 were of children under one, and 65 of persons over 60 years; of the 228 in Aberdeen,

58 were under one, and 64 over 60; of the 105 in Leith, 27 were under one, and 28 over 60; of the 128 in Paisley, 20 were under one, and 40 over 60; of the 149 in Greenock, 31 were under one, and 26 over 60; and of the 55 in Perth, 7 were under one, and 23 over 60 years.

Of the whole 2812 Deaths, 1019, or 36·2 per cent., were of children under five years of age. In Perth, 18·2 per cent. of the persons who died were under five years of age; in Paisley, 28·1; in Edinburgh, 31·5; in Aberdeen, 36·0; in Leith, 36·2; in Dundee, 37·7; in Glasgow, 38·2; and in Greenock, 45·6 per cent.

Miasmatic Diseases caused 269 Deaths, or 9·6 per cent. of the whole. This rate was slightly exceeded in Glasgow, the contributory causes being Measles and Hooping-Cough, and very greatly in Greenock, where the same two diseases were very prevalent.

Fevers caused 23 Deaths, of which 2 in Glasgow, 1 in Dundee, and 3 in Paisley were attributed to Typhus, 17 being ascribed to Enteric Fever.

Hooping-Cough was the most fatal epidemic, having caused 116 Deaths, or 4·1 per cent. of the whole. In Glasgow, 76 Deaths resulted from Hooping-Cough, being at the rate of 5·6 per cent. of the Deaths there; and in Greenock, 20 Deaths, or 13·4 per cent. of the mortality of that town.

Measles caused 59 Deaths, or 2·1 per cent. of the whole. Only in Glasgow and Greenock were any fatal results from Measles recorded. In the former 41 occurred, or 3·0 per cent. of the Deaths there; and in the latter 18, or 12·1 per cent. of the Greenock Deaths.

Scarlatina caused 43 Deaths; Diarrhoea and Dysentery, 31; Diphtheria, 18; and Puerperal Fever, 2.

Intemperance caused 5 Deaths, all being attributed to Chronic Alcoholism.

Apoplexy was the cause of 98 Deaths; Paralysis of 65; Heart Diseases of 269; and Premature Birth Debility of 83.

The Deaths from Inflammatory Affections of the Respiratory Organs (not including Consumption or Hooping-Cough) amounted to 677, or 24·1 per cent. Those from Consumption alone numbered 238, or 8·5 per cent. 6 Deaths were caused by Croup.

120 Deaths resulted from Violent Causes, of which 8 were Suicidal, 3 being by Cuts or Stabs, 2 by Poison, and 1 each by Gun-shot Wound, Precipitation, and Hanging.

Four males and 7 females were aged 90 years and upwards, the eldest being a widow aged 96 years

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, DECEMBER 1897.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1881.	Census 1891.	Estimated to middle of 1897.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	577,846	658,708	714,919	1014	968	1982	1852	130	624	722	630	1352
EDINBURGH, . .	244,120	272,778	292,364	340	313	653	602	51	372	239	275	514
DUNDEE, . . .	140,794	154,118	163,090	196	164	360	336	24	143	141	140	281
ABERDEEN, . . .	106,306	124,948	133,143	184	175	359	333	26	164	125	103	228
LEITH, . . .	59,485	68,707	75,186	95	112	207	200	7	75	48	57	105
PAISLEY, . . .	55,638	66,425	74,206	99	84	183	170	13	60	57	71	128
GREENOCK, . . .	66,704	63,423	61,475	98	80	178	170	8	41	67	82	149
PERTH, . . .	23,980	29,919	30,524	24	29	53	51	2	37	24	31	55
TOTAL, . . .	1,279,873	1,439,016	1,549,907	2050	1925	3975	3714	261	1516	1423	1389	2812

DECEMBER 1896, . . .	Mean Temp. 38°·5	2072	1983	4055	3764	291	1426	1395	1391	2786
DECEMBER 1895, . . .	Mean Temp. 38°·0	1793	1722	3515	3281	234	1464	1285	1244	2529
DECEMBER 1894, . . .	Mean Temp. 40°·8	1989	1826	3815	3549	266	1411	1423	1357	2780
DECEMBER 1893, . . .	Mean Temp. 41°·5	1908	1801	3709	3428	281	1107	1415	1412	2827
DECEMBER 1892, . . .	Mean Temp. 34°·7	1927	1822	3749	3467	282	1277	1501	1601	3102
DECEMBER 1891, . . .	Mean Temp. 39°·1	1828	1758	3586	3307	279	1210	1569	1674	3244
DECEMBER 1890, . . .	Mean Temp. 35°·8	1947	1803	3750	3469	281	1178	1278	1442	2720
DECEMBER 1889, . . .	Mean Temp. 39°·5	1769	1825	3594	3300	294	1201	1396	1437	2833
DECEMBER 1888, . . .	Mean Temp. 41°·3	1746	1659	3405	3113	292	1179	1091	1149	2240
DECEMBER 1887, . . .	Mean Temp. 39°·6	1825	1654	3479	3201	278	980	1267	1290	2557

DEATHS from Small-pox, Measles, Scarlatina, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of DECEMBER 1897.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlatina.	Hooping- Cough.	Diphtheria	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
1. Bridgeton, . .	0	6	5	21	6	7	1	1. St Peter, . .	0	0	1	3	0	0	1
2. Camlachie, . .	0	1	0	4	1	0	0	2. St Mary, . .	0	0	0	1	0	1	1
3. Dennistoun, . .	0	3	0	13	0	1	0	3. St Clement, . .	0	0	0	0	1	1	1
4. Calton, . . .	0	2	0	3	0	0	1	4. St Andrew, . .	0	0	0	4	1	0	3
5. Blackfriars, . .	0	0	0	0	0	0	0	5. Lochee, . . .	0	0	1	0	0	0	1
6. St Killox, . . .	0	0	2	3	0	1	3	Mains, . . .	0	0	0	0	0	0	0
7. Blythswood, . .	0	2	1	5	0	0	1	ABERDEEN—							
8. Milton, . . .	0	5	1	4	0	0	0	1. St Nicholas, . .	0	0	1	0	0	0	2
9. Kelvin, . . .	0	4	0	2	0	0	0	2. Aberdeen, . .	0	0	0	0	1	0	0
10. Anderston, . .	0	14	1	2	9	0	1	3. Woodside, . .	0	0	0	0	0	0	0
11. Hutchesontown, .	0	2	1	3	0	0	1	4. Old Aberdeen, .	0	0	0	0	0	0	0
12. Gorbals, . . .	0	1	2	1	0	2	0	E. Peterculter, .	0	0	0	0	0	0	0
13. Tradeston, . .	0	1	2	0	0	0	0	Nigg, . . .	0	0	0	0	0	0	0
14. Kinning Park, .	0	0	0	3	0	0	0	LEITH—							
Cathcart, . . .	0	0	1	0	0	0	0	1. North, . . .	0	0	1	0	0	0	1
Eastwood, . . .	0	0	0	0	0	0	0	2. South, . . .	0	0	0	3	0	1	0
Maryhill, . . .	0	0	0	6	0	0	1	PAISLEY, . . .	0	0	0	5	1	4	1
Shettleston, . .	0	0	0	0	0	0	0	GREENOCK—							
Plantation, . . .	0	0	0	0	0	0	0	1. East, . . .	0	12	0	14	0	1	1
Govan, . . .	0	0	0	0	0	0	0	2. West, . . .	0	6	1	6	1	1	0
Partick, . . .	0	0	0	0	0	0	0	PERTH, . . .	0	0	0	0	0	2	1
EDINBURGH—															
1. St George, . .	0	0	0	1	0	0	2								
2. St Andrew, . .	0	0	0	1	2	0	1								
3. Canonsgate, . .	0	0	8	1	4	0	4								
4. St Giles, . . .	0	0	0	0	0	0	0								
5. Newington, . .	0	0	2	0	0	1	0								
6. Portobello, . .	0	0	0	1	0	0	0								

181

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

183

Registered during the Month of DECEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
VII.																				
1. ACCIDENT OR NEGLIGENCE -	1	-	3	1	5	1	1	3	2	7	-	-	2	1	3	-	-	1	-	1
2. VIOLENCE OTHER THAN ACCIDENTAL -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
VIII.																				
ILL-DEFINED AND NOT SPECIFIED CAUSES -	3	-	1	-	4	1	-	-	1	2	2	-	1	-	3	2	-	1	-	3
MIASMATIC DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unvaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
No Statement -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chickenpox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	-	-	-	-	-	-	-	-	-	-	17	1	-	-	18	-	-	-	-	-
Epidemic Rose Rash -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Typhus -	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough -	3	-	-	-	3	-	-	-	-	5	18	2	-	-	20	-	-	-	-	-
Mumps -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple and Ill-defined Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	-	-	1	-	1	-	-	1	-	1	1	-	1	-	2	-	-	2	-	2
Other Miasmatic Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIARRHŒAL DISEASES.																				
Simple Cholera -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery -	1	-	-	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	1	1
MALARIAL DISEASES.																				
Remittent Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Ague -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ZOOGENOUS DISEASES.																				
Hydrophobia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Splenic Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cowpox and other Effects of Vaccination -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENEREAL DISEASES.																				
Syphilis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa, Stricture of Urethra -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTIC DISEASES.																				
Phagedœna -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia, Septicæmia -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

185

Registered during the Month of DECEMBER 1897.

	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
CAUSES OF DEATH.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
PARASITIC DISEASES.																				
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Vegetable Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. from Animal Parasites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIETETIC DISEASES.																				
Starvation, Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemp. { Chronic Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTITUTIONAL DISEASES.																				
Rheumatic Fever, Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	-	5	3	8	-	4	1	5	2	-	2	1	3	1	-	-	1	3	4
Tabes Mesenterica	1	-	-	-	1	2	-	-	2	1	-	-	-	-	1	1	-	-	-	1
Tubercular Meningitis (Acute Hydrocephalus)	-	1	-	-	1	1	1	-	2	2	-	-	-	2	-	-	-	-	-	-
Phthisis	1	9	1	11	-	10	-	-	11	2	13	-	15	-	1	1	5	-	5	2
Other forms of Tuberculosis, Scrophula	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Purpura, Hæmorrhagic Diathesis	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Chlorosis, Leucocythæmia	-	-	-	-	-	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes Mellitus	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Constitutional Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEVELOPMENTAL DISEASES.																				
Premature Birth	2	-	-	-	2	1	-	-	1	3	-	-	-	-	3	-	-	-	-	-
Atelectasis	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Imperforate Anus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft Palate, Harelip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Congenital Defects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Age	-	-	-	5	5	-	-	13	13	-	-	-	5	5	-	-	-	1	1	1
DISEASES OF NERVOUS SYSTEM.																				
Inflammation of Brain or its Mem-branes	2	-	-	-	2	3	-	-	3	3	1	-	1	5	-	-	1	-	1	2
Apoplexy	-	-	1	1	2	-	1	2	3	1	-	-	-	-	-	-	-	2	2	2
Softening of Brain	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	1
Hemiplegia, Brain Paralysis	-	-	2	-	-	-	-	1	1	-	-	1	3	4	-	-	-	-	-	-
Paralysis Agitans	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity, General Paralysis of Insane	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Convulsions	2	-	1	-	3	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idiopathic Tetanus	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Paraplegia, Diseases of Spinal Cord	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Otorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis and Dis. of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia and Dis. of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

187

187

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.					
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
DISEASES OF CIRCULATORY SYSTEM.																					
Endocarditis, Valvular Disease	-	-	5	5	10	-	2	2	6	10	-	-	8	5	13	-	-	-	2	2	4
Pericarditis	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope	-	-	2	2	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Aneurism	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	1	1	-
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis	4	-	2	6	10	-	5	8	23	3	6	3	2	2	18	-	2	2	5	9	4
Pneumonia	6	1	1	8	16	3	1	1	1	6	11	3	2	2	18	-	-	-	-	-	-
Pleurisy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory System	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																					
Stomatitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dentition	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Sore-throat, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dyspepsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmatemesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Melæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Stomach	1	-	-	1	2	1	2	-	3	1	1	1	1	-	3	-	-	-	1	1	-
Enteritis	3	-	-	3	6	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
Ulceration of Intestine	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-
Ileus, Obstruction of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Stricture or Strangulation of Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of Intestine	1	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Peritonitis	-	-	-	-	-	-	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gallstones	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver	1	-	-	1	2	1	-	-	1	1	1	-	-	1	2	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Lymphatics	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Suprarenal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-
Bright's Disease	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Uræmia	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppression of Urine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmaturia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Urinary System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1897.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.
DIS. OF ORGANS OF GENERATION.																				
Ovarian Disease - - -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina - -	4	-	-	1	1	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess - - -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perineal Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Testes, Penis, Scrotum, &c.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
DISEASES OF PARTURITION.																				
Abortion, Miscarriage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Phlegmasia Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth - -	5	-	-	3	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Caries, Necrosis - - -	6	-	3	2	-	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Arthritis, Ostitis, Periostitis - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Organs of Locom.	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis - - -	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integ. System - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Veh. oth. than R'wys. - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drown.) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns & Scalds - - -	25	7	8	2	-	12	3	2	-	1	6	2	-	1	-	3	-	-	-	-
{ Explosions - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours - - -	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning - - -	14	-	2	7	-	9	-	-	-	-	-	1	-	-	-	1	1	1	-	-
Suffocation { In Bed - - -	12	6	-	-	-	6	3	-	-	-	3	-	-	-	-	-	1	-	-	-
{ Otherwise - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	4	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) - - -	29	1	-	13	1	15	-	1	1	5	7	-	1	1	1	3	-	-	2	1
Otherwise, or Not Stated - - -	18	-	3	3	2	8	-	-	2	-	2	-	2	1	-	3	-	-	1	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide - - -	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Suicide - - -	8	-	-	4	2	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition - -	78	33	-	2	-	35	15	-	-	-	15	10	-	2	-	12	10	-	-	1
Mortification - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Sudden (Cause unascertained) - -	5	2	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Ill-def. & not spec. Causes	20	4	2	4	2	12	-	-	-	-	-	4	-	-	-	4	1	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

189

Registered during the Month of DECEMBER 1897.

CAUSES OF DEATH.	LEITH.					PAISLEY.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
DISEASES OF ORGANS OF GENERATION.																				
Ovarian Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic Abscess -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Perineal Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Testes, Penis, Scrotum, &c.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PARTURITION.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Placenta Prævia, Flooding -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phlegmasia Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF LOCOMOTION.																				
Gonorrhea, Necrosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Ostitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1
Other Dis. of Organs of Locomotion -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF INTEGUMENTARY SYSTEM.																				
Carbuncle -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Cellulitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, Bed sore -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Integumentary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT OR NEGLIGENCE.																				
Mines and Quarries { Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quarries { Quarries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles { Railways -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
and { Veh. other than R'ways. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horses { Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (ex. Drowning)	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns, { Conflagrations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scalds { Other Burns and Scalds -	-	-	1	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-
Scalds { Explosions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Drowning -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asphyxiation { In Bed -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Asphyxiation { Otherwise -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fractures (not stated) -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Otherwise, or Not Stated -	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
FORCE OTHER THAN ACCIDENTAL.																				
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILL-DEFINED AND NOT SPECIFIED CAUSES.																				
Dropsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Inanition -	3	-	1	-	4	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Mortification -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Sudden (Cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other ill-def. and not spec. Causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS in *selected* Registration Districts; with the Numbers of Deaths in each from the principal Zymotic Diseases, from Bronchitis and other Inflammatory Chest Diseases, and from Consumption, &c.—DECEMBER 1897.

DISTRICTS.	Estimated Population at Middle of 1897.	Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlatina.	Whooping-Cough.	Diphtheria.	Fever—Typhus & Typhoid.	Cholera.	Diarrhoea and Dysentery.	Group and Laryngitis.	Bronchitis, Pneu- monia and Pleurisy.	Consumption.
Arbroath,	23,650	59	16	43	0	0	0	1	0	0	0	0	1	13	1
Ayr,	28,782	62	36	62	0	0	1	0	1	0	0	1	0	8	7
Banff, with Maeduff, . .	8,689	15	12	14	0	0	0	0	0	0	0	1	0	4	1
Blairgowrie,	4,198	8	6	9	0	0	0	0	0	0	0	0	0	2	0
Callander,	2,347	5	0	3	0	0	0	0	0	0	0	1	0	0	0
Campbeltown,	10,589	28	12	5	0	0	0	0	0	0	0	0	0	0	0
Cathcart (Landward), . .	5,772	14	1	2	0	0	0	0	0	0	0	0	0	0	0
Coatbridge,	37,319	108	27	54	0	0	0	3	1	1	0	3	0	14	6
Crieff,	5,697	11	8	11	0	0	0	1	0	0	0	0	0	2	0
Dumbarton,	20,438	66	13	40	0	5	1	1	0	1	0	0	0	6	3
Dumfries, with Troqueer, .	24,684	56	21	31	0	0	0	0	0	0	0	1	0	4	3
Dunfermline,	30,213	70	38	58	0	0	1	0	0	0	0	1	1	10	4
Dunoon,	7,594	16	2	11	0	0	0	1	0	0	0	0	0	1	0
Eastwood (Landward), . .	14,372	31	15	23	0	2	1	1	0	1	0	0	1	5	2
Elgin,	10,870	37	17	17	0	0	0	0	0	0	0	0	0	2	5
Falkirk,	29,654	94	18	67	0	22	2	3	1	1	0	1	0	11	6
Forfar,	13,185	24	16	27	0	0	0	0	0	0	0	1	0	6	5
Galashiels,	19,153	26	13	32	0	0	0	1	0	0	0	0	0	5	3
Govan—(1) Plantation (Land- ward),	25,753	78	16	40	0	3	0	2	0	0	0	2	0	10	3
(2) Govan (Landward),	47,265	164	38	135	0	24	3	0	2	1	0	1	0	31	15
(3) Partick (Landward),	43,729	135	32	56	0	5	0	4	1	0	0	1	2	12	9
Haddington,	4,956	10	1	15	0	1	1	0	0	0	0	1	0	4	2
Hawick, with Wilton, . .	22,699	35	12	30	0	0	0	2	0	0	0	1	0	2	2
Inverness,	25,610	48	20	64	0	2	0	2	0	1	0	2	1	9	4
Kilmarnock, with Riccarton, .	32,978	86	35	53	0	0	3	0	3	1	0	0	2	8	2
Kilmore and Kilbride (Oban), .	6,129	17	8	17	0	0	0	0	0	0	0	0	0	2	1
Kinning Park (Landward), .	15,203	40	13	23	0	0	0	2	0	0	0	0	1	3	2
Kirkcaldy and Abbotshall, .	19,453	45	15	34	0	0	0	0	1	1	0	2	1	5	3
Kirkcudbright,	3,476	5	2	8	0	0	0	0	0	0	0	0	0	2	0
Largs,	5,430	3	2	4	0	0	0	0	0	0	0	0	0	0	0
Logie (Bridge of Allan), .	4,499	4	0	6	0	1	1	0	0	0	0	0	0	1	0
Moffat,	3,007	2	1	3	0	0	0	0	0	0	0	0	0	1	0
Montrose	13,367	38	13	44	0	1	0	2	0	0	0	0	0	8	1
Moulin (Pitlochry), . . .	2,276	9	2	1	0	0	0	0	0	0	0	0	0	0	1
Nairn,	5,164	13	9	12	0	0	0	0	3	0	0	0	0	3	0
New Monkland (Airdrie), .	38,144	99	18	43	0	1	0	4	2	0	0	5	0	7	2
North Berwick,	3,279	5	1	6	0	0	0	0	1	0	0	0	0	1	0
Peterhead, with Boddam, .	16,900	58	23	27	0	0	0	0	0	1	0	2	1	7	4
Rothsay,	9,631	12	8	6	0	0	0	0	0	0	0	0	0	1	0
St Andrews and St Leonards, .	8,851	16	11	13	0	0	0	0	1	0	0	1	0	0	2
Shettleston (Landward), . .	15,244	41	6	17	0	0	0	0	0	0	0	1	0	3	1
Stirling,	15,605	35	17	25	0	0	2	0	0	0	0	0	1	2	2
Stranraer,	6,058	12	3	13	0	0	0	0	0	0	0	1	0	3	1
Wick,	12,278	28	15	6	0	0	0	0	0	0	0	0	0	1	2

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced, and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12' N.$, and Long. $3^{\circ}30' W.$, and height 133 feet above the sea-level,

For the month of DECEMBER 1897.

Mean barometric pressure, $29\cdot710$ inches; less than the average for the same month of 1856-95 by $0\cdot102$ inch.

Barometric monthly range, $1\cdot977$ inch; greater by $0\cdot391$ inch.

Mean temperature, $39^{\circ}4$; greater by $1^{\circ}0$.

Mean daily range of temperature, $9^{\circ}6$; greater by $0^{\circ}5$.

Mean humidity, 87; being the average.

Rain, number of days, 19; greater by 2 days.

Rain, depth in inches, $4\cdot56$; greater by $0\cdot84$ inch.

Wind, pressure on square foot, $1\cdot75$ lb.; less by $0\cdot12$ lb.

Wind, direction of, E. to W. as 5 to 11, and N. to S. as 3 to 10; the average being E. to W. as 4 to 13, and N. to S. as 4 to 6.

Thus the weather of December 1897 was characterised by a very low mean barometer, accompanied by an unusually large monthly range; a mean temperature a degree above the average, with a mean daily range half a degree above the average; the average mean humidity; a rainfall above the average, falling on two days more than the average; and a marked excess of southerly winds.

The mean barometric pressure was $29\cdot710$ inches, or $0\cdot102$ above the average. The depression of barometric pressure was much greater at western and southern than at eastern and northern stations, thus forming gradients for an excess of winds from southerly directions,—this excess being four days.

The mean temperature was $39^{\circ}4$, or $1^{\circ}0$ above the average, the excess being almost equally partitioned between the days and the nights. At Aberdeen the mean was slightly under the average, but a degree above it at the other stations. The absolutely highest temperature was $55^{\circ}6$ on the 27th at Leith, and the lowest $21^{\circ}3$ on the 22nd at Glasgow. The lowest temperatures were recorded on the first three days of the month; and during the great anti-cyclone, from the 19th to the 24th, low temperatures occurred, particularly after the 21st, when the anti-cyclone began to give way.

The mean rainfall was $4\cdot56$ inches, or 23 per cent. above the average. The largest excess was 55 per cent. at Glasgow, but, on the other hand, the amount collected at Dundee fell 25 per cent. below the average. The largest absolute amount collected was $8\cdot60$ inches at Greenock, and the smallest $2\cdot10$ at Leith. The heaviest rains fell from the 26th to the 29th. During these four days there fell at Greenock $4\cdot07$ inches; at Paisley, $2\cdot69$ inches; and at Glasgow, $2\cdot61$ inches. During the ten days ending with the 25th, little or no rain fell. Snow, accompanied in some places with hail, occurred on the 1st, 6th, 7th, 8th, and 14th. A thunderstorm was reported from Paisley on the 8th, and an aurora on the night following.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, LEITH, PAISLEY, GREENOCK, and PERTH,

During the Month of DECEMBER 1897.

	Height of Station above Sea-level.	BAROMETER.			SELF-REGISTERING THERMOMETERS.						HYGRO- METER.		DEDUCTIONS from Glaisher's Tables 2nd Edit.				RAIN.		WINDS.											
		Mean at Sea-level and 32°.	Range.	inch.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Wet Bulb, or Temp. of Evaporation.	Dry Bulb, or Temp. of Air.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cub. Ft. of Air.	Humidity Sat. 100.	Number of Days it fell.	Amount.	inch.	dys.	Number of Days it blew in certain Directions.									
																					N	NE	E	SE	S	SW	W	NW	Calm or Variable.	lbs.
GLASGOW, J. B. RUSSELL, M.D., Medical Officer of Health, Glasgow.	64	29.658	29.718	1.955	55.0	21.3	39.8	33.7	11.7	20.0	39.8	38.2	36.2	.213	2.48	92	18	5.52	1	1	8	2	1	2	3	4	9	0.52		
EDINBURGH, R. C. MOSSMAN, F.R.S.E.	276	29.419	29.724	1.944	54.0	24.9	39.8	29.1	9.3	17.6	40.0	38.2	35.9	.211	2.44	86	15	2.45	1	1	2	1	1	9	11	2	3	0	1.92	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	161	29.532	29.714	2.040	51.4	22.1	37.9	29.3	9.5	18.1	37.8	36.9	35.8	.210	2.12	93	18	3.35	2	2	0	6	1	13	4	3	0	1.51		
ABERDEEN, PETER HARPER, Superinten- dent, Duthie Park.	44	29.646	29.695	1.949	51.8	22.5	37.5	29.3	9.6	20.5	38.3	36.8	34.7	.201	2.33	83	21	4.30	1	0	1	1	12	10	4	2	0	2.62		
LEITH, JAMES BOLAM, Navigation School, and GEORGE REDFATH.	50	29.660	29.717	1.937	55.6	26.6	41.0	29.0	8.5	16.7	40.7	39.1	37.1	.220	2.56	87	21	2.10	2	2	2	3	3	5	10	2	2	2.19		
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.585	29.702	1.974	53.9	24.2	40.2	29.7	9.5	15.9	39.9	38.4	36.4	.216	2.53	88	22	5.62	4	0	6	0	10	1	5	0	5	1.14		
GREENOCK, ROBERT GLIMOUR, Greenock Water Works.	233	29.448	29.702	1.980	53.4	24.2	39.9	29.2	9.4	18.5	41.0	38.7	35.8	.210	2.44	82	21	8.60	0	0	0	10	0	12	4	1	4	2.34		
PERTH, A. GARDNER, Gardener to James F. Fuller, F.R.S.E.	140		
Means,	133	29.564	29.710	1.977	*(55.6)	(21.3)	39.4	29.9	9.6	18.2	39.6	38.0	35.9	.211	2.41	87	19	4.56	1	1	3	3	4	8	6	2	3	1.75		
North Latitude.—Glasgow, 55° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 56° 53'; Edinburgh, 56° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 56° 50'; Greenock, 56° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 46'; Perth, 3° 30'; Mean, 3° 30'.

* Absolute highest.

† Absolute lowest.